## ermit No. G- 1615

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

1, City of FOMS (Name of applicant)
of
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated WILL & HORSE CREEK
tributary of UAMTILLARIVER
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is MUNICIPAL
4. The well or other source is located ft. and ft. from the corner of
2292 N and 16°W of SEC. H  (If preferable, give distance and bearing to section corner)
being within the BEUGSE. La of Sec. H., Twp. 3 N., R. 341W.
W. M., in the county of UMATILLA
5. The to be miles
in length, terminating in the
R. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Adam'S City WELENO?
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
The casing sizes above the hour of water and
The casing sines above the how of water and is realed with a water tight sanitary seal
8. The development will consist of Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 650 feet. It is estimated that 32
feet of the well will require steel casing. Depth to water table is estimated None.

CINT		CVCMBV	0	DIDE	* ****
CAN	AI.	SYSTEM	()K	PIPE	LINE

	gate: with on to	p (at water a	ine)	•
f	eet; depth of wat	er	feet; grade	feet fall per
sand feet.				
(b) At	mil	les from head	lgate: width on top (at water	line)
······	. feet; width on l	bottom	feet; depth of wa	ster
•	feet fall p	er one thouse	and feet.	
			size at intake,i	
			f use in.; di	
-		ft.	Is grade uniform?	Estimated capa
			1.50	
10. If pump	os are to be used,	give size and	type 115GPM.	sumagion
ural stream of difference in	r stream channel elevation between	l, give the din the stream	istance to the nearest point of bed and the ground surface Wilhow Creek	at the source of develops
difference in the lucture of the luc	r stream channel elevation between Uss [] value is	d, give the din the stream  ( from	istance to the nearest point of bed and the ground surface Wilhow Creek	on each of such channels at the source of develop
difference in the lucture of the luc	r stream channel elevation between the control of area to be in Range of the control of the cont	d, give the din the stream  ( from	istance to the nearest point of bed and the ground surface Wilhers Creek	on each of such channels at the source of develop
difference in the lucural stream of difference in the lucural stream of the lucural stre	r stream channel elevation between ll is       rulion is on of area to be in	d, give the din the stream  from  12 4"  rrigated, or p	istance to the nearest point of bed and the ground surface Wilhers Creek	on each of such channels at the source of develops and the difference  Number Acres To Be Irrigated
difference in the locality of	r stream channel elevation between the stream channel was a second on of area to be in the stream of area to be in the stream to be in the stream of the str	d, give the din the stream  Compared to the stream  Co	istance to the nearest point of bed and the ground surface  Willhow Creek  lace of use  Forty-acre Tract	on each of such channels at the source of develops and the different
difference in the lucion lies with the lucion lies with the lucion lies with the lies with the lucion lies with lies with the lucion li	r stream channel elevation between the control of area to be in the control of th	y give the din the stream  Long  Long  rrigated, or p	stance to the nearest point of bed and the ground surface  Willhow Creek  lace of use  Forty-acre Tract  NWYSEY	on each of such channels at the source of develops and the difference  Number Acres To Be Irrigated
difference in the live live live live live live live liv	r stream channel elevation between the life of the lif	l, give the din the stream  L from  L H''  rrigated, or p  Section  H  H	stance to the nearest point of bed and the ground surface  Willhow Creek  lace of use  Forty-acre Tract  NW SEW  NE W-SEW	on each of such channels at the source of develops and the difference  Number Acres To Be Irrigated  Municipal
12. Location Township N. or S.  3 N 3 N	r stream channel elevation between the constant of area to be in the constant of the constant	l, give the din the stream  (	stance to the nearest point of bed and the ground surface  Willhers Creek  lace of use  Forty-acre Tract  NEWSEW  SWASEW  SWASEW	on each of such channels at the source of develops and the difference  Number Acres To Be Irrigated  Municipal
12. Location Township N. or S.  3 N 3 N 3 N	r stream channel elevation between climated and considerate with the constant of the constant	l, give the din the stream  Loom  Loom  Rection  H  H  H  H	stance to the nearest point of bed and the ground surface  Willhow Creek  lace of use  Forty-acre Tract  NW & SE & S	n each of such channels at the source of develops and the difference  Number Acres To Be Irrigated  Municipal
12. Location Township N. or S.  3 N 3 N 3 N 3 N	r stream channel elevation between the line of area to be in the line of the l	l, give the din the stream  I from  I W  Frigated, or p  Section  H  H  H  H  H  H  H  H  H  H  H  H  H	Istance to the nearest point of bed and the ground surface  Willhow Creek  Iace of use  Forty-acre Tract  NEWSEW  SWUSEW  SEWSEW  SEWSEW  NWWSWW	on each of such channels at the source of develops and the difference  Number Acres To Be Irrigated  Municipal
12. Location Township N or S.  3 N 3 N 3 N 3 N 3 N	r stream channel elevation between climated and considerate with the constant of the constant	l, give the din the stream  I from  I W  Trigated, or p  Section  H  H  H  H  3	stance to the nearest point of bed and the ground surface  Willhow Creek  lace of use  Forty-acre Tract  NW SE G  SW & SE G  SE & SE &  NW SW SW G  SW & SW G  SW	on each of such channels at the source of develops and the difference  Number Acres To Be Irrigated  Municipal
12. Location Township N or S.  3 N 3 N 3 N 3 N 3 N	r stream channel elevation between climated and considerate with the constant of the constant	l, give the din the stream  I from  I W  Trigated, or p  Section  H  H  H  H  3	stance to the nearest point of bed and the ground surface  Willhow Creek  lace of use  Forty-acre Tract  NW SE G  SW & SE G  SE & SE &  NW SW SW G  SW & SW G  SW	on each of such channels at the source of develops and the difference  Number Acres To Be Irrigated  Municipal
12. Location Township N or S.  3 N 3 N 3 N 3 N 3 N	r stream channel elevation between climated and considerate with the constant of the constant	l, give the din the stream  I from  I W  Trigated, or p  Section  H  H  H  H  3	stance to the nearest point of bed and the ground surface  Willhow Creek  lace of use  Forty-acre Tract  NW SE G  SW & SE G  SE & SE &  NW SW SW G  SW & SW G  SW	on each of such channels at the source of develops and the difference  Number Acres To Be Irrigated  Municipal
12. Location Township N or S.  3 N 3 N 3 N 3 N 3 N	r stream channel elevation between climated and considerate with the constant of the constant	l, give the din the stream  I from  I W  Trigated, or p  Section  H  H  H  H  3	stance to the nearest point of bed and the ground surface  Willhow Creek  lace of use  Forty-acre Tract  NW SE G  SW & SE G  SE & SE &  NW SW SW G  SW & SW G  SW	on each of such channels at the source of develops and the difference  Number Acres To Be Irrigated  Municipal

MUNICIPAL SUPPLY—  B. To supply the city of A A A A A S
in Last the fit county, having a present population of 192
and an estimated population of 200 in 19.60
ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$ (0,500
15. Construction work will begin on or before SEPT. 1 1959
16. Construction work will be completed on or before Reb 17-1960
17. The water will be completely applied to the proposed use on or before MHY 15-1960
18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. WE ARE USING AWELL ON PERMIT NO U.596 AND FIGURE
ONUSING THEM both
L. Wille Water Cont
Remarks: the water is to be rised within the City limits and of believe that my maps how the city limits Intersting into lec 3 Lownship 3 97 R 34 E.W.M.
and al holie that me man for the traite
otili i to le 21 1 2 20 R 34 F.W.M
aring and see I worming I II I The
STATE OF OREGON, ss.  County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same forcompletion
maps and data, and retain the same jor
In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before August 17 19 60
Total of or or organic manning manning particles
WITNESS my hand this 17th day of June , 1960

By Ralter N. Perry Assistant

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		ein grante		_		unt of wat	ter which ca	n be ap	<b>plied</b> to be	neficial	use and
							red at the p				
source of a	ppropriat	tion, or its	equivale	ent in ca	se of to	ration wu	th other wat	er user	s, jrom		1
The	use to w	hich this w	pater is	to be ap	plied i	s	munioi	pal		••••	
If fo	r irrigati	on, th <b>is</b> app	oropriat	ion shal	l be lin	nited to		of	one cubic	foot pe	r second
or its equi	valent fo	r each acre	e irrigat	ed and s	shall b	e further i	limited to a	diversio	n of not to	exceed	
acre feet p	er acre j	ior each <b>ac</b>	te irtig	ated dur	ing th	e irrigatio	on season of	each ye	ear;		
<u>.</u> ,					• • • • • • • • • • • • • • • • • • • •				•		
• • • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • • •		·······	••••	*******		•••••		
********	***************************************		· ····································	•••••	······			• •••••••••	•••••••	•••••	•••••
	• • • • • • • • • • • • • • • • • • • •			······································					· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	
						• • • • • • • • • • • • • • • • • • • •	•				
	ha muhia	et to each e	easonal	la motati	ion eus	etem as mi	ny be ordere	ed bu th	o proper i	tate offi	icer.
The the works The	well sho shall inc	all be cased clude prope	d as nec er cappi shall in	essary i ng and c nclude a	n acco control in air l	rdance w valve to ine and p	ith good pr prevent the ressure gau ll at all tim	actice o waste ge or an	ind if the of ground	flow is water.	artesian
The	permitte		stall and	l mainta	in a w	eir, meter	r, or other si		ne <b>as</b> uring	device,	and shall
The	priority	date of th	is permi	it is			June 8	3, 196	0		
Act	ual const	truction wo	ork shal	l begin d	on or b	efore	Augus	t 12,	1961		and shall
thereafter	r be pros	secuted wi	th reaso	onable d	liligeno	ce and be	completed	on or b	efore Oct	ober 1,	19 61
Con	mplete aj	oplication o	of the w	ater to t	he pro	posed use	shall be ma	de on o	r before O	ctober 1	, <sub>19</sub> 62
WI	TNESS 1	ny hand th	is 12	<u>.</u> da	y of		Avgus	t • 1	. Etas	<b>60</b>	
							HUV	10 U	· all	STATE	ENGINEER
	!		i e	eî î			: !	:	510	: у	
Δ.,	; !	ND	This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the $Z^n$ day of $Z^n$					61.	FNGDVEER	0
5 6		E GROUND STATE	ceived	ılem,	M.	•			-	BTATE EN	4
1. 10	E	E O P	rst re	r at Se	, <u>,</u>				page		page
Vo. G-	PERM	IATE THI OF THE OREGON	if sva	ginee	o'clock	:::			No.		o. M
Application No. Permit No. G-	PE	<b>—</b> •	nent 1	ite Eng day of	,0	lican	: :	) ·	book Permi		Isin No. Z
Application Permit No.		APPROPR WATERS OF	ıstrun	re Sta "n	,	to app		•	ed in	• • •	ıge Ba
Ap		TO A)	his in	e of th	at at	Returned to applicant:	Approved		Recorded in book No. Ground Water Permits on page		Drainage Basin No. S <b>ak</b> Pro
		• •	1	office o	19 6	Retu	<b>A p p</b>		G <sub>701</sub>	:	7