Permit No. G- 1635

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

Les Bredigheimes
of Staylor Oregon, country of Marion,
of (Position Lauren)
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Mill Creek (Name of stream)
tributary of Millamette River
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is Zrrigation.
4. The well or other course is least 3.775 to 44 - 3.404 to 44 - 45 - 5 /4
4. The well or other source is located 735 ft. North and 1016. ft. West from the S 14
corner of Sec. 3 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
the there is more than one we'l cach must be described. Use separate sheet if nocessary) being within the $SE/4$ of $SW/4$ of Sec. 3, Twp. 95, R. /W.
W. M., in the county of Marion
5. The to be miles
in length, terminating in the of Sec
(Smallest legal subdivision) R W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
and the second of the second o
8. The development will consist of See Remarks having a (Give number of wells, tunnels, etc.)
diameter of inches and an estimated depth of feet. It is estimated that
feet of the well will require casing. Depth to water table is estimated (Feet)

thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water grade feet fall per one thousand feet.	1635				
feet; depth of water feet; grade feet fall per thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water grade feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; in size at from intake in.; size at place of use in.; difference in elevation bet intake and place of use, ft. Is grade uniform? Estimated cap sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile f natural stream or stream channel, give the distance to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for the fourth mile for the fourth mile for the fourth mile for the fourth mil				anal where materially changed in s	rize, stating miles from
thousand feet. (b) At	adgate. At heads	gate: width on top	(at water li	ne)	feet; width on botton
(b) At	je	eet; depth of wate	:T	feet; grade	feet fall per one
feet; width on bottom feet; depth of water fade feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; in size at rom intake in.; size at place of use in.; difference in elevation bet ntake and place of use, ft. Is grade uniform? Estimated cap sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile f natural stream or stream channel, give the distance to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development 12. Location of area to be irrigated, or place of use Township Range Range Williams of Westian Geetlan Porty-acre Tract Number Acres Number Acres Number Acres Township Range	ousand feet.	•			
(c) Length of pipe,	(b) At	mile	es from head	gate: width on top (at water line)	
(c) Length of pipe, ft.; size at intake, in.; in size at rom intake in.; size at place of use in.; difference in elevation bet intake and place of use, ft. Is grade uniform? Estimated cap sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream or stream channel, give the distance to the nearest point on each of such channel to the nearest point on each of such channel for the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or st		feet; width on be	ottom	feet; depth of water	feet
in.; size at place of use in.; difference in elevation bet intake and place of use, ft. Is grade uniform? Estimated cap sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channe	ade	feet fall pe	er one thousa	nd feet.	
Sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream.	(c) Length	of pipe,		size at intake, in.; in	size at
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or	om intake	in.; si	ze at place of	f use in.; difference	ce in elevation betwee
10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile finalized stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized in the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized in the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized in the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized in the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized in the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized in the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized in the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized in the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized in the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized in the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized in the stream bed and the ground surface at the source of development work is less than one-fourth	itake and place of	use,	ft.	Is grade uniform?	Estimated capacity
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile finalized stream or stream channel, give the distance to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finalized to the nearest point on each of such channels.		. sec. ft.			
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channe the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel for the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channel for the source of development work is less than one-fourth mile finatural stream or stream or stream channel, give the distance to the nearest point on each of such channel for the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel for the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel for the stream of the	10. If pump	s are to be used, g	rive size and	ype	
11. If the location of the well, tunnel, or other development work is less than one-fourth mile finatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream channel to distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream or stream or stream or stream or stream or stream bed and the ground surface at the source of development work is less than one-fourth mile finatural stream or stream o			• • • • • • • • • • • • • • • • • • • •		
N. or S Willamette Meridian Section Forty-acre Fract To Be Irrigated	11. If the lo	ocation of the well stream channel.	l, tunnel, or o	ther development work is less than stance to the nearest point on eac	i one-fourth mile from h of such channels as
7-95, R/W 3 SE/4 OF SW./4 16.5	11. If the lo	ocation of the well stream channel, elevation between	tunnel, or o give the di the stream	ther development work is less than stance to the nearest point on eached and the ground surface at the	n one-fourth mile from h of such channels ar source of developme
	11. If the locatural stream or he difference in a location to the location to	cation of the well stream channel, elevation between on of area to be irr	tunnel, or o give the di the stream l	ther development work is less than stance to the nearest point on each bed and the ground surface at the acce of use	n one-fourth mile from h of such channels ar source of developmen
	11. If the locatural stream or he difference in a location Township N or S	cation of the well stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or o give the di the stream l	ther development work is less than stance to the nearest point on each bed and the ground surface at the acce of use	n one-fourth mile from h of such channels ar source of developmer Number Acres To Be Irrigated
	11. If the locatural stream or he difference in a location Township N or S	cation of the well stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or o give the di the stream l	ther development work is less than stance to the nearest point on each bed and the ground surface at the acce of use	n one-fourth mile from h of such channels ar source of developme Number Acres To Be Irrigated
	11. If the locatural stream or he difference in a location Township N or S	cation of the well stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or o give the di the stream l	ther development work is less than stance to the nearest point on each bed and the ground surface at the acce of use	n one-fourth mile from h of such channels ar source of developme Number Acres To Be Irrigated
	11. If the locatural stream or he difference in a location Township N or S	cation of the well stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or o give the di the stream l	ther development work is less than stance to the nearest point on each bed and the ground surface at the acce of use	n one-fourth mile from h of such channels ar source of developmer Number Acres To Be Irrigated
	11. If the locatural stream or he difference in a location Township N or S	cation of the well stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or o give the di the stream l	ther development work is less than stance to the nearest point on each bed and the ground surface at the acce of use	n one-fourth mile from h of such channels ar source of developmer Number Acres To Be Irrigated
	11. If the locatural stream or he difference in a location Township N or S	cation of the well stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or o give the di the stream l	ther development work is less than stance to the nearest point on each bed and the ground surface at the acce of use	n one-fourth mile from h of such channels ar source of developmen
	11. If the locatural stream or he difference in a location Township N or S	cation of the well stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or o give the di the stream l	ther development work is less than stance to the nearest point on each bed and the ground surface at the acce of use	n one-fourth mile from h of such channels ar source of developmen
	11. If the locatural stream or he difference in a location Township N or S	cation of the well stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or o give the di the stream l	ther development work is less than stance to the nearest point on each bed and the ground surface at the acce of use	n one-fourth mile from h of such channels ar source of developmen
	11. If the locatural stream or he difference in a location Township N or S	cation of the well stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or o give the di the stream l	ther development work is less than stance to the nearest point on each bed and the ground surface at the acce of use	n one-fourth mile from h of such channels ar source of developmen

Character of soil Clay

Kind of crops raised Pasture

By John Sorver, S. Assistant

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein grante	ed is limite	d to th	e amo	unt of u	o ater u	hich ca	n be o	ipplie	d to be	neficial	l use a	nd
	rceed 0.20												or
source of a	ppropriation, or its	equivalent	in cas	e of r	otation 1	vith ot	her wat	er use	ers, fr	om	** ***	•	
The	use to which this	water is to	be app	olied i	s	irri <u>s</u>	ition						
	r irrigation, this ap) ^{††}	(of one	cubic		er seco	
	valent for each act												
acre feet p	per acre for each a				_								
		••••••							••••				
									· · · · · · · · · · · · · · · · · · ·	. .			
and shall	be subject to such	reasonable	rotatio	on sys	stem as 1	may be	ordere	d by	the pr	oper si	ate off	icer.	
The the works	well shall be case shall include prop	d as neces: er capping	sary in and co	acco ontrol	rdance valve t	with g o prev	ood pro	ictice wast	and e of g	if the round	flow is water.	artes	ian
The line, adeq	works constructed uate to determine	d shall incl water leve	ude ar	ı air l ation	ine and in the u	pressu vell at	re gaug all time	e or ('s.	an acc	ess po	rt for n	reasur	ıng
The keep a cor	permittee shall in nplete record of th	stall and n e amount	raintai of grou	n a w ind w	eir, met ater wit	er, or o hdraw	the r su n.	itable	meas	uring	device,	and sh	all
						,							
	priority date of th	•				•	•	,	,				11
	ual construction w							٠.	1.4.	0.4		and si	nati
	be prosecuted w						-						
	nplete application TNESS my hand th	•	erioin day	•	posca u	se snau	oe mac	ie on	or oe;	ne Oc		. 19	
** 1	i wanta nig nunu ti	tta .	ung	<i>,</i> 0)		,	.4.			, 13	•		
							4		•	• • •	STATE	ENGINE	ER
	_	the gon,	•						fo .	<u>.</u>	Ě		
~	UND	red in		M.				c.	•	-	ENGIN	:	
1.3	E GROI	recein Saler						19 60	2	ં હ	ETATE	page	
5	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem. Oregon,	· ·	×		:		20.		Ground Water Permits on page	STANT:	ď	
	PERMIT APPROPRIATE TH WATERS OF THE OF OREGON	t was	of	o'clock	int:	•	:	September	Recorded in book No.	mits o		No.	State Printing
Application No.	PI OPR ERS OF	ıment tate E	day of		Returned to applicant	:	•	Septe	in boc	r Peri	LET	Drainage Basin No.	State
Application Permit No.	APPR	instru the S	j	at	d to a		ģ.	:	rded	Wate		nage l	
	TO	This ice of	on the	,	turne		Approved:		Reco	puno	:	Drai	
		1 \$	r u	19	Re		Ap	:		ર્ડ	. 1		