

Permit No. G- 1652

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Tillamook Water Commission, of Tillamook, Oregon, county of Tillamook state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Municipal corporation 2/28/91

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Trask River

2. The amount of water which the applicant intends to apply to beneficial use is 460 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Supplemental supply to present municipal water system

4. The well or other source is located 392.40 ft. N and 189.77 ft. W from the 1/4 corner of common to Sec. 31 T 1S, R 9 W. and Sec. 6 T 2S, R 9 W., W.M.

being within the SE 1/4 of SW 1/4 of Sec. 31, Twp. 1S, R. 9 W. W. M., in the county of Tillamook

5. The pipe line to be 100 feet in length, terminating at existing transmission line of Sec. Twp.

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well # 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 16 inches and an depth of 107.5 feet. It is estimated that feet of the well will require 107' steel 3/8" casing. Depth to water table is estimated 13.5

1652

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type _____ 6" deep well turbine

Give horsepower and type of motor or engine to be used _____ Electric 50 P.H.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

310 feet south of Trask River Elevation difference 19 feet

12. Location of area to be irrigated, or place of use _____ Municipal use

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 S	9 W	29	SW $\frac{1}{4}$ & S $\frac{1}{2}$ NW $\frac{1}{2}$	Municipal
		30	S $\frac{1}{2}$ & S $\frac{1}{2}$ NW $\frac{1}{4}$	
		31	S $\frac{1}{2}$	
		32	S $\frac{1}{2}$ SW $\frac{1}{4}$ & S $\frac{1}{2}$ SE $\frac{1}{4}$	
1 S	10 W	25	S $\frac{1}{2}$ & S $\frac{1}{2}$ N $\frac{1}{2}$	
		26	S $\frac{1}{2}$ N $\frac{1}{2}$, N $\frac{1}{2}$ SE $\frac{1}{4}$ & SW $\frac{1}{4}$	
		34	S $\frac{1}{2}$	
		35 & 36	All	
2 S	9 W	4 & 5	S $\frac{1}{2}$ Each	
		6	N $\frac{1}{2}$ & E $\frac{1}{2}$ of SE $\frac{1}{4}$	
		7, 8 & 9	All	
		16	N $\frac{1}{2}$ NW $\frac{1}{4}$	

(If more space required, attach separate sheet)

See Remarks

Character of soil _____

Kind of crops raised _____

MUNICIPAL SUPPLY—

1652

13. To supply the city of Tillamook
in Tillamook county, having a present population of 4247
and an estimated population of in 19

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 7800.00
- 15. Construction work will begin on or before May 31, 1960
- 16. Construction work will be completed on or before August 15, 1960
- 17. The water will be completely applied to the proposed use on or before August 15, 1960

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Permit S. 6673 Fawcett Creek, Permit G. 842.

Have water right on Killiam Creek dated 1905 or 1906

[Signature] Superintendent
(Signature of applicant)

Remarks: This well will be used only in the dry season when the ~~water~~ two creeks will not produce enough water.

(Item 12 Continued)

T 2 S, R 9 W,	Sec. 17	NE 1/4 NE 2/4 E. 1/4 NW 1/4 NW 2/4	Municipal
	18	All	
T 2 S, R 10 W	Sec. 3	NW 1/4 & NW 1/4 NE 1/4	
	13	SE 1/4 SE 1/4	
	24	N 1/2 NE 1/4	

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 10, 1960

WITNESS my hand this 14th day of August, 1960

LESLIE A. BENTON STATE ENGINEER

By *[Signature]*
Walter N. Perry ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.03 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well No. 1.

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed - - acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 20, 1960

Actual construction work shall begin on or before September 20, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 25th day of July, 1960

STATE ENGINEER

Application No. G- 1807
Permit No. G- 1652

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 25th day of July
1960, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

September 20, 1960

Recorded in book No. 7 of

Ground Water Permits on page 1652

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 1 page 26