Permit No. G- 1663

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1.	City of Dayt	acm.					
	······································		of applicant)	••••		· • · · · · · • · · · · · · · · · · · ·	
of	Dayton (Postoffice Address)	••••		, cou	nty of Yamhi	11	·
etate of			harahı malı	o mmalic.	-4: f		
following describ	ed ground waters	of the state of	nereoy mak Oregon, SU	e applica BJECT '	nnon jor a perm TO EXISTING	nt to approp RIGHTS:	priate the
	icant is a corporatio						
		····	····· · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		
1. Give no	ame of nearest stre	am to which th	ie well, tun	nel or ot	her source of w	rater develo	opment is
situated	Miller Creek						
			(Name of stre		of Yamhill R	iver	
2. The am feet per second o	iount of water whi 7 300 gall	ch the applican	it intends to	apply to	beneficial use	is	cubic
3. The use	e to which the wat	er is to be apple	ied is	Munic	ipal		
4 The we	ll or other source is	s located	ft. (N or S	and	. ft.	w from th	ıe
corner of			(Section or subd				
-	If there is more the	preferable, give distan	ce and bearing to	Jse separate	ner) sheet if necessary)		3 W
being within the	. MAT ME	4	of Se	r. 9	. Twp .	. R.	· ·
W. M., in the con	inty of Yamh	111					
5. The	existing pipel			is	modex approx	. 2	miles
from in length, termin	well to city ating in the	Canal or pipe line) S 1/2 (Smallest legs	il subdivision)	•	of Sec. 17	. Twp .	4 S
R. 3 W . W	. M., the proposed	location being :	shown throu	ighout or	n the accompan	ying map.	
	me of the well or o		McDougal				
		DESCRIPT	ION OF W	ORKS			
7. If the f supply when not	low to be utilized i in use must be de	s artesian, the v scribed.	vorks to be	used for	the control and	l conservat	ion of the
Not appli	cable						
6 ML - 1	n domes :: 22		ama 3-433				
	velopment will con		One drille	mber of well	s. tunnels, etc.)	. •	having a
diameter of	inches an	id an estimated	aepth of	90+	feet. It is est	imated tha	t all
feet of the well i	•	(Kind)		-	water table is e:	stimated 2	(Feet)
this well	was constructed	d and put in	to use du	ring 19	49		

1663

CANAL.	SYSTEM	OR	PIPE	LINE-

•		,	e)	jeet, wi	iain on oo
• • •	; depth of wate	r	feet; grade	fe	et fall per
sand feet.					
(b) At	mile	s from headge	ate: width on top (at wa	ter line)	
fe	eet; width on bo	ottom	feet; depth of	water	
le	feet fall pe	r one thousan	d feet.		
(c) Length of	pipe,	ft.; si	ze at intake,	in.; in size at	
ı intake	in.; si	ze at place of t	use in.;	difference in ele-	vation bet
ke and place of u	se,	ft. Is	grade uniform?	Estin	mated cap
So	ec. ft.				•
10. If pumps of	ire to be used, g	ive size and ty	pe 300 GPM Turbi.	36 , <u>.</u>	
	•		•		
a.				7) - T7) A	
Give horsepou	ver and type of	motor or engir	ne to be used 30 H.	P. Electric M	lotor
					above i
12. Location	of area to be irr	igated, or plac	ce of use		
Township	of area to be irr	rigated, or plac	re of use		mber Acres Be Irrigated
Township	Range Z or W of	i i		To 1	mber Acres
Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	To 1	mber Acres Be Irrigated
Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	To 1	mber Acres Be Irrigated
Township N or S	Range E or W of Willamette Meridian	Section 16	Forty-acre Tract SW: NW: SW: SW:	To 1	mber Acres Be Irrigated
Township N or S	Range E or W of Willamette Meridian	16 17	Forty-acre Tract SW- NW- SW- SW- SW-	To 1	mber Acres Be Irrigated
Township N or S	Range E or W of Willamette Meridian	16 17	Forty-acre Tract SW- NW- SW- SW- SW-	To 1	mber Acres Be Irrigated
Township N or S	Range E or W of Willamette Meridian	16 17	Forty-acre Tract SW- NW- SW- SW- SW-	To 1	mber Acres Be Irrigated
Township N or S	Range E or W of Willamette Meridian	16 17	Forty-acre Tract SW- NW- SW- SW- SW-	To 1	mber Acres Be Irrigated
Township N or S	Range E or W of Willamette Meridian	16 17	Forty-acre Tract SW- NW- SW- SW- SW-	To 1	mber Acres Be Irrigated
Township N or S	Range E or W of Willamette Meridian	16 17	Forty-acre Tract SW- NW- SW- SW- SW-	To 1	mber Acres Be Irrigated
Township N or S	Range E or W of Willamette Meridian	16 17	Forty-acre Tract SW- NW- SW- SW- SW-	To 1	mber Acres Be Irrigated

Character of soil

Kind of crops raised.

MUNICIPAL SUPPLY—	1663
13. To supply the city of	
Tankill county, having a pr	esent population of 260 families
nd an estimated population of 300 familias	
	16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$	
15. Construction work will begin on or before	
•	r before
• • • • • • • • • • • • • • • • • • •	he proposed use on or before Complete and in
	use since 1949. ental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicat	ted right to appropriate water, made or held by the
applicant. water also used from the Dayton	Springs area and from the city well
	Sih of Day to Robert Filmely
	City of Day to Tohan Tilarely (Signature of applicant)
Remarks:	
	·
	<u> </u>
·	
STATE OF OREGON, .	
County of Marion, ss.	
This is to certify that I have examined the	e foregoing application, together with the accompanying
maps and data, and return the same for	
In order to retain its priority, this applicat	tion must be returned to the State Engineer, with correc-
tions on or before	
	•
WITNESS my hand this day of .	
	STATE ENGINEER
	By

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The t	ight herein granted	d is limited to the amo	unt of water t	which can be applied to b	peneficial use and
				at the point of diversion	
source of ap	propriation, or its	equivalent in case of ro	otation with o	ther water users, from	10 Miles 3 Will 10
The s	use to which this u	pater is to be applied i		i p:1	
If for	r i rr igation, this ap	propriation shall be lin		of one cub	
				ited to a diversion of not i	
acre feet p	er acre for each ac	re irrigated during th	e irrigation s	eason of each year;	
		······································	****		•••••
******************************	• • • • • • • • • • • • • • • • • • • •				
and shall b	pe subject to such 1	reasonable rotation sys	stem as may b	be ordered by the proper	state officer.
the works The line, adequ	shall include prope works constructed tate to determine permittee shall in	er capping and control I shall include an air I water level elevation	l valve to pre line and press in the well a veir, meter, or	other suitable measurin	d water. oort for measuring
The	priority date of th	is permit is			
Acti	ual construction we	ork shall begin on or t	before		and shall
thereafter	be prosecuted wi	th reasonable diligen	ce and be con	mpleted on or before O	ctober 1, 19
Con	nplete application (of the water to the pro	oposed use sho	all be made on or before	October 1. 19
WI	INESS my hand th	ais day of		· · · ·	
				ر يا د ۱۹ پالادمون	STATE ENGINEER
Application No. G- 1819 Permit No. G-	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9 day of August. 1960, at 3.55 o'clock A.M.	Returned to applicant:	Approved: Saptember 20, 1960 Recorded in book No. 7 of Ground Water Permits on page	LE IS A. STANLEY GTATE ENGINEER Drainage Basin No. 2 page 96 E

State Pri

2000