PUGETVE AUGZ 1950 D STATE ZAGARZA FARENCE TARREST

## Permit No. G. 1681

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

of Rt 1-Box 63 C	1. KENNEY	- 1 - 1 + 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
of The Indian Addr	any	, county of C. A. E. J. 2. MAS
<b>.</b>	, do hereby make a	pplication for a permit to appropriate the
If the applicant is a corpore	ation, give date and place of incor	poration
1. Give name of nearest s	stream to which the well, tunnel	or other source of water development is
situated	/VI o/a //a Ri	VER
	tribu	tary of WILLAMETTE RIVER
2. The amount of water to feet per second or 15.8175g		ply to beneficial use is 0.147 cubic
3. The use to which the u	vater is to be applied is	nigation
4 The well or other source	re is located 1/65 it North	and 267 ft. E35T from the SECTIO
	South SECTION Ine TVI	
corner of 20 2 CT (VI 1.27. 911	(Section or subdivisi	2.5 S.W.C. 1
	(If preferable, give distance and bearing to sec	tion corner)
If there is mo	ore than one we'', each must be described. Use a	eparate sheet if necessary)
being within the	ruth to SMAStaffsec.	34
W. M., in the county of Clo	c CKamas	. •
5. The	(Canal or pipe line)	to be miles
in length, terminating in the	(Canal or pipe line)	of Sec
•	(Smallest legal subdivision) sed location being shown through	
		out on the accompanying map.
6. The name of the well o	or other works is	e de la companya de l
	DESCRIPTION OF WO	RKS
7. If the flow to be utilize supply when not in use must be		ed for the control and conservation of the
	a c	
	•	e e e e e e e e e e e e e e e e e e e
	consist of Give number	
diameter of 5 11. Amnches	s and an estimated depth of 7.5	feet. It is estimated that
feet of the well will require	el Les (Kind) casing. Dep	th to water table is estimated 42 /6;

	OR PIPE LINE-			
			mal where materially changed	l in size, stating miles from
gate. At head	gate: width on top (	(at water li	ne)	feet; width on botton
	eet; depth of water		feet; grade	feet fall per on
and feet.				
(b) At	miles	from head	gate: width on top (at water li	ne)
•			feet; depth of water	
	feet fall per			
			size at intake, in	.; in size at
			f use in.; diff	
			Is grade uniform?	
	•	-		
		ve size and	type	
Give horse	power and type of 1	motor or en	gine to be used	
	stroam channel	mine the di	other development work is less istance to the nearest point or bed and the ground surface a	n each of such channels t
ural stream o difference in	or stream channel, elevation between	give the dithe stream	istance to the nearest point of	n each of such channels t
ural stream o difference in	or stream channel, elevation between	give the dithe stream	istance to the nearest point of bed and the ground surface a	n each of such channels t
difference in  12. Locati  Township N or S.	ion of area to be irr	give the dithe stream	lace of use 4 straight and surface a	t the source of developm
ural stream of difference in 12. Locati	elevation between  ion of area to be irr	give the dithe stream	bed and the ground surface a	t the source of developm
difference in  12. Locati  Township N or S.	ion of area to be irr	give the dithe stream	lace of use 4 straight and surface a	t the source of developm
difference in  12. Locati  Township N or S.	ion of area to be irr	give the dithe stream	lace of use 4 straight and surface a	t the source of developm
difference in  12. Locati  Township N or S.	ion of area to be irr	give the dithe stream	lace of use 4 straight and surface a	t the source of developm
difference in  12. Locati  Township N or S.	ion of area to be irr	give the dithe stream	lace of use 4 straight and surface a	t the source of developm
difference in  12. Locati  Township N or S.	ion of area to be irr	give the dithe stream	lace of use 4 straight and surface a	t the source of developm
difference in  12. Locati  Township N or S.	ion of area to be irr	give the dithe stream	lace of use 4 straight and surface a	t the source of developm
difference in  12. Locati  Township N or S.	ion of area to be irr	give the dithe stream	lace of use 4 straight and surface a	t the source of developm
difference in  12. Locati  Township N or S.	ion of area to be irr	give the dithe stream	lace of use 4 straight and surface a	t the source of developm

Character of soil 2011/4METE 5.15

Kind of crops raised SITABERNIS C TES TILBERTS

MUNICIPAL SUPPLY—	1081
	nt population of
and an estimated population ofin	v.
· ·	17 AND 18 EN ALL CASES
14. Estimated cost of proposed works, \$ 200	
15. Construction work will begin on or before	
16. Construction work will be completed on or be	
<u>-</u>	proposed use on or before Sky + 10, 136.
12. If the ground water supply to supplementa	al to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated	right to appropriate water, made or held by the
applicant.	
	Carr Mie 1.
	E W Ma / Live 1 Take (Signature of applicant)
Remarks: Farcel I Fart of	Government Lot 7 Section 3.
	Mi, described as beginning a
the quarter section corner	
the township time between	
•	29.75 reds, thence south 38
	to the south boundary L
	: thence South 78 15 west 30
	Line; thence South along said
	to the place of beginning, s
	in roads, and except that pe
cal II funt of way in the County	ortheasterly line of the South of Cracka mus, and State of Cracka mus, and State of Cracka min. in the of Oregon, to wit
The posteromer government of the poster will amelte valley Sou	chern Pailroad Company.
STATE OF OREGON, ss.	•
County of Marion, )	ragging application together with the
	pregoing application, together with the accompanying
maps and data, and return the same for	
•	The state of the s
	n must be returned to the State Engineer, with correc-
In order to retain its priority, this application tions on or before	
	19 .

**By** ... ... ... ... ... ... ... ... ...

ASSISTANT

1681

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, ECT TO EXISTING RIGHTS and the following limitations and conditions:

<b>~</b> "		is limited to the amou			
		cubic feet per secon	and the second second	*	
		quivalent in case of rot			•
		ster is to be applied is			
If for	irrigation, this app	ropriation shall be lim	ited to 1/808	of one cubic	foot per second
or its equiv	alent for each acre	irrigated and shall be	further limited to a	diversion of not to	exceed . 22
acre feet pe	r acre for each acr	e irrigated during the	irrigation season o	f each year;	
					•••••
	•				
,					
and shall b	e subject to such re	easonable rotation syst	tem as may be orde	red by the proper s	tate officer.
the works	shall include prope	as necessary in accor r capping and control	valve to prevent it	te waste of ground	water.
The line adequ	works constructed	shall include an air li	ine and pressure ga in the well at all tir	uge or an access po mes.	rt for measuring
The	normittee shall ins	tall and maintain a we amount of ground we	eir, meter, or other	suitable measuring	device, and shall
			Contonhon	9 1060	
		s permit is		ber 20, 1961	and shall
		rk shall begin on or b th reasonable diligenc	c,0.0		
		of the water to the pro			
	TNESS my hand th		Octobe	r, ,,196	<b>0</b>
	•		rail	r. ,196	STATE ENGINEER
					: 4
	Q	received in the Salem, Oregon,			E E
<b>~</b> ~	GROUND	irred in O.	· : : :	<b>~</b>	Sold Brown
63	E GROI	t rece it Sale		1960 7 page	STANLET  GTATE  GTATE  A  Page
Application No. G- 1839 Permit No. G-	PERMIT APPROPRIATE THE WATERS OF THE S' OF OREGON	This instrument was first ce of the State Engineer at the day of t		october 20, 196 october 20, 196 rded in book No. Water Permits on page	
on No	PERMI APPROPRIATE T WATERS OF TH OF OREGO	nent wa ite Engi day of	cant:	October in book I er Permit.	LENIS A. Drainage Basin No.
Application Permit No.	PI PROPRI TERS OF	rumer State da	appli	Octo d in d	LEWIS ge Basin
Appl	83	s inst of the	ned to	October October Recorded in book	raınaç
	70	This instrument was first received in the office of the State Engineer at Salem, Oregon on the day of M.	Returned to applicant	Approved: Record Ground W	D.
	q		÷ •	•	