

STATE OF OREGON

COUNTY OF MALHEUR

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

MIRACLE LAND & LIVESTOCK LLC
20020 UPPER PLEASANT RD
CALDWELL, ID 83607

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17544

DATE OF PRIORITY: APRIL 4, 2012

SOURCE OF WATER:

MIRACLE WELL 1, MIRACLE WELL 2, AND MIRACLE WELL 3 IN SNAKE RIVER BASIN

STORAGE FACILITES:

SEDIMENT POND 1, SEDIMENT POND 2A, SEDIMENT POND 2B, TREATMENT POND 1, WETLAND/STORAGE POND, AND TREATMENT POND 2

USE OF GROUND WATER:

PRIMARY IRRIGATION OF 102.4 ACRES, SUPPLEMENTAL IRRIGATION OF 392.5 ACRES, AND POND MAINTENANCE

USE OF STORED GROUND WATER:

PRIMARY IRRIGATION OF 102.4 ACRES, SUPPLEMENTAL IRRIGATION OF 392.5 ACRES, FISH LIFE, WILDLIFE, AND RECREATION

MAXIMUM RATE FROM WELLS:

6.18 CUBIC FEET PER SECOND (CFS), BEING NO MORE THAN 1.28 CFS FOR PRIMARY IRRIGATION OF 102.4 ACRES, 4.90 CFS FOR SUPPLEMENTAL IRRIGATION OF 392.5 ACRES, AND 1.04 CFS FOR POND MAINTENANCE

MAXIMUM STORAGE VOLUME IN PONDS:

104.3 ACRE FEET (AF), BEING 2.0 AF IN SEDIMENT POND 1, 4.6 AF IN SEDIMENT POND 2A, 4.1 AF IN SEDIMENT POND 2B, 2.5 AF IN TREATMENT POND 1, 90.0 AF IN WETLAND/STORAGE POND, AND 1.1 AF IN TREATMENT POND 2

MAXIMUM USE OF STORED WATER FROM WETLAND/STORAGE POND:

90.0 AF FOR PRIMARY IRRIGATION OF 102.4 ACRES AND SUPPLEMENTAL IRRIGATION OF 392.5 ACRES, AND FISH LIFE, WILDLIFE, AND RECREATION

PERIOD OF USE FROM WELLS:

MARCH 1 THROUGH OCTOBER 31 FOR PRIMARY IRRIGATION AND SUPPLEMENTAL IRRIGATION; YEAR-ROUND FOR POND MAINTENANCE

PERIOD OF USE FOR STORAGE IN PONDS:

YEAR-ROUND

PERIOD OF USE FROM WETLAND/STORAGE POND:

MARCH 1 THROUGH OCTOBER 31 FOR PRIMARY IRRIGATION AND SUPPLEMENTAL IRRIGATION; YEAR-ROUND FOR FISH LIFE, WILDLIFE, AND RECREATION

WELL LOCATIONS:

MIRACLE WELL 1: SW ¼ NE ¼, SECTION 25, T15S, R46E, W.M.; 3920 FEET NORTH AND 2380 FEET WEST FROM SE CORNER, SECTION 25

MIRACLE WELL 2: NE ¼ NE ¼, SECTION 25, T15S, R46E, W.M.; 3960 FEET NORTH AND 650 FEET WEST FROM SE CORNER, SECTION 25

MIRACLE WELL 3: NE ¼ NE ¼, SECTION 31, T15S, R47E, W.M.; 400 FEET SOUTH AND 530 FEET WEST FROM NE CORNER, SECTION 31

PUMP/POND LOCATIONS:

MIRACLE PUMP IN WETLAND/STORAGE POND: SW ¼ NE ¼, SECTION 25, T15S, R46E, W.M.; 3920 FEET NORTH AND 2030 FEET WEST FROM SE CORNER, SECTION 25

SEDIMENT POND 1: SE ¼ NE ¼, SECTION 25, T15S, R46E, W.M.; 3815 FEET NORTH AND 55 FEET WEST FROM SE CORNER, SECTION 25

SEDIMENT POND 2A: SE ¼ NE ¼, SECTION 25, T15S, R46E, W.M.; 3860 FEET NORTH AND 365 FEET WEST FROM SE CORNER, SECTION 25

SEDIMENT POND 2B: SE ¼ NE ¼, SECTION 25, T15S, R46E, W.M.; 3780 FEET NORTH AND 340 FEET WEST FROM SE CORNER, SECTION 25

TREATMENT POND 1: SE ¼ NE ¼, SECTION 25, T15S, R46E, W.M.; 3560 FEET NORTH AND 560 FEET WEST FROM SE CORNER, SECTION 25

WETLAND/STORAGE POND: SW ¼ NE ¼, SECTION 25, T15S, R46E, W.M.; 3790 FEET NORTH AND 1340 FEET WEST FROM SE CORNER, SECTION 25

TREATMENT POND 2: SW ¼ NE ¼, SECTION 25, T15S, R46E, W.M.; 3460 FEET NORTH AND 1960 FEET WEST FROM SE CORNER, SECTION 25

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

QQ	SEC	TWP	RNG	WM	primary irrigation	supplemental irrigation	pond maintenance
NENE	25	15 S	46 E	WM		34.0	
NWNE	25	15 S	46 E	WM		38.5	X
SWNE	25	15 S	46 E	WM	14.5	12.5	X
SENE	25	15 S	46 E	WM	16.0		X
NENW	25	15 S	46 E	WM		9.0	
SWNW	25	15 S	46 E	WM	3.0		
SENW	25	15 S	46 E	WM	1.7	37.8	
NESW	25	15 S	46 E	WM	5.0	31.6	
NWSW	25	15 S	46 E	WM		6.7	
SWSW	25	15 S	46 E	WM		14.5	
SESW	25	15 S	46 E	WM	0.5	14.5	
NWSE	25	15 S	46 E	WM	26.0	13.0	
SWSE	25	15 S	46 E	WM		20.0	
NWNW	30	15 S	47 E	WM	14.0		
SWNW	30	15 S	47 E	WM	8.7		
SESW	30	15 S	47 E	WM		38.0	
NESE	30	15 S	47 E	WM		38.4	
SWSE	30	15 S	47 E	WM		36.8	

QQ	SEC	TWP	RNG	WM	primary irrigation	supplemental irrigation	pond maintenance
SESE	30	15 S	47 E	WM		37.9	
NENE	31	15 S	47 E	WM	13.0	3.7	
NWNE	31	15 S	47 E	WM		5.6	

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter or other suitable measuring device as approved by the Director at each well and at miracle pump in wetland/storage pond.
- B. Before water use may begin under this permit, a staff gage that measures the entire range and stage between full reservoir level and dead pool storage must be installed and maintained in each pond.
- C. The permittee shall maintain all required devices in good working order.
- D. The permittee shall keep a complete record of the amount of water appropriated (from the wells) and stored (in the ponds) each month, and shall submit a report which includes the recorded water-use (from the wells) and water-storage (from the ponds) measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- E. The permittee shall allow the watermaster access to all required devices; provided however, where a device is located within a private structure, the watermaster shall request access upon reasonable notice.
- F. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water levels for each well on the permit. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The permittee shall report an initial March static water-level measurement once well construction is complete and annual measurements thereafter. Annual measurements are required whether or not the well is used. The first annual measurement will establish a reference level against which future measurements will be compared. However, the Director may establish the reference level based on an analysis of other water-level data. The Director may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can

sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

The wells shall produce water only from the Glenns Ferry Formation between 40 feet and 600 feet below land surface.

The storage of water allowed herein is subject to the installation and maintenance of outlet pipes, or the provision of other means to evacuate water from each pond when determined necessary by the Water Resources Director to satisfy prior downstream rights.

Surface water shall not be appropriated to fill or maintain the reservoirs without a water right permitting the diversion and use of such surface water.

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

If the riparian area is disturbed in the process of developing a point of appropriation, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

Completion of construction and application of the water shall be made within five years of the date of permit issuance. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued November 27, 2012



E. Timothy Wallin, Water Rights Program Manager
for Phillip C. Ward, Director