

Permit No. G-1702

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Howard J. and Pearl A. Miller of Rt. 2, Box 256, Albany, county of Linn

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Santiam River

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 250 cubic feet per second or 250 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located S. 5°30' W. 11 chains ft. and ft. from the SE corner of Milton Hale DLC 67

(If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary)

being within the NE 1/4 of SE 1/4 of Sec. 10, Twp. 10 S, R. 3 W, W. M., in the county of Linn

5. The main pipeline to be 1200' miles in length, terminating in the SE 1/4 of SE 1/4 and NE 1/4 of SE 1/4 of Sec. 10, Twp. 10 S, R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Miller Well #3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one pump well having a diameter of 10 inches and an estimated depth of 18 1/2 feet. It is estimated that 18 1/2 feet of the well will require steel casing. Depth to water table is estimated 6

1702

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake, 5 in.; in size at 1200 ft. from intake 5 in.; size at place of use 3 & 4 in.; difference in elevation between intake and place of use, 5 ft. Is grade uniform? yes Estimated capacity, 0.75 sec. ft.

10. If pumps are to be used, give size and type 4" Centrifugal

Give horsepower and type of motor or engine to be used 15 H. P. electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use S. 10, T. 10 S, R. 3 W.

Township N. or S.	Range E or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
10 S	3 W	10	SE $\frac{1}{4}$ of SE $\frac{1}{4}$	2.6
10 S	3 W	10	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	3.0
10 S	3 W	10	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	30.0
				35.6

(If more space required, attach separate sheet)

Character of soil Sandy Loam

Kind of crops raised Vegetables

MUNICIPAL SUPPLY—

1702

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3500.00
- 15. Construction work will begin on or before June 20, 1960
- 16. Construction work will be completed on or before June 22, 1960
- 17. The water will be completely applied to the proposed use on or before October 1, 1963

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Howard A. Miller
Howard A. Miller
(Signature of Applicant)

Remarks:

Previous registrations cover the following acreages within this filing:

Miller Well No. 1:

T. 10 S., R. 3 W., S. 10, NE $\frac{1}{4}$ of SE $\frac{1}{4}$ 13.5

Miller Well No. 2:

T. 10 S., R. 3 W., S. 10, NE $\frac{1}{4}$ of SE $\frac{1}{4}$ 8.8

T. 10 S., R. 3 W., S. 10, NW $\frac{1}{4}$ of SE $\frac{1}{4}$ 0.2

T. 10 S., R. 3 W., S. 10, SE $\frac{1}{4}$ of SE $\frac{1}{4}$ 2.6

11.6

Total No. 1 & No. 2 = 25.1

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19

WITNESS my hand this day of, 19

STATE ENGINEER

By ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.45 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Miller well No. 3

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 13, 1960

Actual construction work shall begin on or before December 8, 1961 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 8th day of December, 1960

Lewis A. Stanley, STATE ENGINEER

Application No. G- 1860

Permit No. G- 1702

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of December, 1960, at 10 o'clock P.M.

Returned to applicant:

Approved:

December 8, 1960

Recorded in book No. 7 of 1702

Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. R page 26E