## Permit No. G- 1703

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Wayne R. and Dorothy L. Sherwood
of Route 4, Box 519, Grants Pass, county of Jackson
state of Oregon , do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Slagle Creek (Name of stream)
tributary of Applemate Fiver
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or
3. The use to which the water is to be applied isirrigation
4. The well or other source is located 600 ft. Seem and 67% ft. from the 600 ft.
corner of L.C. #29  (Section or subdivision)
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
being within the
W. M., in the county of
5. The (Canal or pipe line) to be the miles
in length, terminating in the (Smallest legal subdivision) of Sec, Twp
R W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
en e
······································
8. The development will consist of one religious (Siver) having a
diameter of 12 1. 3342 inches and an estimated depth of 24 feet. It is estimated that
feet of the well will require

feet; depth of water feet; grade feet  (b) At miles from headgate: width on top (at water line)  feet; width on bottom feet; depth of water  feet fall per one thousand feet.  (c) Length of pipe, ft; size at intake, in; in size at lintake feet in; size at place of use ft. Is grade uniform? Feet fall per one leval files ft.  10. If pumps are to be used, give size and type for incl. central fulfall files  Give horsepower and type of motor or engine to be used files ft.  11. If the location of the well, tunnel, or other development work is less than one-four tral stream or stream channel, give the distance to the nearest point on each of such lifference in elevation between the stream bed and the ground surface at the source of
(c) Length of pipe, 240 ft.; size at intake, 4.0 in.; in size at lintake 3.0 in.; size at place of use 3.0 in.; difference in eleval sec. ft.  10. If pumps are to be used, give size and type 3.0 inch centrifued for the first stream or stream channel, give the distance to the nearest point on each of such inference in eleval and the ground surface at the source of
feet; width on bottom feet; depth of water  feet fall per one thousand feet.  (c) Length of pipe, 240 ft.; size at intake, 4.0 in.; in size at lintake 3.0 in.; size at place of use 3.0 in.; difference in elevale and place of use, +5 to -25 ft. Is grade uniform? yes Estimates sec. ft.  10. If pumps are to be used, give size and type 3.0 inch centrifucul search five horsepower and type of motor or engine to be used 15 2.2. electric real stream or stream channel, give the distance to the nearest point on each of such ifference in elevation between the stream bed and the ground surface at the source of
feet fall per one thousand feet.  (c) Length of pipe, 2440 ft.; size at intake, 4.0 in.; in size at 1 intake 3.0 in.; size at place of use 3.0 in.; difference in eleval and place of use, +5 to -25 ft. Is grade uniform? Yes Estimated to be used, give size and type 3.0 inch centrifucal run.  Give horsepower and type of motor or engine to be used 15 2.2. alectric real stream or stream channel, give the distance to the nearest point on each of such ifference in elevation between the stream bed and the ground surface at the source of
(c) Length of pipe, 240 ft.; size at intake, 4.0 in.; in size at 1 intake 3.0 in.; size at place of use 3.0 in.; difference in eleval and place of use, +5 to -25 ft. Is grade uniform? Yes Estimated to be used, give size and type 3.0 inch centrifucul form.  Give horsepower and type of motor or engine to be used 15 2.2. electric intakents at stream or stream channel, give the distance to the nearest point on each of such ifference in elevation between the stream bed and the ground surface at the source of
in.; size at place of use 3.0 in.; difference in eleval and place of use, +5 to -25 ft. Is grade uniform? yes Estimated to be used, give size and type 3.0 inch centrifucul run.  Give horsepower and type of motor or engine to be used 15 H.P. electric real stream or stream channel, give the distance to the nearest point on each of such ifference in elevation between the stream bed and the ground surface at the source of
sec. ft.  10. If pumps are to be used, give size and type
10. If pumps are to be used, give size and type
10. If pumps are to be used, give size and type 3.0 inch centrifusel pum  Give horsepower and type of motor or engine to be used 15 H.P. electric m  11. If the location of the well, tunnel, or other development work is less than one-fourt al stream or stream channel, give the distance to the nearest point on each of such ifference in elevation between the stream bed and the ground surface at the source of
Give horsepower and type of motor or engine to be used 15 200 electric management.  11. If the location of the well, tunnel, or other development work is less than one-fourt al stream or stream channel, give the distance to the nearest point on each of such afference in elevation between the stream bed and the ground surface at the source of
11. If the location of the well, tunnel, or other development work is less than one-fourt al stream or stream channel, give the distance to the nearest point on each of such ifference in elevation between the stream bed and the ground surface at the source of
11. If the location of the well, tunnel, or other development work is less than one-fourt al stream or stream channel, give the distance to the nearest point on each of such ifference in elevation between the stream bed and the ground surface at the source of
11. If the location of the well, tunnel, or other development work is less than one-fourt al stream or stream channel, give the distance to the nearest point on each of such fference in elevation between the stream bed and the ground surface at the source of
al stream or stream channel, give the distance to the nearest point on each of such fference in elevation between the stream bed and the ground surface at the source of
al stream or stream channel, give the distance to the nearest point on each of such fference in elevation between the stream bed and the ground surface at the source of
ifference in elevation between the stream bed and the ground surface at the source of
- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
12. Location of area to be irrigated, or place of use
Township Range Section Forty-acre Tract Numb
N. or S. Willamette Meridian Section To Be
10 De
N. or S. Willamette Meridian
N. or 8. Willamette Meridian

Character of soil Shray olsy. Kind of crops raised basture and ay.

County, having a present population of	TUNICIPAL SUPPLY—	1703
AMENUES QUESTIONS 14, 15, 14, 11 AND 18 DE ALL CASES  14. Estimated cost of projoced works, \$5,000.00		
ANSWER QUESTIONS 14, 14, 14 IT AND 18 IN ALL CASES  14. Estimated cost of proposed works, \$,5000.00	county, having	a present population of
16. Construction work will begin on or before 1 year from date of priority.  16. Construction work will be completed on or before October 1, 1962  17. The water will be completely applied to the proposed use on or before October 1, 1965  18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the policant.  10.010*  Remarks:  STATE OF OREGON, Same and the foregoing application, together with the accompanying maps and data, and return the same for 1 order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19  WITNESS my hand this day of 19	nd an estimated population of	in 19
15. Construction work will begin on or before 1 year from date of priority.  16. Construction work will be completed on or before October 1, 1962  17. The water will be completely applied to the proposed use on or before October 1, 1945  18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the pplicant.  10.718*  Remarks:  STATE OF OREGON, St.  County of Marion, St.  County of Marion, I have examined the foregoing application, together with the accompanying maps and data, and return the same for 19.  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19.  WITNESS my hand this day of 19.	ANSWER QUESTIONS 16	4, 18, 16, 17 AND 18 IN ALL CASES
15. Construction work will begin on or before 1 year from date of priority.  16. Construction work will be completed on or before October 1, 1962  17. The water will be completely applied to the proposed use on or before October 1, 1945  18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the pplicant.  10.718*  Remarks:  STATE OF OREGON, St.  County of Marion, St.  County of Marion, I have examined the foregoing application, together with the accompanying maps and data, and return the same for 19.  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19.  WITNESS my hand this day of 19.	14. Estimated cost of proposed works,	5000.00
16. Construction work will be completely applied to the proposed use on or before October 1, 1905  17. The water will be completely applied to the proposed use on or before October 1, 1905  18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the pplicant.  NONG.  Remarks:  STATE OF OREGON,   SS.  County of Marion,   SS.  County of Marion,   This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	15. Construction work will begin on or l	before 1 year from date or priority.
17. The water will be completely applied to the proposed use on or before October 1, 1707  18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the policiont.  10000.  Remarks:  STATE OF OREGON, County of Marion, 1815  This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19.  WITNESS my hand this day of 19.	16. Construction work will be completed	d on or before October 1, 1962
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the policient.  1000.  Remarks:  STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of 19	17 The spater spill be completely applie	ed to the proposed use on or before October 1, 1963
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of	and the same of th	-lamental to an existing spater supply, identify any appli-
STATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  19  WITNESS my hand this day of 19		
STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyir maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of , 19	ppicant.	
STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyir maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of , 19		* 2 x. Miner
STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyir maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of , 19		(Signature of applicant)
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyir maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of , 19	Remarks:	
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyir maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of , 19		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyir maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of , 19		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyir maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of , 19		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyir maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of , 19		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyir maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of , 19		
STATE OF OREGON,  Ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of , 19		
STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19  WITNESS my hand this day of, 19		
STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19  WITNESS my hand this day of, 19		
STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of , 19		
STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of		
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of		
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of		
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of		
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  WITNESS my hand this day of, 19		•
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	County of Marion,	
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	This is to certify that I have examin	red the foregoing application, together with the accompanying
tions on or before	maps and data, and return the same for	
tions on or before		
WITNESS my hand this day of	In order to retain its priority, this a	application must be returned to the State Engineer, with corre
	tions on or before	, 19
STATE ENGINEE	WITNESS my hand this	day of, 19 .
STATE ENGINEE		
		STATE ENGINEE

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		is limited to the amour			
		cubic feet per second			
The us	se to which this wa	iter is to be applied is	irrigatio	on	
		ropriation shall be limi			
		irrigated and shall be e irrigated during the			
			•		······································
	<u></u>	easonable rotation syst	ha oro	lored by the proper s	state officer.
The the works s  The the line, adequ	well shall be cased hall include prope works constructed ate to determine u	as necessary in accorr capping and control shall include an air livater level elevation itall and maintain a we amount of ground wo	dance with good valve to prevent ne and pressure on the well at all server, or othe	practice and if the the waste of ground gauge or an access potimes.	flow is artesian water. ort for measuring
The	priority date of thi	s permit is	October	14, 1960	,
		ork shall begin on or b		er 8, 1961	and shall
thereafter	be prosecuted wit	th reasonable diligenc	e and be comple	ted on or before Oct	
		of the water to the pro	posed use shall be	made on or before O	October 1, 19 13
WIT	NESS my hand th	is පි <sup>සි</sup> day of	Decembe	Livin a .	Lanley STATE ENGINEER
Application No. G. 1861 Permit No. G. 1703	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of Line 18th M.	Returned to applicant:	Approved:  December 8, 1969  Recorded in book No. 7 of  Ground Water Permits on page 1 7(1);	LEWIS A. STANIEST GIATE ENGINEER  Drainage Basin No. 15 page 95