

Permit to Appropriate the Public Waters of the State of Oregon

This superseding permit, in the name of

**CITY OF STANFIELD
P.O. BOX 368
STANFIELD, OR 97875,**

is issued to describe an amendment for an additional point of appropriation proposed under Permit Amendment Application T-11584 and approved by Special Order Vol. 91, Page 522, entered NOV. 22, 2013, an additional point of appropriation proposed under Permit Amendment T-7440 and approved by Special Order Vol. 50, Page 143, entered March 5, 1996, to describe an extension of time for complete application of water approved March 5, 2013. This permit supersedes Permit G-7623.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.2 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from..... three wells.....

The use to which water is to be applied is municipal.....

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
4 N	29 E	WM	32	NW NW	WELL NO. 4 (UMAT 2962) - 1240 FEET SOUTH AND 30 FEET EAST FROM THE NW CORNER OF SECTION 32
3 N	29 E	WM	5	SE SE	PILOT WELL (UMAT 50189) - 590 FEET NORTH AND 360 FEET WEST FROM THE SE CORNER OF SECTION 5
3 N	29 E	WM	5	SE SE	WELL NO. 5 (UMAT 57155) - 875 FEET NORTH AND 253 FEET WEST FROM THE SE CORNER OF SECTION 5

Authorized Place of Use:

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
3 N	29 E	WM	4	SW NW
3 N	29 E	WM	4	NW SW
3 N	29 E	WM	4	SW SW
3 N	29 E	WM	5	NE NE
3 N	29 E	WM	5	NW NE

MUNICIPAL USE				
Twp	Rng	Mer	Sec	Q-Q
3 N	29 E	WM	5	SW NE
3 N	29 E	WM	5	SE NE
3 N	29 E	WM	5	NE NW
3 N	29 E	WM	5	SE NW
3 N	29 E	WM	5	NE SE
3 N	29 E	WM	5	SE SE
4 N	29 E	WM	30	NE NE
4 N	29 E	WM	30	NW NE
4 N	29 E	WM	30	SW NE
4 N	29 E	WM	30	SE NE
4 N	29 E	WM	30	NE NW
4 N	29 E	WM	30	SE NW
4 N	29 E	WM	30	NE SW
4 N	29 E	WM	30	SE SW
4 N	29 E	WM	30	NE SE
4 N	29 E	WM	30	NW SE
4 N	29 E	WM	30	SW SE
4 N	29 E	WM	30	SE SE
4 N	29 E	WM	31	NE SE
4 N	29 E	WM	32	NE NE
4 N	29 E	WM	32	NW NE
4 N	29 E	WM	32	SW NE
4 N	29 E	WM	32	SE NE
4 N	29 E	WM	32	NE NW
4 N	29 E	WM	32	NW NW
4 N	29 E	WM	32	SW NW
4 N	29 E	WM	32	SE NW
4 N	29 E	WM	32	NE SW
4 N	29 E	WM	32	NW SW
4 N	29 E	WM	32	SW SW
4 N	29 E	WM	32	SE SW
4 N	29 E	WM	32	NE SE
4 N	29 E	WM	32	NW SE
4 N	29 E	WM	32	SW SE
4 N	29 E	WM	32	SE SE

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall further be limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

Permit Amendment T-7440 Conditions

The quantity of water diverted at the new additional point of appropriation, Pilot Well, together with that diverted at the old point of appropriation, Well No. 4, shall not exceed the quantity of water lawfully available at the original point of appropriation, Well No. 4.

The water user shall install an in-line flow meter or other suitable device for measuring and recording the quantity of water used. The type and plans of the measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

Water shall be acquired from the same aquifer as the original point of appropriation.

Permit Amendment T-11584 Conditions

The combined quantity of water diverted at the new point of appropriation, Well 5, together with that diverted at the old points of appropriation, Well 4 and Pilot Well, shall not exceed the quantity of water lawfully available at the original point of appropriation, Well 4.

Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device at each point of appropriation (new and existing).
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meter(s) or measuring device(s); provided however, where the meter(s) or measuring device(s) are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original point of appropriation.

Extension of Time Conditions

Municipal Use Extension Condition

The use of any water beyond 1.11 cfs under Permit G-17091 is subject to this Municipal Use Extension Condition.

The water user shall develop a plan to monitor and report the impact of water use under Permit G-17091 on water levels within the aquifer that provides water to the permitted wells. The plan shall be submitted to the Department within one year of the date the Extension Order is issued and shall be subject to the approval of the Department. At a minimum, the plan shall include a program to periodically measure static water levels within the permitted wells or an adequate substitute such as water levels in nearby wells.

Development Limitations

Diversion of any water beyond 1.11 cfs under Permit G-17091 shall only be authorized upon issuance of a final order approving a Water Management and Conservation Plan(s)(WMCP) under OAR Chapter 690, Division 86 which grants access to water under this extended permit. The required WMCP shall be submitted to the Department within 3 years of this (extension) Final Order. Use of water under Permit G-17091 must be consistent with this and subsequent WMCP's approved under OAR Chapter 690, Division 86 on file with the Department.

The deadline established in the Extension Final Order for submittal of a WMCP shall not relieve a permit holder of any existing or future requirement for submittal of a WMCP at an earlier date as established through other orders of the Department. A WMCP submitted to meet the requirements of this order may also meet the WMCP submittal requirements of other Department orders.

Application No. G-8459


Permit No G-17091

The priority date of this permit isSeptember 22, 1977.....

Actual construction work shall begin on or beforeDecember 2, 1978..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 2049.....

Complete application of the water to the proposed use shall be made on or before October 1, 2049.....

WITNESS my hand this ²².....day of...November, 2013.



.....
Dwight French, Water Right Services Administrator, for
PHILLIP C. WARD, DIRECTOR