## Permit No. G. 1714

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, MakaStoutemberg
of 1216 Redwood Drive W. Salem, Oregon , county of Polk
state ofQTOSON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Willamette River (Name of stream)
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or400 gallons per minute.
3. The use to which the water is to be applied is Domestic Group (Westridge Water
Service Co. P.U.C. No.
4. The well or other source is located
corner of
See attached well record  (If preferable, give distance and bearing to section corner)
NB4°37 6 853.50' from NE Comer J. Mortin DCC #66 (If there is more than one we'', each must be described. Use separate sheet if necessary)
being within the NEW of NWW of Sec. 16, Twp. 75 .R. 3W
W. M., in the county of Polk
5. The (Canal or pipe line) to be miles
in length, terminating in the
R. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Well No. 2
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
en e
e de la companya de La companya de la co
8. The development will consist of
diameter of S" inches and an estimated depth of 300 feet. It is estimated that 154
feet of the well will require Steel casing. Depth to water table is estimated
(Kind) (Fees)

CANAL	<b>SYSTEM</b>	OR	PIPE	LINE.
~		~~		THE 14 TO 1

	feet: denth of so	ntae	feet; grade	feet full man own
and feet.	jeer, wepin of we	<i></i>	jeet, grade	jeet juit per on
-		ilee from boods	gate: width on top (at water lin	- )
•			feet; depth of water	
	feet, which on			jee
			ize at intake,in.;	in rive at
			usein.; differ	
			s grade uniform?	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	·	aine size and to	pe 400gpm desp	well turbine
			ne to be used 30 to %	`
•	•		her development work is less the ance to the nearest point on e	
jjerence in	elevation betwee	n the stream be	ed and the ground surface at the	•
	elevation betwee			•
				•
12. Locati	on of area to be i	rrigated, or plac	Porty-acre Tract	Number Acres To Be Irrigated
12. Locati	on of area to be i	rrigated, or plac	Porty-acre Tract	he source of developmen
12. Locati Township N. or S.	on of area to be in Range 2 or W. of Willamette Meridian	es Visko	Forty-acre Tract	Number Acres To Be Irrigated
12. Locati Township N. or S.	on of area to be in Range 2 or W. of Williamette Meridian	rrigated, or place  Bection  16	Porty-acre Tract  Per Addition Bulle  NELL of NW/4	Number Acres To Be Irrigated
12. Locati Township N. or S.	on of area to be in Range 2. or W. of Willamette Meridian R3W	rrigated, or place  Section  16  16	rey addition Bulled NE/14 of NW/4 NW/4 of NW/4	Number Acres To Be Irrigated  12.91 Pares  0.76 Pares  5.05 Pares
12. Locati Township N. or S.	on of area to be in Range 2. or W. of Willamette Meridian R3W	rrigated, or place  Section  16  16	rey addition Bulled NE/14 of NW/4 NW/4 of NW/4	Number Acres To Be Irrigated  12.91 Pares  0.76 Pares  5.05 Pares
12. Location Township N. or S.	on of area to be in Range 2. or W. of Willamette Meridian R3W	rrigated, or place  Section  16  16	rey addition Bulled NE/14 of NW/4 NW/4 of NW/4	Number Acres To Be Irrigated  12.91 Pares  0.76 Pares  5.05 Pares
12. Locati Township N. or S.	on of area to be in Range 2. or W. of Willamette Meridian R3W	rrigated, or place  Section  16  16	rey addition Bulled NE/14 of NW/4 NW/4 of NW/4	Number Acres To Be Irrigated  12.91 Pares  0.76 Pares  5.05 Pares
12. Locati Township N. or S.	on of area to be in Range 2. or W. of Willamette Meridian R3W	rrigated, or place  Section  16  16	rey addition Bulled NE/14 of NW/4 NW/4 of NW/4	Number Acres To Be Irrigated  12.91 Pares  0.76 Pares  5.05 Pares
12. Locati Township N. or S.	on of area to be in Range 2. or W. of Willamette Meridian R3W	rrigated, or place  Section  16  16	rey addition Bulled NE/14 of NW/4 NW/4 of NW/4	Number Acres To Be Irrigated  12.91 Pares  0.76 Pares  5.05 Pares
12. Locati Township N. or S.	on of area to be in Range 2. or W. of Willamette Meridian R3W	rrigated, or place  Section  16  16	rey addition Bulled NE/14 of NW/4 NW/4 of NW/4	Number Acres To Be Irrigated  12.91 Pares  0.76 Pares  5.05 Pares
12. Location Township N. or S.	on of area to be in Range 2. or W. of Willamette Meridian R3W	rrigated, or place  Section  16  16	rey addition Bulled NE/14 of NW/4 NW/4 of NW/4	Number Acres To Be Irrigated  /2.9/ Acres

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  October 3, 1960	thall not e	ppropriation, or its  use to which this u	equivalent in case of r	ond measured otation with o	which can be applied to at the point of diversion ther water users, from domestic.  Tomestic.  of one content to a diversion of no	on from the well or well No. 2
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  October 3, 1960.  Actual construction work shall begin on or before  January 18, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 62  Complete application of the water to the proposed use shall be made on or before October 1, 19 63	-	•	-			
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  October 3, 1960.  Actual construction work shall begin on or before  January 18, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 62  Complete application of the water to the proposed use shall be made on or before October 1, 19 63						
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  October 3, 1960.  Actual construction work shall begin on or before  January 18, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 62  Complete application of the water to the proposed use shall be made on or before October 1, 19 63				••••		
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  October 3, 1960.  Actual construction work shall begin on or before  January 18, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 62  Complete application of the water to the proposed use shall be made on or before October 1, 19 63						
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.  The priority date of this permit is  October 3, 1960.  Actual construction work shall begin on or before  January 18, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 62  Complete application of the water to the proposed use shall be made on or before October 1, 19 63				·····		
	The the works The line, adeq The keep a con  The Act thereafte	well shall be cased shall include proper works constructed uate to determine a permittee shall implete record of the priority date of the ual construction we had prosecuted with the property of the prosecuted with the property of	d as necessary in according and control shall include an air water level elevation stall and maintain a we amount of ground which shall begin on or the reasonable diligent of the water to the profit of the water to the wate	ordance with I value to pre line and press in the well a peir, meter, or pater withdran  pefore  ce and be cor oposed use sha	good practice and if vent the waste of grown are gauge or an access all times. other suitable measuren.  October 3, 1960  January 18, 1962  upleted on or before the made on or before	the flow is artesian and water. s port for measuring ing device, and shall  October 1, 19 62 e October 1, 19 63
	Application No. G- 1853. Permit No. G-	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem. Oregon, on the Salem of Oct	Returned to applicant:	Approved:  Jamary 18, 1961  Recorded in book No. 7 of	LEXIS A. STANIKY STATE ENGINER  Drainage Basin No. 2 page 96E