Permit No. G. 1718

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I,	Harold Fish
of Rt	(Home of applicant) Box 66, Canby , county of Clackanes ,
state of followin	Oregon , do hereby make application for a permit to appropriate the described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS: he applicant is a corporation, give date and place of incorporation
••··	
	Give name of nearest stream to which the well, tunnel or other source of water development is
situated	Molalla River (Name of stream)
•	tributary of Willamatte River
2. feet per	The amount of water which the applicant intends to apply to beneficial use is 8.3375 cubic econd or 37.4187 gallons per minute.
3 .	The use to which the water is to be applied is household and irrigation
4.	The well or other source is located 68 ft. N and 1100 ft. W from the SE
	Section 34, Township 3 S, Range 1 East of the Willamette Meridian (Section or subdivision)
	(If preferable, give distance and bearing to section corner)
	(If there is more than one we!', each must be described. Use separate sheet if necessary)
being w	thin the Govt Lot 8 (SE) of SE) of Sec. 34 . Twp. 3 S . R. 1 East .
W. M., i	the county of Clackamas
5.	The
in lengt	, terminating in the
R.	. W. M., the proposed location being shown throughout on the accompanying map.
6.	The name of the well or other works is
	DESCRIPTION OF WORKS
7. supply 1	If the flow to be utilized is artesian, the works to be used for the control and conservation of the hen not in use must be described.
	This well it equiped with a 3.41 submersial
Pice	p. and is not a artesian well

8. diamete	The development will consist of Give number of wells, tunnels, etc.) having a
	, , , , , , , , , , , , , , , , , , , ,
feet of t	e well will require Stack casing. Depth to water table is estimated 43 (Rind)

1718			•	
	OR PIPE LINE			
			canal where materially changed	
			ine)	
	feet; depth of wat	er	feet; grade	jeet jall per one
thousand feet.				
•		-	dgate: width on top (at water lin	
	•		feet; depth of water	feet
	feet fall p		•	
		• ,	size at intake, in.;	
from intake	in.; s	rize at place (of use in.; differ	rence in elevation betwee
intake and place	of use,	ft.	Is grade uniform?	Estimated capacity
	s ec. ft.			
10. If pum	ps are to be used,	give size and	type	
Give horse	power and type of	motor or en	gine to be used	
	F			
11. If the	location of the wel or stream channel	l, tunnel, or d	other development work is less the istance to the nearest point on the bed and the ground surface at the second surface at the secon	han one-fourth mile from each of such channels an
11. If the	location of the wel or stream channel	l, tunnel, or d	other development work is less this is the stance to the nearest point on the stance to the nearest point on the stance to the s	han one-fourth mile from each of such channels an
11. If the natural stream of the difference in	location of the wel or stream channel elevation between	l, tunnel, or described the described the stream	other development work is less this is the stance to the nearest point on the stance to the nearest point on the stance to the s	han one-fourth mile from each of such channels an the source of developmer
11. If the natural stream of the difference in	location of the wel or stream channel elevation between	l, tunnel, or described the described the stream	other development work is less the istance to the nearest point on the bed and the ground surface at the surfac	han one-fourth mile from each of such channels an the source of developmer
11. If the natural stream of the difference in 12. Location 12. Location 13. Location 14. Location 15. Locati	location of the welfor stream channel elevation between on of area to be in	l, tunnel, or a give the de the stream	other development work is less the istance to the nearest point on a bed and the ground surface at a lace of use	han one-fourth mile from each of such channels an the source of developmen
11. If the natural stream of the difference in 12. Location Township N. or 8.	location of the welfor stream channel elevation between on of area to be in Range E or W of Willamette Meridian	tl, tunnel, or deliver the description of the stream of th	other development work is less this tance to the nearest point on a bed and the ground surface at the lace of use	han one-fourth mile from each of such channels an the source of development Number Acres To Be Irrigated
11. If the natural stream of the difference in 12. Location Township N. or 8.	location of the welfor stream channel elevation between on of area to be in Range E or W of Willamette Meridian	tl, tunnel, or el, give the do the stream rigated, or p	other development work is less this tance to the nearest point on a bed and the ground surface at the lace of use	han one-fourth mile from each of such channels an the source of development Number Acres To Be Irrigated
11. If the natural stream of the difference in 12. Location Township N. or 8.	location of the welfor stream channel elevation between on of area to be in Range E or W of Willamette Meridian	tl, tunnel, or el, give the do the stream rigated, or p	other development work is less this tance to the nearest point on a bed and the ground surface at the lace of use	han one-fourth mile from each of such channels an the source of development Number Acres To Be Irrigated
11. If the natural stream of the difference in 12. Location Township N. or 8.	location of the welfor stream channel elevation between on of area to be in Range E or W of Willamette Meridian	tl, tunnel, or el, give the do the stream rigated, or p	other development work is less this tance to the nearest point on a bed and the ground surface at the lace of use	han one-fourth mile from each of such channels an the source of development Number Acres To Be Irrigated
11. If the natural stream of the difference in 12. Location Township N. or 8.	location of the welfor stream channel elevation between on of area to be in Range E or W of Willamette Meridian	tl, tunnel, or el, give the do the stream rigated, or p	other development work is less this tance to the nearest point on a bed and the ground surface at the lace of use	han one-fourth mile from each of such channels an the source of development Number Acres To Be Irrigated
11. If the natural stream of the difference in 12. Location Township N. or 8.	location of the welfor stream channel elevation between on of area to be in Range E or W of Willamette Meridian	tl, tunnel, or el, give the do the stream rigated, or p	other development work is less this tance to the nearest point on a bed and the ground surface at the lace of use	han one-fourth mile from each of such channels an the source of development Number Acres To Be Irrigated
11. If the natural stream of the difference in 12. Location Township N. or 8.	location of the welfor stream channel elevation between on of area to be in Range E or W of Willamette Meridian	tl, tunnel, or el, give the do the stream rigated, or p	other development work is less this tance to the nearest point on a bed and the ground surface at the lace of use	han one-fourth mile from each of such channels an the source of development Number Acres To Be Irrigated
11. If the natural stream of the difference in 12. Location Township N. or 8.	location of the welfor stream channel elevation between on of area to be in Range E or W of Willamette Meridian	tl, tunnel, or el, give the do the stream rigated, or p	other development work is less this tance to the nearest point on a bed and the ground surface at the lace of use	han one-fourth mile from each of such channels an the source of development Number Acres To Be Irrigated
11. If the natural stream of the difference in 12. Location Township N. or 8.	location of the welfor stream channel elevation between on of area to be in Range E or W of Willamette Meridian	tl, tunnel, or el, give the do the stream rigated, or p	other development work is less this tance to the nearest point on a bed and the ground surface at the lace of use	han one-fourth mile from each of such channels an the source of development Number Acres To Be Irrigated
11. If the natural stream of the difference in 12. Location Township N. or 8.	location of the welfor stream channel elevation between on of area to be in Range E or W of Willamette Meridian	tl, tunnel, or el, give the do the stream rigated, or p	other development work is less this tance to the nearest point on a bed and the ground surface at the lace of use	han one-fourth mile from each of such channels an the source of development Number Acres To Be Irrigated

(If more space required, attach separate sheet)

Character of soil	Sandy loam, very light	* . * * * * * . *
Kind of crops raise	d	

STATE ENGINEER

Walter N. Perry

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	e right herein grant	ed is limited to the am	ount of water	r which can be	applied to be	eneficial use a	nd
shall not e	exceed 0.08	cubic feet per sec	ond measure	d at the point o	of diversion	from the well	or
source of	appropriation, or its	s equivalent in case of r	otation with	other water us	ers, from	well	
The	e use to which this	water is to be applied	is 1	rrigation	`		
If f	or irrigation, this a	ppropriation shall be li	mited to	/80 °	of one cubic	foot per seco	o nd
or its equ	ivalent for each ac	re irrigated and shall l	e further lin	nit e d to a diver	sion of not to	exceed 2½	· ••• · •
acre feet	per acre for each a	icre irrigated during th	ne irrigation	season of each	year;	•••••••••	
	••••••		••••		·····	•••••	
••••••				•••••••••••••••••••••••••••••••••••••••		•••••••••••••••••••••••••••••••••••••••	
			•••••			•••••	•••••
	······································		****			••••••	
*************			•••••		•••••		
***************************************	· · · · · · · · · · · · · · · · · · ·				·····	• • • • • • • • • • • • • • • • • • • •	
	•	reasonable rotation sy	_	_		**	
the work	s shall include prop	ed as necessary in accorder capping and contro	l valve to pr	event the wast	e of ground	water.	
The line, adec	e works constructe quate to determine	d shall include an air water level elevation	line and pres in the well o	sure gauge or at all times.	an access po	rt for measur	ing
The keep a co	e permittee shall ir mplete record of th	istal <mark>l and mai</mark> ntain a u h e amou nt of ground u	veir, meter, o vater withdro	r other suitabl wn.	e measuring	device, and sh	ıall
Th	e priority date of th	his permit is			_		
		oork shall begin on or l	Jejore	January 18,		and si	
thereafte	r be prosecuted w	ith reasonable diligen	ce and be co	empleted on or	before Octo	_	
Со	mplete application	of the water to the pro	pposed use sh		•)
\mathbf{W}^{j}	ITNESS my hand t	his 18 th day of		Lewis a	Ata . 19	01 	
				Hura U	Hune	STATE ENGINE	ER
	<u>"</u>	1 9	;	; ;	o ć ::	· 11	
1	ę	in th			3 2	WEER .	
10 3	COUNTE	rived em, C			- 2	96	
6. 11	E GI STA	t rece it Sal		1961	ge	STATE	
5	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	s firs neer o			ou bo	3	>
Application No.	ERI UATI OF	nent was fi ite Enginee day of \(\), o'clock	ant:	Jamary 18.	ok Na mits	A. No.	Itele Printing
Application Permit No.	PJ ROPR YERS OF	umen itate day	pplic	ama	in boor r Per	LEWIS Basin l	3
1ppli Permi	APPE	instra the S	i to a		ded i	I tage l	
~ M4	TO	office of the State Engineer at Salem, Oregon, on the state in o'clock M.	Returned to applicant	Approved:	Recorded in book No.	LEWIS A, S' Drainage Basin No. Z.	
	1	on t	Ret	Apr	Gro		