

RECEIVED
MAY 13 1930
STATE ENGINEER

Permit No. G-1731

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Walter M. Cory (Name of applicant)

of Box 223, Laberrier, Oregon (Postoffice Address), county of Lake

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated West Fork Crooked Creek (Name of stream)

tributary of Chewaucan River

2. The amount of water which the applicant intends to apply to beneficial use is 800 cubic feet per second or 800 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 370 ft. North and 120 ft. West from the 1/4 corner of Section 25 and 36 Township 37 South, Range 20 E. W. M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SW 1/4 of Sec. 25, Twp. 37S, R. 20 E. W. M. W. M., in the county of Lake

5. The Canal (Canal or pipe line) to be 3/4 miles in length, terminating in the S 1/2 S 1/2 NE 1/4 SE 1/4 (Smallest legal subdivision) of Sec. 25, Twp. 37S

R. 20 E. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Ogle Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Screw type valve screwed on top of the well casing

8. The development will consist of 1 Well (Give number of wells, tunnels, etc.) having a diameter of 8" inches and an estimated depth of 310 feet. It is estimated that 270 feet of the well will require Steel (Kind) casing. Depth to water table is estimated Between 270 and 310 feet (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

The ground level is 28.4 feet above the stream bed and 1185 feet West of the stream bed.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
37S	20E	25	SE $\frac{1}{4}$ SW $\frac{1}{4}$	1.5
37S	20E	25	SW $\frac{1}{4}$ SE $\frac{1}{4}$	26.5
37S	20E	25	SE $\frac{1}{4}$ SE $\frac{1}{4}$	40.0
37S	20E	25	S $\frac{1}{2}$ S $\frac{1}{2}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$	9.3

(If more space required, attach separate sheet)

Character of soil Silt-Less 2 to 8 % Slope

Kind of crops raised Irrigated Grasses and legumes for pasture or hay

MUNICIPAL SUPPLY—

1731

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... 4,000.00.....
- 15. Construction work will begin on or before December 15, 1960.....
- 16. Construction work will be completed on or before December 15, 1963.....
- 17. The water will be completely applied to the proposed use on or before December 15, 1963.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Adjudicated water right of 1875 Cert. No. 3617 and 6796

[Handwritten Signature]
(Signature of applicant)

Remarks: About 12 or 12 years ago the well was drilled by Frank Williams
..... (deceased) with an artesian flow of 800 gallons a minute. The well is supposed
..... to be 310 feet deep with 270 feet of casing. The well is equipped with a shut off
..... and is closed when not being used for irrigation.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.97 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Ogle well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; and the right allowed hereunder for the appropriation of water for lands having a valid prior right shall be limited to the amount necessary to make up any deficiency in water available to said lands under said prior right and the amount allowed herein, together with the amount secured under any other right existing for said lands, shall be limited by the duty of water as fixed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 8, 1960

Actual construction work shall begin on or before January 18, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 18th day of January 1961

Lewis A. Stanley
STATE ENGINEER

Application No. G-1892
Permit No. G-1731

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 8th day of December,
1960, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

January 18, 1961

Recorded in book No. 7 of 1961

Ground Water Permits on page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 13 page 56