

STATE OF OREGON
COUNTY OF YAMHILL

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF NEWBERG
PO BOX 970
NEWBERG, OR 97132

This superseding permit is issued to describe an amendment for a change in point of appropriation proposed under Permit Amendment Application T-12202 and approved by Special Order Vol. 100, Page 413, entered May 5, 2016, and to describe an extension of time for complete application of water approved December 8, 2006. This permit supersedes Permit G-13876.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-12515

SOURCE OF WATER: SIX WELLS IN WILLAMETTE RIVER BASIN

PURPOSE OR USE: MUNICIPAL USE

MAXIMUM RATE: 20.00 CUBIC FOOT PER SECOND

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: May 3, 1991

AUTHORIZED POINTS OF APPROPRIATION:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
3 S	2 W	WM	29	NE SW	COLLECTOR WELL - 180 FEET SOUTH AND 2500 FEET EAST FROM THE W¼ CORNER OF SECTION 29.
3 S	2 W	WM	29	NE SW	WELL 7 - 80 FEET SOUTH AND 2400 FEET EAST FROM THE W¼ CORNER OF SECTION 29.
3 S	2 W	WM	29	NE SW	WELL 8 - 140 FEET SOUTH AND 2440 FEET EAST FROM THE W¼ CORNER OF SECTION 29
3 S	2 W	WM	29	NE SW	WELL 9 - 120 FEET SOUTH AND 2100 FEET EAST FROM THE W¼ CORNER OF SECTION 29
3 S	2 W	WM	29	SE NW	WELL 10 - 220 FEET NORTH AND 2180 FEET EAST FROM THE W¼ CORNER OF SECTION 29
3 S	2 W	WM	29	SE NW	WELL 11 - 510 FEET NORTH AND 1950 FEET EAST FROM THE W¼ CORNER OF SECTION 29

AUTHORIZED PLACE OF USE:

Twp	Rng	Mer	Sec	Q-Q
2 S	3 W	WM	36	NE SE
2 S	3 W	WM	36	SE SE
3 S	2 W	WM	6	NW NW
3 S	2 W	WM	6	SW NW
3 S	2 W	WM	6	NE SW
3 S	2 W	WM	6	NW SW
3 S	2 W	WM	6	SW SW
3 S	2 W	WM	6	SE SW
3 S	2 W	WM	6	SW SE
3 S	2 W	WM	7	NE NE
3 S	2 W	WM	7	NW NE
3 S	2 W	WM	7	SW NE
3 S	2 W	WM	7	SE NE
3 S	2 W	WM	7	NE NW
3 S	2 W	WM	7	NW NW
3 S	2 W	WM	7	SW NW
3 S	2 W	WM	7	SE NW
3 S	2 W	WM	7	NE SW
3 S	2 W	WM	7	NW SW
3 S	2 W	WM	7	SW SW
3 S	2 W	WM	7	SE SW
3 S	2 W	WM	7	NE SE
3 S	2 W	WM	7	NW SE
3 S	2 W	WM	7	SW SE
3 S	2 W	WM	7	SE SE
3 S	2 W	WM	8	NE NE
3 S	2 W	WM	8	NW NE
3 S	2 W	WM	8	SW NE
3 S	2 W	WM	8	SE NE
3 S	2 W	WM	8	NE NW
3 S	2 W	WM	8	NW NW
3 S	2 W	WM	8	SW NW
3 S	2 W	WM	8	SE NW
3 S	2 W	WM	8	NE SW
3 S	2 W	WM	8	NW SW
3 S	2 W	WM	8	SW SW
3 S	2 W	WM	8	SE SW
3 S	2 W	WM	8	NE SE
3 S	2 W	WM	8	NW SE
3 S	2 W	WM	8	SW SE
3 S	2 W	WM	8	SE SE
3 S	2 W	WM	9	NE NE
3 S	2 W	WM	9	NW NE
3 S	2 W	WM	9	SW NE
3 S	2 W	WM	9	SE NE
3 S	2 W	WM	9	NE NW
3 S	2 W	WM	9	NW NW
3 S	2 W	WM	9	SW NW

Twp	Rng	Mer	Sec	Q-Q
3 S	2 W	WM	9	SE NW
3 S	2 W	WM	9	NE SW
3 S	2 W	WM	9	NW SW
3 S	2 W	WM	9	SW SW
3 S	2 W	WM	9	SE SW
3 S	2 W	WM	9	NE SE
3 S	2 W	WM	9	NW SE
3 S	2 W	WM	9	SW SE
3 S	2 W	WM	9	SE SE
3 S	2 W	WM	16	NE NE
3 S	2 W	WM	16	NW NE
3 S	2 W	WM	16	SW NE
3 S	2 W	WM	16	SE NE
3 S	2 W	WM	16	NE NW
3 S	2 W	WM	16	NW NW
3 S	2 W	WM	16	SW NW
3 S	2 W	WM	16	SE NW
3 S	2 W	WM	16	NE SW
3 S	2 W	WM	16	NW SW
3 S	2 W	WM	16	SW SW
3 S	2 W	WM	16	SE SW
3 S	2 W	WM	16	NE SE
3 S	2 W	WM	16	NW SE
3 S	2 W	WM	16	SW SE
3 S	2 W	WM	16	SE SE
3 S	2 W	WM	17	NE NE
3 S	2 W	WM	17	NW NE
3 S	2 W	WM	17	SW NE
3 S	2 W	WM	17	SE NE
3 S	2 W	WM	17	NE NW
3 S	2 W	WM	17	NW NW
3 S	2 W	WM	17	SW NW
3 S	2 W	WM	17	SE NW
3 S	2 W	WM	17	NE SW
3 S	2 W	WM	17	NW SW
3 S	2 W	WM	17	SW SW
3 S	2 W	WM	17	SE SW
3 S	2 W	WM	17	NE SE
3 S	2 W	WM	17	NW SE
3 S	2 W	WM	17	SW SE
3 S	2 W	WM	17	SE SE
3 S	2 W	WM	18	NE NE
3 S	2 W	WM	18	NW NE
3 S	2 W	WM	18	SW NE
3 S	2 W	WM	18	SE NE
3 S	2 W	WM	18	NE NW
3 S	2 W	WM	18	NW NW
3 S	2 W	WM	18	SW NW
3 S	2 W	WM	18	SE NW

Twp	Rng	Mer	Sec	Q-Q
3 S	2 W	WM	18	NE SW
3 S	2 W	WM	18	NW SW
3 S	2 W	WM	18	SW SW
3 S	2 W	WM	18	SE SW
3 S	2 W	WM	18	NE SE
3 S	2 W	WM	18	NW SE
3 S	2 W	WM	18	SW SE
3 S	2 W	WM	18	SE SE
3 S	2 W	WM	19	NE NE
3 S	2 W	WM	19	NW NE
3 S	2 W	WM	19	SW NE
3 S	2 W	WM	19	SE NE
3 S	2 W	WM	19	NE NW
3 S	2 W	WM	19	NW NW
3 S	2 W	WM	19	SW NW
3 S	2 W	WM	19	SE NW
3 S	2 W	WM	19	NE SW
3 S	2 W	WM	19	NW SW
3 S	2 W	WM	19	SW SW
3 S	2 W	WM	19	SE SW
3 S	2 W	WM	19	NE SE
3 S	2 W	WM	19	NW SE
3 S	2 W	WM	19	SW SE
3 S	2 W	WM	19	SE SE
3 S	2 W	WM	20	NE NE
3 S	2 W	WM	20	NW NE
3 S	2 W	WM	20	SW NE
3 S	2 W	WM	20	SE NE
3 S	2 W	WM	20	NE NW
3 S	2 W	WM	20	NW NW
3 S	2 W	WM	20	SW NW
3 S	2 W	WM	20	SE NW
3 S	2 W	WM	20	NE SW
3 S	2 W	WM	20	NW SW
3 S	2 W	WM	20	SW SW
3 S	2 W	WM	20	SE SW
3 S	2 W	WM	20	NE SE
3 S	2 W	WM	20	NW SE
3 S	2 W	WM	20	SW SE
3 S	2 W	WM	20	SE SE
3 S	2 W	WM	21	NE NE
3 S	2 W	WM	21	NW NE
3 S	2 W	WM	21	SW NE
3 S	2 W	WM	21	SE NE
3 S	2 W	WM	21	NE NW
3 S	2 W	WM	21	NW NW
3 S	2 W	WM	21	SW NW
3 S	2 W	WM	21	SE NW
3 S	2 W	WM	21	NE SW

Twp	Rng	Mer	Sec	Q-Q
3 S	2 W	WM	21	NW SW
3 S	2 W	WM	21	SW SW
3 S	2 W	WM	21	SE SW
3 S	2 W	WM	21	NE SE
3 S	2 W	WM	21	NW SE
3 S	2 W	WM	21	SW SE
3 S	2 W	WM	21	SE SE
3 S	2 W	WM	26	NE NE
3 S	2 W	WM	26	NW NE
3 S	2 W	WM	26	SW NE
3 S	2 W	WM	26	SE NE
3 S	2 W	WM	26	NE NW
3 S	2 W	WM	26	NW NW
3 S	2 W	WM	26	SW NW
3 S	2 W	WM	26	SE NW
3 S	2 W	WM	27	NE NE
3 S	2 W	WM	27	NW NE
3 S	2 W	WM	27	SW NE
3 S	2 W	WM	27	SE NE
3 S	2 W	WM	27	NE NW
3 S	2 W	WM	27	NW NW
3 S	2 W	WM	27	SW NW
3 S	2 W	WM	27	SE NW
3 S	2 W	WM	28	NE NW
3 S	2 W	WM	28	NW NW
3 S	3 W	WM	1	NE NE
3 S	3 W	WM	1	SE NE
3 S	3 W	WM	1	NE SE
3 S	3 W	WM	1	SE SE
3 S	3 W	WM	12	NE NE
3 S	3 W	WM	12	NW NE
3 S	3 W	WM	12	SW NE
3 S	3 W	WM	12	SE NE
3 S	3 W	WM	12	NE SE
3 S	3 W	WM	12	NW SE
3 S	3 W	WM	12	SW SE
3 S	3 W	WM	12	SE SE
3 S	3 W	WM	13	NE NE
3 S	3 W	WM	13	NW NE
3 S	3 W	WM	13	SW NE
3 S	3 W	WM	13	SE NE
3 S	3 W	WM	13	NE SE
3 S	3 W	WM	13	NW SE
3 S	3 W	WM	13	SW SE
3 S	3 W	WM	13	SE SE
3 S	3 W	WM	24	NE NE
3 S	3 W	WM	24	SE NE
3 S	3 W	WM	24	NE SE
3 S	3 W	WM	24	SE SE

Permit Amendment T-12202 Conditions

1. The quantity of water diverted at the new point of appropriation, shall not exceed the quantity of water lawfully available at the original point of appropriation.
2. Water shall be acquired from the same aquifer as the original point of appropriation.

Water Management and Conservation Plan Conditions

The limitation of the diversion of water under Permit G-13876, or any subsequent permit, established by the extension of time approved on December 8, 2006 is removed and, subject to other limitations or conditions of the permit, the City of Newberg is authorized to divert up to 17.64 cfs under Permit G-13876, or any subsequent permit.

Permit Amendment T-9098 Conditions

1. The quantity of water diverted at the new point of appropriation, shall not exceed the quantity of water lawfully available at the original point of appropriation.
2. The water user shall install and maintain headgates, in-line flow meters, weirs, or other suitable devices for measuring and recording the quantity of water diverted. The type and plans of the headgates and measuring devices must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.
3. Water shall be acquired from the same aquifer as the original point of appropriation.

Existing Permit G-13876 Conditions

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the water user shall install a meter or other suitable measuring device as approved by the Director. The water user shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the water user to report general water use information, including place and nature of use of water under the permit.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior or senior appropriators to jointly develop plans to mitigate interferences.

STANDARD CONDITIONS

The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air-line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or groundwater rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned will not impair or be detrimental to the public interest.

The original permit (G-13876) was issued February 22, 2001. Actual construction work was to begin on or before February 22, 2002. By an Extension of Time Final Order dated December 8, 2006, the deadline for completing construction of the water system was extended to October 1, 2054 and the deadline for complete application of water to October 1, 2055.

Issued May 5, 2016



Dwight French, Water Right Services Administrator, for
Thomas M. Byler, Director
Oregon Department of Water Resources