

1785

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

mmission, 1401 N. Wheeler Street	,,, , , , , , , , , , , , , , , , , ,				
f					
tate ofOregon, do hereby make application for a permit to appropolication for a p	riate the				
If the applicant is a corporation, give date and place of incorporation					
1. Give name of nearest stream to which the well, tunnel or other source of water develo	pment is				
ituated Willamette River (Name of stream)	.,				
tributary ofColumbia River	c				
2. The amount of water which the applicant intends to apply to beneficial use is 33 leet per second or1500 gallons per minute.					
3. The use to which the water is to be applied is for the supply of water	for				
cooling purposes					
	o N-F-				
4. The well or other source is located 680 ft. S and 2330 ft. W from th					
corner of Sec. 34, T. 1 N., R. 1 E., W.M., being within the NE 1/4	. at Sec				
34, Twp. 1 N., R. 1 E. W. M., in the County of Multnomah (If preferable, give distance and bearing to section corner)					
(If there is more than one we'', each must be described. Use separate sheet if necessary)					
being within the NE4 NE4 of Sec. 34 , Twp R.	ı e				
W. M., in the county of Multnomah					
7 5. The to be	miles				
in length, terminating in the					
(Smallest legal subdivision)					
R. W. M., the proposed location being shown throughout on the accompanying map.					
6. The name of the well or other works is	•				
DESCRIPTION OF WORKS					
7. If the flow to be utilized is artesian, the works to be used for the control and conservat supply when not in use must be described.	ion of the				
<u></u>					
and the second of the second o					
8. The development will consist of one well	having a				
diameter of 14 inches and an estimated depth of 300 feet. It is estimated that	295				
94001	70				
feet of the well will require Steel casing. Depth to water table is estimated	(Feet)				

dgate. At hea	ayanc. anann on nop	(at water time)		
	feet; depth of wate	er	feet; grade	feet fall per
usand feet.				
(b) At	mile	es from headgat	e: width on top (at water	line)
	feet; width on b	ottom	feet; depth of wa	ter fo
de	feet fall pe	er one thousand	feet.	
(c) Lengtl	of pipe,	ft.; size	e at intake,i	n.; in size at
m intake	in.; si	ze at place of us	se in.; dif	ference in elevation betw
ake and place	of use,	ft. Is 9	grade uniform?	Estimated capac
	sec. ft.			
10. If pun	ips are to be used, g	ive size and typ	e 5 stage verti	cal turbin
100	horsepower			
Give horse	power and type of	motor or engine	to be used 100	horsepower -
ural stream e difference in	or stream channel, elevation between	give the distarthe stream bed	r development work is less note to the nearest point o and the ground surface of the Willamette Riv	n each of such channels at the source of developm
e difference in 375 N	or stream channel, elevation between Ely from east	give the dista- the stream bed bank of t	nce to the nearest point o and the ground surface o	n each of such channels it the source of developm
e difference in 375 N	or stream channel, elevation between Ely from east	give the dista- the stream bed bank of t	nce to the nearest point o and the ground surface o the Willamette Riv	n each of such channels it the source of developm
tural stream difference in 375 N	elevation between Ely from east ion of area to be irr	give the dista- the stream bed bank of t	nce to the nearest point o and the ground surface of the Willamette Riv	n each of such channels at the source of developm Ver. Number Acres
tural stream difference in 375 N	elevation between Ely from east ion of area to be irr	give the dista- the stream bed bank of t	nce to the nearest point o and the ground surface of the Willamette Riv	n each of such channels It the source of developm TO See Irrigated
tural stream difference in 375 N	elevation between Ely from east ion of area to be irr Range Range Williamette Meridian	give the distarthe stream bed to bank of the stream bed to bank of the bank of	of use	n each of such channels at the source of developm TO Be Irrigated
tural stream difference in 375 N	elevation between Ely from east ion of area to be irr Range Range Williamette Meridian	give the distarthe stream bed to bank of the stream bed to bank of the bank of	of use	n each of such channels at the source of developm TO Be Irrigated
tural stream difference in 375 N	elevation between Ely from east ion of area to be irr Range Range Williamette Meridian	give the distarthe stream bed to bank of the stream bed to bank of the bank of	of use	n each of such channels at the source of developm TO See Irrigated
tural stream difference in 375 N	elevation between Ely from east ion of area to be irr Range Range Williamette Meridian	give the distarthe stream bed to bank of the stream bed to bank of the bank of	of use	n each of such channels It the source of developm TO See Irrigated
tural stream difference in 375 N	elevation between Ely from east ion of area to be irr Range Range Williamette Meridian	give the distarthe stream bed to bank of the stream bed to bank of the bank of	of use	n each of such channels It the source of developm TO See Irrigated
tural stream difference in 375 N	elevation between Ely from east ion of area to be irr Range Range Williamette Meridian	give the distarthe stream bed to bank of the stream bed to bank of the bank of	of use	n each of such channels It the source of developm TO See Irrigated
tural stream difference in 375 N	elevation between Ely from east ion of area to be irr Range Range Williamette Meridian	give the distarthe stream bed to bank of the stream bed to bank of the bank of	of use	n each of such channels it the source of developm Ver. Number Acres
tural stream difference in 375 N	elevation between Ely from east ion of area to be irr Range Range Williamette Meridian	give the distarthe stream bed to bank of the stream bed to bank of the bank of	of use	n each of such channels It the source of developm TO See Irrigated
tural stream difference in 375 N	elevation between Ely from east ion of area to be irr Range Range Williamette Meridian	give the distarthe stream bed to bank of the stream bed to bank of the bank of	of use	n each of such channels It the source of developm TO See Irrigated
tural stream difference in 375 N	elevation between Ely from east ion of area to be irr Range Range Williamette Meridian	give the distarthe stream bed to bank of the stream bed to bank of the bank of	of use	n each of such channels It the source of developm TO See Irrigated

MUNICIPAL SUPPLY—	
	sving a present population of
and an estimated population of	in 19
ANSWER QUESTION	48 14, 18, 14, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed world	ke, \$ 5800
15. Construction work will begin on	or before May, 1959
16. Construction work will be compl	leted on or before September, 1959
17. The water will be completely ap	plied to the proposed use on or beforeNavember 1, 1960
18. If the ground water supply is	supplemental to an existing water supply, identify any appli- adjudicated right to appropriate water, made or held by the
applicant. None known	
	CITY OF PORTLAND by and through its EXPOSITION-REGREATION COMMISSION
	EXPOSITION-RECREATION COMMISSION By Chairman
Remarks:	
	······································
	······································
······································	·
	······································
STATE OF OREGON,	•
County of Marion,	
This is to certify that I have exami-	ned the foregoing application, together with the accompanying
In order to retain its priority, this of	application must be returned to the State Engineer, with correc-
tions on or before	, 19,
WITNESS my hand this	day of, 19
	STATE ENGINEER
	By

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	• •		of water which can be applied to benefic	
		• •	neasured at the point of diversion from to with other water users, from Memor	
Coliseu			·	
The	use to which this	water is to be applied is	cooling and sir conditioning	
If fo	r irrigation, this a	opropriation shall be limited	to of one cubic foot	per second
or its equi	valent for each ac	re irrigated and shall be fur	ther limited to a diversion of not to exce	2 d
acre feet p	er acre for each a	cre irrigated during the irr	igation season of each year;	

*******	·····			
•••••	••••••			
	•••••••••••••••••••••••••••••••••••••••			••••••

*****				***************************************
and shall l	be subject to such	reasonable rotation system	as may be ordered by the proper state o	fficer.
the works The line, adequ	shall include prop works constructed tate to determine permittee shall in	per capping and control valued d shall include an air line of water level elevation in th	neter, or other suitable measuring devic	r. · measuring
keep a con	ispiete record of th	e unsound of ground water		
The	priority date of th	nis permit is	February 20, 1961	
Acti	ual construction w	oork shall begin on or befor	April 13, 1962	and shall
thereafter	be prosecuted w	ith reasonable diligence an	d be completed on or before October 1	19 62
Con	aplete application	of the water to the propose	d use shall be made on or before October	1, 19 63
WI	TNESS my hand ti	his 13th day of	April ,19 61	
			April 1961	
			Sign	E ENGINEER
Application No. G-1990. Permit No. G-	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20 day of Excustry 1961, at 3:00 o'clock R. M.	Approved: Approved:	Drainage Basin No. 3 page 29