

RECEIVED  
MAR 1901  
STATE ENGINEER

Permit No. G-1785

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Lloyd H. Palmonston  
(Name of applicant)  
of P.O. Box 494 Grants Pass, Ore., county of Josephine  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Caris Creek  
(Name of stream)

tributary of Applegate River

2. The amount of water which the applicant intends to apply to beneficial use is 0.75 cubic feet per second or \_\_\_\_\_ gallons per minute.

3. The use to which the water is to be applied is irrigating

4. The well or other source is located 160 ft. S and 500 ft. E from the W 1/4 corner of Sec 36 TWP 37 S R 5 W W.M.  
(N. or S) (E. or W)  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 & SW 1/4 of Sec. 36, Twp. 37 S, R. 5 W, W. M., in the county of Josephine

5. The Pipe line to be 800' FEET (Canal or pipe line) miles in length, terminating in the SW 1/4 of NW 1/4 and NW 1/4 of SW 1/4 of Sec. 36, Twp. 37 S, R. 5 W, W. M., the proposed location being shown throughout on the accompanying map. NE 1/4 of SE 1/4 of Sec. 35, Twp. 37 S, R. 5 W, W. M.

6. The name of the well or other works is YORK SUMP

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 Well having a diameter of 20' x 30' inches and an estimated depth of 10 feet. It is estimated that 0 feet of the well will require NO casing. Depth to water table is estimated 50 feet.

CANAL SYSTEM OR PIPE LINE--

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 900 ft.; size at intake, 2 1/2 in.; in size at ..... ft. from intake 4 in.; size at place of use 4 3/4 in.; difference in elevation between intake and place of use, 5 ft. Is grade uniform? YES. Estimated capacity, .5 sec. ft.

10. If pumps are to be used, give size and type Model 2 1/2 W-10-2

CORNELL MFG. Co. PORTLAND ORE

Give horsepower and type of motor or engine to be used 10-HP Electric Motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Approx 800'

12. Location of area to be irrigated, or place of use

| Township N. or S. | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|-------------------|---------------------------------------|---------|------------------|------------------------------|
| 37S               | 5W                                    | 36      | SW 1/4 & NW 1/4  | 11.5 - suppl                 |
| 37S               | 5W                                    | 36      | NW 1/4 of SW 1/4 | 35.0 - 30 Ac suppl           |
| 37S               | 5W                                    | 35      | NE 1/4 of SE 1/4 | 13.6 - 6 Ac. suppl.          |
|                   |                                       |         |                  |                              |
|                   |                                       |         |                  |                              |
|                   |                                       |         |                  |                              |
|                   |                                       |         |                  |                              |
|                   |                                       |         |                  |                              |
|                   |                                       |         |                  |                              |
|                   |                                       |         |                  |                              |
|                   |                                       |         |                  |                              |

(If more space required, attach separate sheet)

Character of soil Columbia Loam + Columbia Sandy Loam

Kind of crops raised alfalfa, Corn, Small grains, etc.

MUNICIPAL SUPPLY—

1785

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 2200<sup>00</sup> approx.
- 15. Construction work will begin on or before MARCH 15, 1961
- 16. Construction work will be completed on or before MAY 1, 1961
- 17. The water will be completely applied to the proposed use on or before MAY 1, 1964

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Applegate River - Cert. of <sup>Vol 13</sup> 16256 priority Feb 1899

L. H. Fabreton  
(Signature of applicant)

Remarks: All of the property in the attached legal description south of the paved Road (North side Rd) to be irrigated.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.75 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from York sump

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; the right allowed hereunder for the appropriation of water for lands having a valid prior right shall be limited to the amount necessary to make up any deficiency in water available to said lands under said prior right and the amount allowed herein, together with the amount secured under any other right existing for said lands, shall be limited by the duty of water as fixed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 3, 1961

Actual construction work shall begin on or before April 13, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 13th day of April, 1961

*Henry A. Williams*  
STATE ENGINEER

Application No. G- 1942  
Permit No. G- 1785

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the \_\_\_\_\_ day of \_\_\_\_\_  
19\_\_\_\_, at \_\_\_\_\_ o'clock \_\_\_\_\_ M.

Returned to applicant:

Approved:

April 13, 1962

Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_

Ground Water Permits on page \_\_\_\_\_

Henry A. Williams  
STATE ENGINEER

Drainage Basin No 13 page 95