

Permit No. G-1787

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Town of Sublimity, Oregon
(Name of applicant)

of Sublimity, county of Wasco,
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Mill Creek
(Name of stream)

tributary of Mill Creek

2. The amount of water which the applicant intends to apply to beneficial use is 300 cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is municipal

4. The well or other source is located 300 ft. North and 175 ft. East from the corner of section 34 T. 5 S. R. 1 W.
(N or S) (E or W) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the Section 34 of Sec. 34, Twp. 5 S., R. 1 W., W. M., in the county of Wasco.

5. The canal to be 3000 miles in length, terminating in the Section 34 of Sec. 34, Twp. 5 S., R. 1 W., W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a diameter of 4 1/2 inches and an estimated depth of 27 feet. It is estimated that 100 feet of the well will require steel casing. Depth to water table is estimated 27 feet.
(Give number of wells, tunnels, etc) (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 6900 ft.; size at intake, 8 in.; in size at 1000 ft. from intake in.; size at place of use 6 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? yes Estimated capacity, 320 gals. per sec. ft.

10. If pumps are to be used, give size and type 10 inch rotary

Give horsepower and type of motor or engine to be used 20 H.P. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

NO

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 N.	1	34	S.E. 1/4 of S.E. 1/4	→ Municipal
7 N.	1	34	S.E. 1/4 of S.E. 1/4	→ "
7 N.	1	34	SW 1/4 NW 1/4 of S.E. 1/4	→
7 N.	1	34	NE 1/4 SW 1/4 of S.E. 1/4	→
7 N.	1	34	SW 1/4 SW 1/4 of S.E. 1/4	→
7 N.	1	34	S.E. 1/4 of S.E. 1/4	→
7 N.	1	34	S.E. 1/4 of S.E. 1/4	→
7 N.	1	34	S.W. 1/4 of S.E. 1/4	→
7 N.	1	34	S.E. 1/4 of S.E. 1/4	→
7 N.	1	35	S.W. 1/4 of S.W. 1/4	→
7 N.	1	35	N.W. 1/4 of S.W. 1/4	→
7 N.	1	35	S.W. 1/4 of S.W. 1/4	→

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY ^{Town}

13. To supply the city of Sublimity
in Marion county, having a present population of 500
and an estimated population of 600 in 1970

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 7,646.00
- 15. Construction work will begin on or before completed
- 16. Construction work will be completed on or before October 1, 1962
- 17. The water will be completely applied to the proposed use on or before October 1, 1962

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. GR# 323 Cert. # 305

Town of Sublimity
(Signature of applicant)
A. R. Bradley Recorder

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

STATE ENGINEER

By _____ ASSISTANT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.67 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 7, 1961

Actual construction work shall begin on or before April 13, 1962 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 13th day of April, 1961

[Signature] STATE ENGINEER

Application No. G- 1944
Permit No. G- 1787

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of March 1961, at 8 o'clock A. M.

Returned to applicant:

Approved:

APR 13 1961

Recorded in book No. 7 of

Ground Water Permits on page 266

STATE ENGINEER

Drainage Basin No. 2 page 266