

Permit No. G-1799

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Kenneth S. and Reba L. Franklin, by Vern T. Misener, Agent

(Name of applicant)

of Rt. 1, Box 796, Cave Junction, county of Josephine

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated West Fork Illinois River

(Name of stream)

tributary of Illinois River

2. The amount of water which the applicant intends to apply to beneficial use is 0.36 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located Trench No. 1, 270 ft S and 675 ft W center 120 ft S and 475 ft E from the center Trench No. 2 corner of Section 5

(N or S)

(E or W)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

Trench No. 1 NE 1/4 SW 1/4 being within the NW 1/4 SE 1/4 Trench No. 2 of Sec. 5 Twp. 40 S R. 8 W W. M., in the county of Josephine

5. The pipe line to be 1100 feet in length, terminating in the NE 1/4 SW 1/4 of Sec. 5 Twp. 40 S R. 8 W W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is Franklin Trenches

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 Infiltration Trenches Trench No. 1, 50 feet long, 25 feet wide, 12 feet deep diameter of inches and an estimated depth of feet. It is estimated that Trench No. 2, 120 feet long, 60 feet wide, 8 feet deep feet of the well will require casing. Depth to water table is estimated 6 feet

(Kind)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1100 ft.; size at intake, 3 in.; in size at 1100 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? **yes** Estimated capacity, 0.5 sec. ft.

10. If pumps are to be used, give size and type 2 1/2 inch centrifugal pump

Give horsepower and type of motor or engine to be used 12 H.P. Wisconsin gas motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Distance 1100 feet. Difference in elevation 20 feet
(from W. Fork Illinois River)

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
40 S	8 W	5	NE 1/4 SW 1/4	8.0
40 S	8 W	5	NW 1/4 SE 1/4	10.0
<p>Description: All of lots 3 and 4, Section 5, Township 40 South, Range 8 West of the Willamette Meridian. Also beginning at the Southeast corner of the Alonza E. Turner D.L.C. No. 37, which beginning point is in the Southwest quarter of Section 5, Township 40 South, Range 8 West of the Willamette Meridian, Oregon and run thence North along the East line of said D.L.C., a distance of 217 feet 6 inches to an established corner; thence in a Westerly direction 300 feet to an established corner, intersecting the Easterly line of the Redwood Highway; thence in a Southwesterly direction, along said Highway for a distance of 317 feet 6 inches to an established corner intersecting the Easterly line of the Redwood Highway, this corner being the Southwest corner of the herein described property; thence East for a distance of 431.2 feet to the point of beginning</p>				

(If more space required, attach separate sheet)

Character of soil Sandy loam and black loam

Kind of crops raised Garden, clover and pasture

MUNICIPAL SUPPLY—

1799

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$1200.00.....
- 15. Construction work will begin on or before March 21, 1962.....
- 16. Construction work will be completed on or before March 21, 1963.....
- 17. The water will be completely applied to the proposed use on or before March 21, 1964.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Remarks:
Kenneth J and Rita S. Frankson
(Signature of applicant)
By Lenn T. Miskner
P.O. Box 796, Cave Junction, Or

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.23 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Franklin infiltration trenches Nos. 1 and 2

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 21, 1961

Actual construction work shall begin on or before May 17, 1962 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 17th day of May, 1961

Lewis A. Stanley STATE ENGINEER

Application No. G- 1 257
Permit No. G- 1 257

PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of May, 1961, at 10 o'clock AM.

Returned to applicant:

Approved: May 17, 1961 Recorded in book No. 7 of Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drawing Exam No. 15 page 95