

Permit No. G-1807

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Harry Pon (Name of applicant) of P. O. Box 1191, Burns (Postoffice Address), county of Harney state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Foley Slough (Name of stream)

tributary of Silvies River

2. The amount of water which the applicant intends to apply to beneficial use is 2.00 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation & supplemental irrigation

4. The well or other source is located ft. and ft. from the corner of #15A S 61° 10' E 1140 ft. from the N1/4 corner of Section 5 (Section or subdivision) #15 S 56° 51' E 2770 ft. from the N1/4 corner of Section 5 (If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary)

being within the NW1/4, ME1/4 & SE1/4 NE1/4 of Sec. 5, Twp. 23 S, R. 31 E W. M., in the county of Harney

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp.

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Wells #15 and #15A

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of two wells having a diameter of #15 12 inches and an estimated depth of 138 feet. It is estimated that #15 14 inches and an estimated depth of 127 feet. It is estimated that #15A 12 inches and an estimated depth of 95 feet. It is estimated that #15 14 inches and an estimated depth of 11 feet. It is estimated that #15A 12 inches and an estimated depth of 10 feet. The development will require steel casing. Depth to water table is estimated #15 Test 1000 g.p.m. with 14 ft. drawdown #15A Test 1000 g.p.m. with 23 ft. drawdown

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type **not determined as yet**

Give horsepower and type of motor or engine to be used **25-40 h.p. electric**

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
22 S	31 E	32	SE $\frac{1}{4}$ SW $\frac{1}{4}$	5	supplemental
23 S	31 E	5	NE $\frac{1}{4}$ NE $\frac{1}{4}$	3	"
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	30	"
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	29	"
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	6	"
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	1	"
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	1	"
			NE $\frac{1}{4}$ NE $\frac{1}{4}$	37	primary sup. to Dec
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	9	"
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	19	"
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	20	"
				160	

(If more space required, attach separate sheet)

Character of soil sandy loam
 Kind of crops raised hay and grain

MUNICIPAL SUPPLY—

1867

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$.....

15. Construction work will begin on or before started

16. Construction work will be completed on or before October 1, 1961

17. The water will be completely applied to the proposed use on or before October 1, 1962

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Silvies River Decree

(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19 ..

WITNESS my hand this day of, 19 ..

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from wells nos. 15 and 15A

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year; the right allowed hereunder for the appropriation of water for lands having a valid prior right shall be limited to the amount necessary to make up any deficiency in water available to said lands under said prior right and the amount allowed herein, together with the amount secured under any other right existing for said lands, shall be limited by the duty of water as fixed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 7, 1961

Actual construction work shall begin on or before May 17, 1961 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 17th day of May, 1961

Lewis A. Staley
STATE ENGINEER

Application No. G- 1971
Permit No. G- 151

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of April 1961, at 8:40 o'clock A. M.

Returned to applicant:

Approved:

May 17, 1961

Recorded in book No. 7 of
Ground Water Permits on page

LEWIS A. STALEY
STATE ENGINEER

Drainage Basin No. 12 page 3