

Permit No. G-1815

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Bernard A. Stewart (Name of applicant) of 626 High Street NE (Postoffice Address), county of Marion state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Unnamed branch of Claggett Creek (Name of stream) tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 1.1 cubic feet per second or 500 gallons per minute.

3. The use to which the water is to be applied is domestic water supply (Municipal)

4. The well or other source is located ft. (N. or S.) and ft. (E. or W.) from the corner of (Section or subdivision) South 76° 27' East 921.51' from the North-West Corner Lewis Sauvage D.C.C. # 40 (If there is more than one well each must be described Use separate sheet if necessary) being within the NE 1/4 of NW 1/4 of Sec. 7 Twp. 75 R. 2W W. M., in the county of Marion

5. The Water distribution lines (Canal or pipe line) to be 2.36± miles in length, terminating in the (Smallest legal subdivision) of Sec. 6 & 7 Twp. 75 R. 2W W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Jan-ree Gardens Water System

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1-Well- (Give number of wells, tunnels, etc.) having a diameter of 10 inches and an estimated depth of 220 feet. It is estimated that 220 feet of the well will require Steel (Kind) casing. Depth to water table is estimated 22' feet.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 12,500 ft.; size at intake, 8" in.; in size at _____ ft. from intake _____ in.; size at place of use 8", 6" & 4 3/4" in.; difference in elevation between intake and place of use, 6' ± ft. Is grade uniform? YES Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type Deep well turbine

Give horsepower and type of motor or engine to be used 20 HP electric, 3 phase 220 volt.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

200' from unnamed branch of Claggett creek, elevation difference 5' ±

12. Location of area to be irrigated, or place of use Sec 6 & 7 T7S, R2W, WM

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
75	R2W	6	SE 1/4 of SW 1/4	5.4
75	2W	6	SW 1/4 of SE 1/4	24.7
75	2W	6	SE 1/4 of SE 1/4	1.7
75	2W	7	NE 1/4 of NW 1/4	29.1
75	2W	7	NW 1/4 of NE 1/4	20.6
75	2W	7	NE 1/4 of NE 1/4	1.4
				<u>TOTAL = 82.9 ACRES</u>

(If more space required, attach separate sheets)

Character of soil Sandy-clay-loam

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of Law-Res Gardens Subdivision
in Marion county, having a present population of 0
and an estimated population of 750 in 1968

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 25,000.00
- 15. Construction work will begin on or before August 31, 1968
- 16. Construction work will be completed on or before August 30 1968
- 17. The water will be completely applied to the proposed use on or before August 31 1968

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Bernard A Stewart
(Signature of applicant)

Remarks: A COPY OF SUBDIVISION PLATE WILL BE FURNISHED THE STATE ENGINEER AS SOON AS THE SUBDIVISIONS ARE RECORDED

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19__

WITNESS my hand this _____ day of _____, 19__

STATE ENGINEER
By _____ ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion.

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.84 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Jan Hee Gardena well

The use to which this water is to be applied is group domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 7, 1961

Actual construction work shall begin on or before May 17, 1962 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 17th day of May, 1961

Leis A. Stanley

STATE ENGINEER

Application No. G-1979

Permit No. G-1143

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of April, 1961, at 11:30 o'clock A. M.

Returned to applicant:

Approved:

May 17, 1961

Recorded in book No. 7 of Ground Water Permits on page

LEIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2 page 264

State Printer