12

Permit No. G- 1821

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1, blaneace E. M.C. Lich (Name of applicant)
of 3095 M. Languager Da Lalar, county of Marion,
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is willamette River
(Name of stream) tributary of Columbia
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is Irrigating Berry Field
4. The well or other source is located ft. and ft. from the corner of Section 18 in Township 7 - South Range 2 West of the (Section or subdivision) #illamette Veridian in Marion Genty, Oregon (If preferable, give distance and bearing to section corner) S.E. Cor. Towner Savage D4. C. NO 37
(If there is more than one we'' cach must be described. Use separate sheet if necessary) being within the SW4 of NW4 of NW4 of Sec. 18 Twp. 75, R. 2W,
W. M., in the county of Marlon.
5. The None to be miles
in length, terminating in the
R. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Domestic Irrigating Well
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
No.
8. The development will consist of One having (Give number of wells, tunnels, etc.)
diameter of 6 inches and an estimated depth of 98 feet. It is estimated that 98
feet of the well will require Steel casing. Depth to water table is estimated (Feet)

ate. At hea	iagate: wiain on top	at water t	ine)	jeet; width on botto
	feet; depth of water	er	feet; grade	feet fall per on
and feet.				
(b) At	mile	es from head	dgate: width on top (at water lin	se)
•	feet; width on b	ottom	feet; depth of water	· fee
:	feet fall pe	er one thous	and feet.	
(c) Length	h of pipe,	ft.;	size at intake, in.;	in size at f
intake	in.; si	ze at place o	of use in.; differ	rence in elevation betwee
e and place	of use,	ft.	Is grade uniform?	. Estimated capacit
	sec. ft.			
10. If pun	nps are to be used, g	ive size and	type	· · · · · · · · · · · · · · · · · · ·
				•••••
Give horse	epower and tupe of	motor or en	gine to be used Electri	c Motor 3 Horse
Gille norse	i poterr una rype of			
ral stream lifference in	or stream channel, i elevation between	give the dithe stream	other development work is less this tance to the nearest point on bed and the ground surface at a quarter mile	each of such channels ar the source of developmen
ral stream lifference in	or stream channel, a elevation between More t	give the dithe stream	istance to the nearest point on bed and the ground surface at quarter mile	each of such channels ar the source of developmen
ral stream lifference in	or stream channel, a elevation between More t	give the dithe stream	istance to the nearest point on bed and the ground surface at quarter mile	each of such channels are the source of development
ral stream lifference in 12. Locat	or stream channel, elevation between More t	give the dithe stream han one	istance to the nearest point on bed and the ground surface at quarter mile	each of such channels are the source of development
ral stream lifference in 12. Locat	or stream channel, elevation between More t	give the dithe stream han one	istance to the nearest point on bed and the ground surface at quarter mile	each of such channels are the source of development
ral stream lifference in 12. Locat	or stream channel, elevation between More t	give the dithe stream han one	istance to the nearest point on bed and the ground surface at quarter mile	each of such channels are the source of development
ral stream lifference in 12. Locat	or stream channel, elevation between More t More t Range Range Range Williamette Meridian	give the dithe stream han one rigated, or p	lace of use Lof 5 Rylha Forty-acre Tract	each of such channels are the source of development
ral stream lifference in 12. Locat	or stream channel, elevation between More t More t Range Range Range Williamette Meridian	give the dithe stream han one rigated, or p	lace of use Lof 5 Rylha Forty-acre Tract S.W. / of N.W 4	each of such channels are the source of development of the source of the so
ral stream lifference in 12. Locat	or stream channel, elevation between More t More t Range Range Range Williamette Meridian	give the dithe stream han one rigated, or p	lace of use Lof 5 Rylha Forty-acre Tract S.W. / of N.W 4	each of such channels are the source of development of the source of
ral stream lifference in 12. Locat	or stream channel, elevation between More t More t Range Range Range Williamette Meridian	give the dithe stream han one rigated, or p	lace of use Lof 5 Rylha Forty-acre Tract S.W. / of N.W 4	each of such channels are the source of development of the source of the so
ral stream lifference in 12. Locat	or stream channel, elevation between More t More t Range Range Range Williamette Meridian	give the dithe stream han one rigated, or p	lace of use Lof 5 Rylha Forty-acre Tract S.W. / of N.W 4	each of such channels are the source of development of the source of the so
ral stream lifference in 12. Locat	or stream channel, elevation between More t More t Range Range Range Williamette Meridian	give the dithe stream han one rigated, or p	lace of use Lof 5 Rylha Forty-acre Tract S.W. / of N.W 4	each of such channels are the source of development of the source of the so
ral stream lifference in 12. Locat	or stream channel, elevation between More t More t Range Range Range Williamette Meridian	give the dithe stream han one rigated, or p	lace of use Lof 5 Rylha Forty-acre Tract S.W. / of N.W 4	each of such channels are the source of development of the source of the so
ral stream difference in 12. Locat	or stream channel, elevation between More t More t Range Range Range Williamette Meridian	give the dithe stream han one rigated, or p	lace of use Lof 5 Rylha Forty-acre Tract S.W. / of N.W 4	each of such channels are the source of development of the source of the so

Character of soil

Brown Clay -Sand & Gravel - Blue Clay - Top Soil

Kind of crops raised.

Ever Green Blackberries

13. To supply the city of	
••••	g a present population of
d an estimated population of	
	4, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$	
15. Construction work will begin on or b	
16. Construction work will be completed	
	ed to the proposed use on or before During Summer 1
 If the ground water supply is supplied in for permit, permit, certificate or adjusted. 	plemental to an existing water supply, identify any appli udicated right to appropriate water, made or held by th
plicant. None	\cdot
	Clarence & MC Intosh
Dam only	(Signature of applicant)
Remarks:	
10 110 81	ford Fruit Tracts, Marion Com
L.IV. LOT 5 KUTLER	Jord Fruit Tracis, Harrow Can
	<u> </u>
·	·
TATE OF OREGON, $\{ss.\}$	
County of Marion,	
This is to certify that I have examined	d the foregoing application, together with the accompanying
aps and data, and return the same for	correction
In order to retain its priority, this app	plication must be returned to the State Engineer, with corre
ons on or before June 5	, 19 61
WITNESS my hand this 5th day	y of
·	·
⋒ \$* * *	Charles and the control of the contr
	LEWIS A. STANLEY

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of wa	
shall not exceed	ith other water users, from a well
The use to which this water is to be applied is	irrigation
If for irrigation, this appropriation shall be limited to	1/80th of one cubic foot per second
or its equivalent for each acre irrigated and shall be further	limited to a diversion of not to exceed 21/2
acre feet per acre for each acre irrigated during the irrigati	on season of each year;
and shall be subject to such reasonable rotation system as m	ray be ordered by the proper state officer.
The well shall be cased as necessary in accordance we the works shall include proper capping and control valve to the works constructed shall include an air line and pline, adequate to determine water level elevation in the weather the permittee shall install and maintain a weir, mete keep a complete record of the amount of ground water with	prevent the waste of ground water. pressure gauge or an access port for measuring ell at all times. et, or other suitable measuring device, and shall
The priority date of this permit is Actual construction work shall begin on or before	
thereafter be prosecuted with reasonable diligence and be	
Complete application of the water to the proposed us	47
WITNESS my hand this 26th day of	June 19.61. STATE ENGINEER
PERMIT Permit No. G- 1821 PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the office of the State Bagineer at Salem, Oregon, on the 28 H day of Merch 1961, at 10:15 o'clock Returned to applicant:	Approved: June 26, 1961. Recorded in book No. 7 of Ground Water Permits on page 7A EMIS A, STANLEY STANL