

1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950

Permit No. G-1828

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Jack Bennett (Name of applicant) of 1330 East Park St. Grants Pass (Postoffice Address), county of Josephine

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Applegate River (Name of stream) tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 1.3 cubic feet per second or 583 gallons per minute.

3. The use to which the water is to be applied is Irrigation of hay and pasture

4. The well or other source is located 350 ft. S (N or S.) and 30 ft. W (E or W.) from the NE Cor. corner of SW 1/4 of SW 1/4 Sec. 36 TWP 37S R5 W4M (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary) being within the SW 1/4 of SW 1/4 of Sec. 36, Twp. 37S, R. 5W W. M., in the county of Josephine

5. The Pipeline (Canal or pipe line) to be 1595 ft. miles in length, terminating in the SW 1/4 of SW 1/4 (Smallest legal subdivision) of Sec. 36, Twp. 37S, R. 5W W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Bennett Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 Well (Give number of wells, tunnels, etc.) having a diameter of 15'-30' inches and an estimated depth of 12 feet. It is estimated that feet of the well will require No (Kind) casing. Depth to water table is estimated 3 to 5' (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1595' ft.; size at intake, 3" in.; in size at 2' ft. from intake 6 in.; size at place of use 6 in.; difference in elevation between intake and place of use, 6 ft. Is grade uniform? Yes Estimated capacity, .78cfs per pump 1.56 both pumps c. ft.

10. If pumps are to be used, give size and type Cornell

Give horsepower and type of motor or engine to be used 2- 15 HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

| Township N or S | Range E or W of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|--------------------|---|---------|-----------------------------------|---------------------------------|
| 37S | 5W | 36 | SW $\frac{1}{4}$ SW $\frac{1}{4}$ | 31.7 Prim. |
| 37S | 5W | 36 | SW $\frac{1}{4}$ SW $\frac{1}{4}$ | 6.0 Sup. |
| 37S | 5W | 36 | SE $\frac{1}{4}$ SW $\frac{1}{4}$ | 15.0 Prim. |
| 37S | 5W | 36 | SE $\frac{1}{4}$ SW $\frac{1}{4}$ | 25.0 Sup. |
| 37S | 5W | 36 | NE $\frac{1}{4}$ SW $\frac{1}{4}$ | 5.8 Prim. |
| 37S | 5W | 36 | NE $\frac{1}{4}$ SW $\frac{1}{4}$ | 20.0 Sup. |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

Character of soil Columbia Fine Sandy Loam

Kind of crops raised Pasture and Hay

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 6000.00
- 15. Construction work will begin on or before Feb. 28 1961
- 16. Construction work will be completed on or before April 1961
- 17. The water will be completely applied to the proposed use on or before Feb. 1961

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Rogue River Decree Page 24 Column 1 J.W. York Proof 739 Vol. 10

A portion of 55 acres 1.1 CFS North Side Ditch

Jack A. Bennett
(Signature of applicant)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER
By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.29 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Bennett well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and the right allowed hereunder for the appropriation of water for lands having a valid prior right shall be limited to the amount necessary to make up any deficiency in water available to said lands under said prior right and the amount allowed herein, together with the amount secured under any other right existing for said lands, shall be limited by the duty of water as fixed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 14, 1961

Actual construction work shall begin on or before June 26, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 26th day of June 1961

Lewis A. Stanley
STATE ENGINEER

Application No. G- 1986

Permit No. G- 1828

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of April 1961, at 8 o'clock A. M.

Returned to applicant:

Approved:

June 26, 1961

Recorded in book No. 7 of

Ground Water Permits on page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 15 page 95