## Permit No. G- 1832

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Lester L. Fish (Name of applicant)		
of Route # 3 Box 915 A Salem	, county of Mario	on
state of Oreson , do hereby mak following described ground waters of the state of Oregon, SU	e application for a permi BJECT TO EXISTING	it to appropriate the RIGHTS.
If the applicant is a corporation, give date and place of in	corporation	
1. Give name of nearest stream to which the well, tun	nel or other source of an	ater development is
situated Between Willamette River and Coisor	Creek	acer acceropment to
tr	ibutary of	
2. The amount of water which the applicant intends to feet per second or gallons per minute.	apply to beneficial use i	is 0.06 cubic
3. The use to which the water is to be applied is Iri	rigation of Nurs	ery sjock and
Comestic use		
4. The well or other source is located 232.6 ft. N	and 35.5 ft. W	from the Sil
corner of SEL SEL of Section 6		
(If preferable, give distance and bearing to	, section coiner;	
(If there is more than the weather it to described.)	See separate over all necessary	
being within the SUA SEA of Se	c. 6 . $Twp$ . 8	<i>5</i>
W. M., in the county of Marion		
5. $Th\epsilon$ (Canal or pipe line)	te be	miles
in length, terminating in the . (Smallest legal subdivision)	of Sec.	. Twp
R. W. M., the proposed location being shown thron	ighout on the accompan	y <b>ing</b> map
f The name of the well or other works is		
DESCRIPTION OF W	OPILS	
7. If the flow to be utilized is artesian the works to be supply when not in use must be described.		I conservation of the
8 The development will consist of One well		having a
diameter of 6 ft. inches and an estimated depth of	imber of west torney etc. 61 ft feet 1/28 est	,
• •	,	
feet of the well will require 50 ft. 0 in. casing D	<b>repin to water Table (</b> 200)	stimuled 10 1t,

CANAL SYSTEM	OR PIPE LINE				
9. (a) Give	dimensions at e	ach point of car	nal where materially char	nged in size, stating miles fro	om
eadgate. At head	lgate: width on to	p (at water line	e)	feet; width on botto	om
	eet; depth of wa	ter	feet; grade	feet fall per o	ne
ousand feet.					
(b) At	mi	iles from headg	ate: width on top (at wate	er line)	
	feet; width on	bottom	feet; depth of u	vater fe	et:
ade	feet fall p	oer one thousan	d feet.	•	
(c) Length	of pipe,	ft.; si	ze at intake,	in.; in size at	ft.
om intake	in.;	size at place of t	use in.; c	lifference in elevation betwe	en
take and place o	f use,	ft. Is	grade uniform?	Estimated capaci	ity.
	sec. ft.				
10. If pump	os are to be used,	give size and ty	pe 2 horse jet ty	pe pump	
11. If the lo	ocation of the wel	ll, tunnel, or oth	er development work is lance to the nearest point	ess than one-fourth mile fron on each of such channels a at the source of developme	ind
11. If the loatural stream on the difference in	ocation of the wel	ll, tunnel, or oth l, give the dista n the stream be	er development work is loance to the nearest point d and the ground surface	ess than one-fourth mile fron on each of such channels a	ind
11. If the loatural stream on the difference in	ocation of the wel r stream channel elevation between	ll, tunnel, or oth l, give the dista n the stream be	er development work is loance to the nearest point d and the ground surface	ess than one-fourth mile fron on each of such channels a	ind
11. If the leatural stream on the difference in	ocation of the well r stream channel elevation between on of area to be in Range of well as a second control of the well as a	ll, tunnel, or oth l, give the diste n the stream be rrigated, or place	er development work is lance to the nearest point d and the ground surface  e of use	ess than one-fourth mile from on each of such channels at the source of developme	ind ent
11. If the loatural stream on the difference in	ocation of the well r stream channel elevation between on of area to be in Range of well as a second control of the well as a	ll, tunnel, or oth l, give the diste n the stream be rrigated, or place	er development work is loance to the nearest point d and the ground surface	ess than one-fourth mile from on each of such channels a the source of developme	ind ent
11. If the loatural stream on the difference in	ocation of the well r stream channel elevation between on of area to be in Range of well as a second control of the well as a	ll, tunnel, or oth l, give the diste n the stream be rrigated, or place	er development work is lance to the nearest point d and the ground surface  e of use	ess than one-fourth mile from on each of such channels at the source of developme	ind ent
11. If the leatural stream on the difference in	ocation of the well r stream channel elevation between on of area to be in Range of well as a second control of the well as a	ll, tunnel, or oth l, give the diste n the stream be rrigated, or place	er development work is lance to the nearest point d and the ground surface  e of use	ess than one-fourth mile from on each of such channels at the source of developme	ind ent
11. If the leatural stream on the difference in	ocation of the well r stream channel elevation between on of area to be in Range of well as a second control of the well as a	ll, tunnel, or oth l, give the diste n the stream be rrigated, or place	er development work is lance to the nearest point d and the ground surface  e of use	ess than one-fourth mile from on each of such channels at the source of developme	ind ent
11. If the leatural stream on the difference in a stream of the di	ocation of the well r stream channel elevation between on of area to be in Range of well as a second control of the well as a	ll, tunnel, or oth l, give the diste n the stream be rrigated, or place	er development work is lance to the nearest point d and the ground surface  e of use	ess than one-fourth mile from on each of such channels at the source of developme	ind ent
11. If the loatural stream on the difference in a stream of the di	ocation of the well r stream channel elevation between on of area to be in Range of well as a second control of the well as a	ll, tunnel, or oth l, give the diste n the stream be rrigated, or place	er development work is lance to the nearest point d and the ground surface  e of use	ess than one-fourth mile from on each of such channels at the source of developme	ind ent
11. If the loatural stream on the difference in a stream of the di	ocation of the well r stream channel elevation between on of area to be in Range of well as a second control of the well as a	ll, tunnel, or oth l, give the diste n the stream be rrigated, or place	er development work is lance to the nearest point d and the ground surface  e of use	ess than one-fourth mile from on each of such channels at the source of developme	ind ent
11. If the loatural stream on the difference in a stream of the di	ocation of the well r stream channel elevation between on of area to be in Range of well as a second control of the well as a	ll, tunnel, or oth l, give the diste n the stream be rrigated, or place	er development work is lance to the nearest point d and the ground surface  e of use	ess than one-fourth mile from on each of such channels at the source of developme	ind ent
11. If the locatural stream on the difference in a stream of the d	ocation of the well r stream channel elevation between on of area to be in Range of well as a second control of the well as a	ll, tunnel, or oth l, give the diste n the stream be rrigated, or place	er development work is lance to the nearest point d and the ground surface  e of use	ess than one-fourth mile from on each of such channels at the source of developme	ind ent

(If more space required, attach separate sheet)

Character of soil

Redich Brown

Kind of crops raised

Ceneral Mursery crops

13. To supply the city of	
in county, having a present pop	
and an estimated population of in 19	•
ANSWER QUESTIONS 14, 15, 16, 17 AND	
14. Estimated cost of proposed works, \$1935.00	
15. Construction work will begin on or beforeMARCD	
16. Construction work will be completed on or before	
17. The water will be completely applied to the propose	
18. If the ground water supply is supplemental to an cation for permit, permit, certificate or adjudicated right tapplicant.	to appropriate water, made or held by the
	Lester J-J-iol-
Remarks:	
· · · · · · · · · · · · · · · · · · ·	
·	
STATE OF OREGON	•
STATE OF OREGON, Ss. County of Marion,	
This is to certify that I have examined the foregoing	application, together with the accompanying
maps and data, and return the same for completion	······································
In order to retain its priority, this application — h.	raturned to the State Francisco with some
In order to retain its priority, this application must be tions on or before July 3 1961	e returned to the State Engineer, with correc
, 19 OI	
WITNESS my hand thislst_day of	May , 19 61 .



LEWIS A, STANLEY

TATE ENGINEER

Walter N. Perry

Assistant

County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and Q.Q4. cubic feet per second measured at the point of diversion from the well or shall not exceed source of appropriation, or its equivalent in case of rotation with other water users, from a well The use to which this water is to be applied is . irrigation 1/80% of one cubic foot per second If for irrigation, this appropriation shall be limited to or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2/2 acre feet per acre for each acre irrigated during the irrigation season of each year: The state of the s The second secon and the same and the and shall be subject to such reasonable rotation system as may be ordered by the proper state officer The well shall be cased as necessary in accordance with good practice and if the flow is writerium the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for incasioning line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keer a complete record of the amount of ground water withdrawn. April 24, 1961 The priority date of this permit is Actual construction work shall begin on or before June 26, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before  $Getalic_{+}$  : In  $^{62}$ Complete application of the water to the proposed use shall be made on or before October 1. 19. WITNESS my hand thus day of This instrument was PER Application Vo. Permit No G. TO APPROPRIATE WATTRO OF OF 04 office of the State Fnair onthe 24 th derict 1961 at 2.45 o'ch Poturnod to applicant: June 26. Preprieted in benk N Grang Way . D . wes Mary Bar Bar Mar Arrande