

Permit No. G-.....1856.....

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, ROCKY HILL, INCORPORATED (Name of applicant) of 20700 Ave. 314, Exeter, California (Postoffice Address), county of Tulare state of California, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

September 6, 1949, State of Nevada

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Little Alvord Creek (Name of stream) tributary of None (Alvord Desert)

2. The amount of water which the applicant intends to apply to beneficial use is Three cubic feet per second or 1350 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 1220 ft. east (N. or S) and 1470 ft. south from the Sec. corner common to Sections 9, 10, 15 and 16, T. 34S, R. 34E, W. M., (Section or subdivision) in the County of Harney, State of Oregon (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW1/4 of Sec. 15, Twp. 34S, R. 34E W. M., in the county of Harney

5. The canal (Canal or pipe line) to be 2 1/2 miles in length, terminating in the SE1/4 of Sec. 22 & SE1/4 of Sec. 15, Twp. 34S R. 34E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Little Alvord Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Flow is not artesian

8. The development will consist of one well (Give number of wells, tunnels, etc) having a diameter of 12 inches and an estimated depth of 300 feet. It is estimated that 263 feet of the well will require welded (Kind) casing. Depth to water table is estimated 5 1/2 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 3 feet; width on bottom 1½ feet; depth of water 1½ feet; grade 2½ feet fall per one thousand feet.

(b) At ¾ miles from headgate: width on top (at water line) 2 feet; width on bottom 1 feet; depth of water 1 feet; grade 2½ feet fall per one thousand feet.

(c) Length of pipe, None ft.; size at intake, None in.; in size at None ft. from intake None in.; size at place of use None in.; difference in elevation between intake and place of use, None ft. Is grade uniform? Yes Estimated capacity, None sec. ft.

10. If pumps are to be used, give size and type 8 inch Turbine

Give horsepower and type of motor or engine to be used 30 H.P. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Over one-fourth mile from a natural stream

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
34S	34E	15	SW¼NE¼	40	
			SE¼NE¼	40	
			NW¼SE¼	40	
			NE¼SE¼	40	
			SW¼SE¼	40	
			SE¼SE¼	40	
			NE¼SW¼	40	
			SE¼SW¼	40	
			22	NE¼NW¼	40
				SE¼NW¼	40
				NW¼NE¼	40
				SW¼NE¼	40

(If more space required, attach separate sheet)

Character of soil Silt loam

Kind of crops raised grain and/or hay

MUNICIPAL SUPPLY— None

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 6,500.00.....
- 15. Construction work ~~will be completed~~ by John W. Rossberg, Box 443, Burns, Oregon, 10-5-60 to 11-17-60.
- 16. Construction work will be completed on or before May 1, 1962.....
- 17. The water will be completely applied to the proposed use on or before August 1, 1963.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. The proposed appropriation will be used on lands also

irrigated in part by waters from Little Alvord Creek and Pike Creek;

ROCKY HILL, INCORPORATED

(Signature of applicant)

Remarks:

By: *[Signature]*
President

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19

STATE ENGINEER

By ASSISTANT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Little Alvord well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; the right allowed hereunder for the appropriation of water for lands having a valid prior right shall be limited to the amount necessary to make up any deficiency in water available to said lands under said prior right and the amount allowed herein, together with the amount secured under any other right existing for said lands, shall be limited by the duty of water as fixed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 10, 1961

Actual construction work shall begin on or before August 11, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 11th day of August, 1961

Lewis A. Stanley STATE ENGINEER

Application No. G-2016
Permit No. G-1856

PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of July, 1961, at 6 o'clock A.M.

Returned to applicant:

Approved: August 11, 1961
Recorded in book No. 7 of 1856
Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER
Drainage Basin No. 11 page 29