APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

	Ivan M. Horning	(Name of applicant)					
.f	Rt. 3. Box 588, Corvall:	is , county of Benton					
J	(Postoffice Address)	, cowing of					
tate of Oreg	Oregon , do hereby make application for a permit to appropriate th						
ollowing descr	ibed ground waters of the s ta	te of Oregon, SUBJECT TO EXISTING RIGHTS:					
If the app	olicant is a corporation, give da	ate and place of incorporation					
	NO						
1. Give 1	name of nearest stream to wh	rich the well, tunnel or other source of water development i					
ituated	Long Tom River						
		(Name of stream)					
		tributary of Willamette					
2. The a feet per second	mount of water which the ap orgallons per m	plicant intends to apply to beneficial use iscubi inute.					
2 Th	se to which the water is to be	Irrigation					
0. 1.10 0	is to writer the water to to be	approd to					
•		(Section or subdivision) e SW corner, Section 36, T 13S, R 5W, WM					
•	cated 19.993 ch, E of th	(Section or subdivision) ie SW corner, Section 36, T 13S, R 5W, WM ve distance and bearing to section corner)					
loc	(If there is more than one we!).	(Section or subdivision) e SW corner, Section 36, T 13S, R 5W, WM					
loc	(If there is more than one we!).	(Section or subdivision) the SW corner, Section 36, T 13S, R 5W, WM ve distance and bearing to section corner) each must be described. Use separate sheet if necessary) of Sec. 36, Twp. 13S, R. 5W					
loc being within th W. M., in the co	(If there is more than one well a county of Benton Pipeline to be portable	(Section or subdivision) te SW corner, Section 36, T 13S, R 5W, WM ve distance and bearing to section corner) each must be described. Use separate sheet if necessary) of Sec. 36, Twp. 13S, R. 5W to be mile					
being within the Co. 5. The	(If preferable, given the SE \frac{1}{4}, SW \frac{1}{4} ounty of Benton Pipeline to be portable (Canal or pip	(Section or subdivision) the SW corner, Section 36, T 13S, R 5W, WM ve distance and bearing to section corner) each must be described. Use separate sheet if necessary) of Sec. 36, Twp. 13S, R. 5W to be					
being within the constant of t	(If there is more than one well of the SE \frac{1}{4}, SW \frac{1}{4}. Ounty of Benton Pipeline to be portable (Canal or pip inating in the (Sma)	(Section or subdivision) te SW corner, Section 36, T 13S, R 5W, WM ve distance and bearing to section corner) each must be described. Use separate sheet if necessary) of Sec. 36, Twp. 13S, R. 5W to be mile					
being within the constant of t	(If there is more than one well, end of the SE 1/4, SW 1/4) ounty of Benton Pipeline to be portable (Canal or pipelinating in the (Sma) W. M., the proposed location by	(Section or subdivision) the SW corner, Section 36, T 13S, R 5W, WM The each must be described. Use separate sheet if necessary) of Sec. 36, Twp. 13S, R. 5W to be					
being within the constant of t	(If there is more than one we!! et le SE 1/4, SW 1/4 ounty of Benton (Canal or pip inating in the SE 1/4) (Sma)	(Section or subdivision) ie SW corner, Section 36, T 13S, R 5W, WM we distance and bearing to section corner) each must be described. Use separate sheet if necessary) of Sec. 36, Twp. 13S, R. 5W to be					
being within the Constitution of the constitut	(If there is more than one we!! et le SE 1/4. SW 1/4. Ounty of Benton Pipeline to be portable (Canal or pipelinating in the SE 1/4. SW 1/4.) W. M., the proposed location became of the well or other work of the well or other work of the state of the utilized is artesian,	(Section or subdivision) the SW corner, Section 36, T 13S, R 5W, WM The each must be described. Use separate sheet if necessary) of Sec. 36, Twp. 13S, R. 5W to be					
being within the Constitution of the constitut	(If there is more than one we!! et le SE 1/4, SW 1/4 ounty of Benton (Canal or pip inating in the SE 1/4) (Sma) W. M., the proposed location became of the well or other work	(Section or subdivision) ie SW corner, Section 36, T 13S, R 5W, WM we distance and bearing to section corner) each must be described. Use separate sheet if necessary) of Sec. 36, Twp. 13S, R 5W to be					
being within the Constitution of the constitut	(If there is more than one we!! et le SE 1/4. SW 1/4. Ounty of Benton Pipeline to be portable (Canal or pipelinating in the SE 1/4. SW 1/4.) W. M., the proposed location became of the well or other work of the well or other work of the state of the utilized is artesian,	(Section or subdivision) ie SW corner, Section 36, T 13S, R 5W, WM we distance and bearing to section corner) each must be described. Use separate sheet if necessary) of Sec. 36, Twp. 13S, R 5W to be					
being within the Constitution of the constitut	(If there is more than one we!! et le SE 1/4. SW 1/4. Ounty of Benton Pipeline to be portable (Canal or pipelinating in the SE 1/4. SW 1/4.) W. M., the proposed location became of the well or other work of the well or other work of the state of the utilized is artesian,	(Section or subdivision) ie SW corner, Section 36, T 13S, R 5W, WM we distance and bearing to section corner) each must be described. Use separate sheet if necessary) of Sec. 36, Twp. 13S, R 5W to be					

9. (a) Gir				
adgate. At hea	adgate: width on to	pp (at water lin	ne)	feet; width on botto
	feet; depth of wat	ter	feet; grade	feet fall per or
ousand feet.				
(b) At	mi	les from headg	ate: width on top (at water line)
	feet; width on l	bottom	feet; depth of water	fee
ade	feet fall p		id feet. in & 3 inch latural - as	needed in eron
(c) Length		ft.; si	ize at intake, in.; in	
om intake	-		use in.; differe	nce in <mark>elevation</mark> betwee
take and place	of use, nor	ne ft. Is	grade uniform? yes	Estimated capacit
0.80	sec. ft.			
10. If pum	aps are to be used, g	give size and ty	$_{pe}$ 20 horsepower 3 phase	electric motor wi
close-coupl	ed matching cer	ntrifugal ty	pe pump.	
Give horse	rower and tune of	motor or engin	ne to be used	
0.00 110100	potent and type of	in the second se		
tural stream of difference in	or stream channel, elevation between	, give the dist the stream be	ner development work is less tha ance to the nearest point on ea d and the ground surface at the rom Long Tom River. Elev	ch of such channels are source of developme
tural stream of edifference in Well locate	or stream channel, elevation between dapproximately	give the dist the stream be	ance to the nearest point on ead and the ground surface at the	ch of such channels are source of developme ation difference 1
tural stream of e difference in Well locate	or stream channel, elevation between dapproximately	give the dist the stream be	ance to the nearest point on ead and the ground surface at the	ch of such channels are source of development ation difference 1
tural stream of e difference in Well locate 12. Location	or stream channel, elevation between d approximately on of area to be irr	give the dist the stream be 1,200 ft for rigated, or place	ance to the nearest point on ead and the ground surface at the rom Long Tom River. Elev	ch of such channels are source of developme ation difference 1
tural stream of edifference in Well locate 12. Location Township N. or S.	or stream channel, elevation between d approximately on of area to be irresponding to the control of the contro	rigated, or place	ance to the nearest point on ead and the ground surface at the rom Long Tom River. Elev e of use	ch of such channels are source of developme ation difference l
tural stream of e difference in Well locate 12. Location Township N. or S.	or stream channel, elevation between dapproximately on of area to be irresponding to the control of the control	rigated, or place	ance to the nearest point on ead and the ground surface at the rom Long Tom River. Elev e of use Forty-acre Tract SE \frac{1}{4} SW \frac{1}{4}	ch of such channels are source of developme ation difference 1 Number Acres To Be Irrigated
tural stream of edifference in Well locate 12. Location Township N. or S.	or stream channel, elevation between dapproximately on of area to be irresponding to the control of the control	rigated, or place	ance to the nearest point on ead and the ground surface at the rom Long Tom River. Elev Forty-acre Tract SE \frac{1}{4} SW \frac{1}{4} NE \frac{1}{7} SW \frac{1}{4}	ch of such channels are source of developme ation difference 1 Number Acres To Be Irrigated 34 30
tural stream of edifference in Well locate 12. Location Township N. or S.	or stream channel, elevation between dapproximately on of area to be irresponding to the control of the control	rigated, or place	ance to the nearest point on ead and the ground surface at the rom Long Tom River. Elev Forty-acre Tract SE \frac{1}{4} SW \frac{1}{4} NE \frac{1}{7} SW \frac{1}{4}	ch of such channels are source of developmentation difference 1 Number Acres To Be Irrigated 34 30
tural stream of e difference in Well locate 12. Location Township N. or S.	or stream channel, elevation between dapproximately on of area to be irresponding to the control of the control	rigated, or place	ance to the nearest point on ead and the ground surface at the rom Long Tom River. Elev Forty-acre Tract SE \frac{1}{4} SW \frac{1}{4} NE \frac{1}{7} SW \frac{1}{4}	ch of such channels are source of developmentation difference 1 Number Acres To Be Irrigated 34 30
tural stream of e difference in Well locate 12. Location Township N. or S.	or stream channel, elevation between dapproximately on of area to be irresponding to the control of the control	rigated, or place	ance to the nearest point on ead and the ground surface at the rom Long Tom River. Elev Forty-acre Tract SE \frac{1}{4} SW \frac{1}{4} NE \frac{1}{7} SW \frac{1}{4}	ch of such channels are source of developmentation difference 1 Number Acres To Be Irrigated 34 30
tural stream of e difference in Well locate 12. Location Township N. or S.	or stream channel, elevation between dapproximately on of area to be irresponding to the control of the control	rigated, or place	ance to the nearest point on ead and the ground surface at the rom Long Tom River. Elev Forty-acre Tract SE \frac{1}{4} SW \frac{1}{4} NE \frac{1}{7} SW \frac{1}{4}	ch of such channels are source of developmentation difference 1 Number Acres To Be Irrigated 34 30
tural stream of e difference in Well locate 12. Location Township N. or S.	or stream channel, elevation between dapproximately on of area to be irresponding to the control of the control	rigated, or place	ance to the nearest point on ead and the ground surface at the rom Long Tom River. Elev Forty-acre Tract SE \frac{1}{4} SW \frac{1}{4} NE \frac{1}{7} SW \frac{1}{4}	ch of such channels are source of developmeration difference 1 Number Acres To Be Irrigated 34 30

13. To supply the city of	
coun	ty, having a present population of
nd an estimated population of	
14. Estimated cost of proposed	•
15. Construction work will beg	gin on or before Spring 1961
16. Construction work will be	completed on or before Spring 1961
17. The water will be complete	ely applied to the proposed use on or before Summer 1962
18. If the ground water supp	oly is supplemental to an existing water supply, identify any appl te or adjudicated right to appropriate water, made or held by th
pplicant. North 2/3 of area, as	s indicated on accompanying map, is all covered by
old well registration	n 2439, certificate 2312 *
	(Signature of applicant)
Romarks:	(Signature of applicant)
	to retain old well and use under certain crop
rotations to irrigate 8 ac	cres gravely permanent pasture surrounding the old wel
	·
•	
	· · · · · · · · · · · · · · · · · · ·
TATE OF OREGON, ss.	
County of Marion,	
This is to certify that I have a	examined the foregoing application, together with the accompanying
naps and data, and return the same	for
In order to retain its priority,	this application must be returned to the State Engineer, with corre
ions on or before	. 19

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right he	rein aranted	is limited t	o the amount	of water which c	an be applied to	beneficial use and
shall not exceed						·
source of approprie		•	-	•	•	_
The use to u	thich this w	iter is to be	applied is	irrigatio	n .	
If for irrigat	ion, this app	ropriation s	hall be limited	! to 1/80th	of one cub	ic foot per second
or its equivalent fo	or each acre	irrigated ar	nd shall be fur	ther limited to a	diversion of not t	o exceed 2½
acre feet per acre	for each acr	e irrigated (during the irr	igation season of	each year;pro	vided further
that the amou	nt of wate	r allowed	herein, to	gether with t	he amount sec	ured under
any other rigi	nt existin	g for the	same lands	s shall not ex	ceed the limi	tation allowed
herein,						
			·			
and shall be subject	ct to su c h re	asonable rot	tation system	as may be ordere	d by the proper	state officer.
The well sho the works shall inc	all be cased clude proper	as necessary capping an	y in accordanc d control valv	ce with good pro e to prevent the	actice and if the waste of ground	e flow is artesian ! water.
The works cline, adequate to d	onstructed s letermine w	hall include ater level e	e an air line a levation in th	nd pressure gaug e well at all time	e or an access p	ort for measuring
•	ee shall insta	ıll and mair	ıtain a weir, n	neter, or other su		device, and shall
•	·					
The priority	date of this	permit is	·····	May 22,	1961	
Actual const	ruction worl	c shall begi	n on or before	August	11, 1962	and shall
thereafter be pros	ecuted with	reasonable	diligence and	d be completed o	on or before Oct	ober 1, 19
				l us e shall be mad		
WITNESS n	ny hand this	11 <u>th</u>	day of	Mugust	19	51
	· J		y .,	Luno	1. Stars	los
						STATE ENGINEER
	}[he m,	[• of	
	GZ	in t Orego			39	INEER
5	GROUND	eceived in th alem, Oregor	М.		7	re 96