

RECEIVED
MAY 31 1961
STATE ENGINEER
SALEM, OREGON

Permit No. G-1873

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Vann Barrel Co.
(Name of applicant)
of 8443 N. Kerby Ave. - Portland 17, Oregon, county of Multnomah
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Columbia Slough
(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.334 cubic feet per second or 150 gallons per minute.

3. The use to which the water is to be applied is wash water for cleaning barrels

4. The well or other source is located 60 ft. N and 270 ft. W from the SE corner of NW 1/4 of Sec. 10, T 1 N, R 1 E
(N or S) (E or W)
(Section or subdivision)

(L.D. LOTS No. 1, 2, 3, 4, 5, 6, 7, 23, 24, 25, 26, AND 27 OF BLOCK # 9
(If preferable, give distance and bearing to section corner)

SWINTON ADDITION
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SE 1/4 NW 1/4 of Sec. 10 Twp. 1 N R. 1 E

W. M., in the county of

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____ Twp. _____
(Smallest legal subdivision)

R. _____ W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is water well # 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one water well having a
(Give number of wells, tunnels, etc.)
diameter of 8 inches and an estimated depth of 100 feet. It is estimated that 100
feet of the well will require steel casing. Depth to water table is estimated 25
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity sec. ft.

10. If pumps are to be used, give size and type Johnson Submersible turbine

Give horsepower and type of motor or engine to be used 7 1/2 HP electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
650 SE of Columbia Slough . Elevation of stream bed unknown - elevation of ground level is approximately 25 higher than water level of Slough

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>1N</u>	<u>1E</u>	<u>10</u>	<u>33412</u>	<u>Washing Machine</u>

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... 4000.00
- 15. Construction work will begin on or before June 30, 1961
- 16. Construction work will be completed on or before Aug. 30, 1961
- 17. The water will be completely applied to the proposed use on or before Aug. 30, 1961

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

[Handwritten Signature]
(Signature of applicant)

Remarks: WASTE WATER TO BE PUT INTO CITY SEWER.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 8, 1961.

WITNESS my hand this 8th day of June, 1961

RECEIVED
JUN 2 1961
STATE ENGINEER
SALEM, OREGON

LEWIS A. STANLEY
STATE ENGINEER
By *[Handwritten Signature]*
Walter N. Perry
ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.33 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well No. 1

The use to which this water is to be applied is industrial (washing barrels)

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 31, 1961

Actual construction work shall begin on or before August 11, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 11th day of

August 1961

Lewis A. Stanley

STATE ENGINEER

Application No. G-2036
Permit No. G-1873

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 31st day of May 1961, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

August 11, 1961

Recorded in book No. 7 of

Ground Water Permits on page 1873

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 7 page 29

State Printing