

STATE OF OREGON

COUNTY OF KLAMATH

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

KLAMATH BASIN IMPROVEMENT DISTRICT  
6640 KID LANE  
KLAMATH FALLS, OR 97603

**This superseding permit is issued to describe an amendment for additional points of appropriation proposed under Permit Amendment Application T-13758 and approved by Special Order Vol. 125, Page 502, entered AUG 03 2022, and to describe an extension of time for complete application of water approved August 7, 2020. This permit supersedes Permit G-16209.**

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-16030

SOURCE OF WATER: EIGHT WELLS IN NUSS LAKE BASIN

PURPOSE OR USE: SUPPLEMENTAL IRRIGATION OF 8959.82 ACRES

MAXIMUM RATE: 11.14 CUBIC FEET PER SECOND

PERIOD OF USE: MARCH 15 THROUGH OCTOBER 14

DATE OF PRIORITY: JUNE 4, 2003

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
39 S	9 E	WM	28	SE NE	WELL #5 – 261.7 FEET NORTH AND 32.7 FEET WEST FROM THE E1/4 CORNER OF SECTION 28
39 S	9 E	WM	28	SE NE	WELL #6 – 74.3 FEET NORTH AND 59.0 FEET WEST FROM THE E1/4 CORNER OF SECTION 28
39 S	10 E	WM	8	NW SW	WELL #3 – 305.3 FEET SOUTH AND 879.1 FEET EAST FROM THE W1/4 CORNER OF SECTION 8

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
39 S	10 E	WM	17	NE SE	WELL #2 - 46.0 FEET SOUTH AND 123.0 FEET WEST FROM THE E1/4 CORNER OF SECTION 17
39 S	10 E	WM	27	SE SW	WELL #1 - 607 FEET NORTH AND 2510 FEET EAST FROM THE SW CORNER OF SECTION 27
40 S	9 E	WM	2	NE SE	WELL #7 - 213.8 FEET SOUTH AND 439.3 FEET WEST FROM THE E1/4 CORNER OF SECTION 2
40 S	9 E	WM	2	NE SE	WELL #8 - 282.1 FEET SOUTH AND 400.7 FEET WEST FROM THE E1/4 CORNER OF SECTION 2
40 S	10 E	WM	6	NE SE	WELL #9 - 56.0 FEET SOUTH AND 13.5 FEET WEST FROM THE E1/4 CORNER OF SECTION 6

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
39 S	8 E	WM	36	NE NE		0.40
39 S	8 E	WM	36	SE NE		23.34
39 S	8 E	WM	36	NE SE		4.34
39 S	9 E	WM	9	NE SW		11.24
39 S	9 E	WM	9	SE SW		26.77
39 S	9 E	WM	9	NW SE		2.40
39 S	9 E	WM	9	SW SE		15.10
39 S	9 E	WM	9	SE SE		5.80
39 S	9 E	WM	13	NE NE		3.80
39 S	9 E	WM	13	SE NE		0.40
39 S	9 E	WM	13	SW SW		0.50
39 S	9 E	WM	14	NE NW		1.50
39 S	9 E	WM	14	SW NW		3.38
39 S	9 E	WM	14	NW SW		1.00
39 S	9 E	WM	15	NE NE		1.00
39 S	9 E	WM	15	NW NE		1.45
39 S	9 E	WM	16	NE NE		3.60
39 S	9 E	WM	16	NW NE		2.80
39 S	9 E	WM	16	SW SE		6.00
39 S	9 E	WM	17	SE SE		8.80
39 S	9 E	WM	19	SE SE		6.60
39 S	9 E	WM	21	NE NW		4.00




SUPPLEMENTAL IRRIGATION							Acres
Twp	Rng	Mer	Sec	Q-Q	Glot		
39 S	9 E	WM	21	NW/NW		4.00	
39 S	9 E	WM	21	SW/NW		11.44	
39 S	9 E	WM	21	SW/SW		6.40	
39 S	9 E	WM	21	SE/SW		6.00	
39 S	9 E	WM	21	SW/SE		11.10	
39 S	9 E	WM	24	SW/SE		7.10	
39 S	9 E	WM	24	SE/SE		1.30	
39 S	9 E	WM	25	NE/NE		1.07	
39 S	9 E	WM	25	NW/NE		9.36	
39 S	9 E	WM	27	SW/SW		20.50	
39 S	9 E	WM	28	NW/NE		25.30	
39 S	9 E	WM	28	SW/NE		38.10	
39 S	9 E	WM	28	SE/NE		1.30	
39 S	9 E	WM	28	SE/NW		12.40	
39 S	9 E	WM	28	SW/SW		8.00	
39 S	9 E	WM	28	SW/SW		8.00	
39 S	9 E	WM	28	NE/SE		5.00	
39 S	9 E	WM	28	NW/SE		4.60	
39 S	9 E	WM	29	SW/SW		7.70	
39 S	9 E	WM	30	NE/NE		34.92	
39 S	9 E	WM	30	NW/NE		18.06	
39 S	9 E	WM	30	SE/SE		19.60	
39 S	9 E	WM	31	NE/NE		8.70	
39 S	9 E	WM	31	SE/NE		2.40	
39 S	9 E	WM	31	SE/SW		14.00	
39 S	9 E	WM	31	SW/SE		17.80	
39 S	9 E	WM	32	NW/NE		2.60	
39 S	9 E	WM	32	NW/NW		9.70	
39 S	9 E	WM	32	SW/NW		6.60	
39 S	9 E	WM	32	NE/SW		8.30	
39 S	9 E	WM	32	NW/SW		9.20	
39 S	9 E	WM	32	SW/SW		1.00	
39 S	9 E	WM	32	SE/SW		17.60	
39 S	9 E	WM	32	SW/SE		13.90	
39 S	9 E	WM	32	SE/SE		24.80	
39 S	9 E	WM	33	NW/NE		12.70	
39 S	9 E	WM	33	SW/NE		40.00	
39 S	9 E	WM	33	SE/NE		28.30	
39 S	9 E	WM	33	NE/NW		18.20	
39 S	9 E	WM	33	NW/NW		27.40	
39 S	9 E	WM	33	SW/NW		16.50	
39 S	9 E	WM	33	SE/NW		40.00	
39 S	9 E	WM	33	NE/SW		13.40	
39 S	9 E	WM	33	NW/SW		0.50	
39 S	9 E	WM	33	SW/SW		10.40	
39 S	9 E	WM	33	NE/SE		39.50	
39 S	9 E	WM	33	NW/SE		38.60	

SUPPLEMENTAL IRRIGATION						
Twp	Ring	Mer	Sec	Q-Q	GLot	Acres
39 S	9 E	WM	33	SW SE		17.00
39 S	9 E	WM	33	SE SE		35.40
39 S	9 E	WM	34	SW NE		16.00
39 S	9 E	WM	34	NE NW		8.00
39 S	9 E	WM	34	SE NW		7.00
39 S	9 E	WM	34	NW SW		5.30
39 S	9 E	WM	34	SW SW		13.40
39 S	9 E	WM	34	SE SW		7.00
39 S	9 E	WM	34	NE SE		3.00
39 S	9 E	WM	34	SW SE		1.30
39 S	9 E	WM	34	SE SE		1.00
39 S	9 E	WM	35	SE NW		6.00
39 S	9 E	WM	35	NE SW		13.70
39 S	9 E	WM	35	SE SW		3.60
39 S	9 E	WM	35	NW SE		12.60
39 S	9 E	WM	35	SW SE		20.70
39 S	10 E	WM	2	SW NE		38.80
39 S	10 E	WM	2	SE NE		31.20
39 S	10 E	WM	2	SW NW		8.70
39 S	10 E	WM	2	SE NW		37.80
39 S	10 E	WM	2	NE SW		32.60
39 S	10 E	WM	2	NW SW		9.10
39 S	10 E	WM	2	SE SW		6.10
39 S	10 E	WM	2	NE SE		24.00
39 S	10 E	WM	2	NW SE		40.00
39 S	10 E	WM	2	SW SE		4.30
39 S	10 E	WM	11	NW NE		8.10
39 S	10 E	WM	11	SW NE		22.80
39 S	10 E	WM	11	NE NW		3.70
39 S	10 E	WM	11	SE NW		0.70
39 S	10 E	WM	11	NW SE		3.20
39 S	10 E	WM	12	NW NE		13.90
39 S	10 E	WM	12	SW NE		3.10
39 S	10 E	WM	12	NE NW		1.50
39 S	10 E	WM	12	NE SW		25.90
39 S	10 E	WM	12	NW SW		0.10
39 S	10 E	WM	12	SE SW		0.80
39 S	10 E	WM	12	NE SE		7.30
39 S	10 E	WM	13	SW NW	6	3.00
39 S	10 E	WM	13	SW NW		15.60
39 S	10 E	WM	13	SE NW		2.00
39 S	10 E	WM	13	NE SW		6.30
39 S	10 E	WM	13	NW SW		12.00
39 S	10 E	WM	13	SE SW		16.90
39 S	10 E	WM	13	SW SE		3.60
39 S	10 E	WM	14	SE NE		0.80



SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Glot	Acres
39 S	10 E	WM	14	SW SW	7	1.80
39 S	10 E	WM	14	NE SE		25.40
39 S	10 E	WM	14	NW SE		9.60
39 S	10 E	WM	14	SW SE		12.90
39 S	10 E	WM	14	SE SE		28.30
39 S	10 E	WM	15	NW NW		6.20
39 S	10 E	WM	15	SW NW		32.70
39 S	10 E	WM	15	NE SW		11.70
39 S	10 E	WM	15	NW SW		19.50
39 S	10 E	WM	15	SE SW		3.12
39 S	10 E	WM	15	NW SE		1.00
39 S	10 E	WM	15	SW SE		9.73
39 S	10 E	WM	15	SE SE		0.60
39 S	10 E	WM	16	NE NE		44.80
39 S	10 E	WM	16	NW NE		22.80
39 S	10 E	WM	16	SW NE		3.70
39 S	10 E	WM	16	SE NE		36.30
39 S	10 E	WM	16	NE NW		12.00
39 S	10 E	WM	16	SW SW		2.00
39 S	10 E	WM	16	NE SE		4.40
39 S	10 E	WM	16	SW SE		0.60
39 S	10 E	WM	16	SE SE		6.50
39 S	10 E	WM	17	NE SW		6.50
39 S	10 E	WM	17	NW SW		3.50
39 S	10 E	WM	17	SW SW		8.00
39 S	10 E	WM	17	NE SE		10.50
39 S	10 E	WM	18	NE NE		16.80
39 S	10 E	WM	18	SE NE		38.80
39 S	10 E	WM	18	NE NW		1.50
39 S	10 E	WM	18	SE SW		1.90
39 S	10 E	WM	18	NE SE		40.00
39 S	10 E	WM	18	NW SE		25.00
39 S	10 E	WM	18	SW SE		38.50
39 S	10 E	WM	18	SE SE		37.10
39 S	10 E	WM	19	NW NE		33.50
39 S	10 E	WM	19	SE NE		8.20
39 S	10 E	WM	19	NE NW		5.80
39 S	10 E	WM	20	NE NE		2.00
39 S	10 E	WM	20	NW NW		4.10
39 S	10 E	WM	21	NE NE		11.60
39 S	10 E	WM	21	NW NE		12.50
39 S	10 E	WM	21	SW NE		1.20
39 S	10 E	WM	21	NE NW		18.60
39 S	10 E	WM	21	NW NW		15.00
39 S	10 E	WM	21	SW NW		4.00
39 S	10 E	WM	21	SE NW		9.30



SUPPLEMENTAL IRRIGATION							Acres
Twp	Ring	Mer	Sec	Q-Q	Glott		
39 S	10 E	WM	21	SW SW			1.50
39 S	10 E	WM	22	NE SW			26.40
39 S	10 E	WM	22	NW SE			12.10
39 S	10 E	WM	27	NE NW			8.00
39 S	10 E	WM	27	NW NW			37.60
39 S	10 E	WM	27	SW NW			5.70
39 S	10 E	WM	27	SE SW			2.20
39 S	10 E	WM	28	NE NE			9.80
39 S	10 E	WM	28	NW NE			2.60
39 S	10 E	WM	28	SW NE			3.70
39 S	10 E	WM	28	SE NE			9.30
39 S	10 E	WM	28	NE NW			3.20
39 S	10 E	WM	28	NW NW			1.00
39 S	10 E	WM	28	SE NW			0.70
39 S	10 E	WM	28	SW SE			12.10
39 S	10 E	WM	28	SE SE			0.80
39 S	10 E	WM	29	SE SW			0.80
39 S	10 E	WM	29	SW SE			7.00
39 S	10 E	WM	29	SE SE			18.80
39 S	10 E	WM	31	NE NE			2.94
39 S	10 E	WM	32	NE NE			25.10
39 S	10 E	WM	32	NW NE			19.80
39 S	10 E	WM	32	SE NE			5.40
39 S	10 E	WM	32	NE NW			15.00
39 S	10 E	WM	32	NW NW			6.70
39 S	10 E	WM	33	NE NE			16.70
39 S	10 E	WM	33	SW NE			14.10
39 S	10 E	WM	33	NE NW			11.90
39 S	10 E	WM	33	NE NW			0.40
39 S	10 E	WM	33	NW NW			15.20
39 S	10 E	WM	33	SE NW			5.00
39 S	10 E	WM	33	NE SW			1.50
39 S	10 E	WM	33	NW SE			9.30
39 S	10 E	WM	34	NE NW			11.40
39 S	10 E	WM	34	NW NW			9.00
39 S	11 E	WM	32	NW NE			13.10
39 S	11.5 E	WM	18	SW NE			5.00
39 S	11.5 E	WM	18	SW NW			12.10
39 S	11.5 E	WM	18	SE NW			34.00
39 S	11.5 E	WM	18	NE SW			7.20
39 S	11.5 E	WM	18	NE SE			0.60
39 S	11.5 E	WM	18	NW SE			25.00
39 S	11.5 E	WM	18	SW SE			1.00
39 S	11.5 E	WM	18	SE SE			10.00
39 S	11.5 E	WM	19	SE SW			2.40
39 S	11.5 E	WM	20	SW NE			2.50



SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
39 S	11.5 E	WM	20	SE NE		4.73
39 S	11.5 E	WM	20	NE NW		6.40
39 S	11.5 E	WM	20	NW NW		14.80
39 S	11.5 E	WM	20	SE NW		3.80
39 S	11.5 E	WM	20	SW SW	5	2.50
39 S	11.5 E	WM	20	SE SW	6	2.50
39 S	11.5 E	WM	20	SW SE	7	2.50
39 S	11.5 E	WM	20	SE SE	8	2.50
39 S	11.5 E	WM	21	NW NE		2.30
39 S	11.5 E	WM	21	SW NE		6.10
39 S	11.5 E	WM	21	SE NW	2	5.50
39 S	11.5 E	WM	22	NW NW		2.70
39 S	11.5 E	WM	22	SW NW		26.70
39 S	11.5 E	WM	22	NW SW		12.60
39 S	11.5 E	WM	22	SE SW		8.00
39 S	11.5 E	WM	22	SW SE		10.00
39 S	11.5 E	WM	27	NE NE		5.00
39 S	11.5 E	WM	27	NW NE		32.00
39 S	11.5 E	WM	27	SW NE		30.00
39 S	11.5 E	WM	27	SE NE		10.00
39 S	11.5 E	WM	27	NE NW		5.00
39 S	11.5 E	WM	29	SW NE		11.20
39 S	11.5 E	WM	29	NE NW		11.20
39 S	11.5 E	WM	29	SW NW		13.40
39 S	11.5 E	WM	29	SE NW		25.10
39 S	11.5 E	WM	29	NE SW		29.00
39 S	11.5 E	WM	29	SE SW		10.30
39 S	11.5 E	WM	29	NE SE		0.20
39 S	11.5 E	WM	29	NW SE		6.30
39 S	11.5 E	WM	29	SW SE		16.50
39 S	11.5 E	WM	29	SE SE		3.70
39 S	11.5 E	WM	32	SW NE		1.00
39 S	11.5 E	WM	32	SE NE		14.80
39 S	11.5 E	WM	32	NE SE		17.70
39 S	11.5 E	WM	32	SE SE		33.40
39 S	11.5 E	WM	33	SW NW		6.30
39 S	11.5 E	WM	33	NE SW		0.20
39 S	11.5 E	WM	33	NW SW		3.10
39 S	11.5 E	WM	33	SW SW		23.30
39 S	11.5 E	WM	33	SE SW		10.90
39 S	11.5 E	WM	34	SW SW		6.60
39 S	11.5 E	WM	35	SE SE		22.40
40 S	9 E	WM	1	NW SW		3.00
40 S	9 E	WM	1	SW SW		0.40
40 S	9 E	WM	2	NW NE		10.20
40 S	9 E	WM	2	SE NE		13.00

SUPPLEMENTAL IRRIGATION						
Twp	Ring	Mer	Sec	Q-Q	Glott	Acres
40 S	9 E	WM	2	NE NW		6.60
40 S	9 E	WM	2	SW NW		4.60
40 S	9 E	WM	2	SE NW		8.30
40 S	9 E	WM	2	NE SW		8.30
40 S	9 E	WM	2	SE SW		15.00
40 S	9 E	WM	2	NE SE		15.10
40 S	9 E	WM	2	NW SE		26.60
40 S	9 E	WM	2	SW SE		35.50
40 S	9 E	WM	2	SE SE		39.00
40 S	9 E	WM	3	NW NE		20.70
40 S	9 E	WM	3	SW NE		39.50
40 S	9 E	WM	3	SE NE		8.40
40 S	9 E	WM	3	NE NW		33.00
40 S	9 E	WM	3	NW NW		16.20
40 S	9 E	WM	3	SW NW		1.92
40 S	9 E	WM	3	NW SW		0.40
40 S	9 E	WM	3	SW SW		12.61
40 S	9 E	WM	3	NW SE		14.30
40 S	9 E	WM	3	SW SE		4.60
40 S	9 E	WM	3	SE SE		4.10
40 S	9 E	WM	4	NE NE		37.40
40 S	9 E	WM	4	NW NE		11.90
40 S	9 E	WM	4	SE NE		8.90
40 S	9 E	WM	4	NE NW		0.20
40 S	9 E	WM	4	SW NW		3.00
40 S	9 E	WM	4	SE NW		25.50
40 S	9 E	WM	4	NE SW		1.50
40 S	9 E	WM	4	SW SW		36.40
40 S	9 E	WM	4	SE SW		13.10
40 S	9 E	WM	4	NW SE		9.90
40 S	9 E	WM	4	SW SE		6.40
40 S	9 E	WM	4	SE SE		8.50
40 S	9 E	WM	5	NW NE		1.30
40 S	9 E	WM	5	NE NW		7.20
40 S	9 E	WM	5	NW NW		11.00
40 S	9 E	WM	5	SE SW		34.00
40 S	9 E	WM	5	SW SE		40.00
40 S	9 E	WM	5	SE SE		38.80
40 S	9 E	WM	8	NE NE		6.40
40 S	9 E	WM	8	NE SE		12.10
40 S	9 E	WM	9	NE NE		7.80
40 S	9 E	WM	9	NW NE		3.30
40 S	9 E	WM	9	SW NE		23.60
40 S	9 E	WM	9	NE NW		10.90
40 S	9 E	WM	9	SW NW		6.20
40 S	9 E	WM	9	SE NW		35.00




SUPPLEMENTAL IRRIGATION						Acres
Twip	Rng	Mer	Sec	Q-Q	Glot	
40 S	9 E	WM	9	NE SW		2.00
40 S	9 E	WM	9	NW SW		11.00
40 S	9 E	WM	10	NE NE		11.70
40 S	9 E	WM	10	NW NE		29.30
40 S	9 E	WM	10	SW NE		18.80
40 S	9 E	WM	10	SE NE		12.40
40 S	9 E	WM	10	NE NW		5.30
40 S	9 E	WM	10	NW NW		4.90
40 S	9 E	WM	10	SW NW		2.80
40 S	9 E	WM	10	NE SW		19.40
40 S	9 E	WM	10	NW SW		30.40
40 S	9 E	WM	10	SW SW		2.80
40 S	9 E	WM	10	NE SE		13.50
40 S	9 E	WM	10	NW SE		8.10
40 S	9 E	WM	10	SE SE		6.30
40 S	9 E	WM	11	NE NE		13.60
40 S	9 E	WM	11	NW NE		2.40
40 S	9 E	WM	11	SW NE		15.00
40 S	9 E	WM	11	SE NE		37.10
40 S	9 E	WM	11	SW SW		4.90
40 S	9 E	WM	11	NE SE		10.40
40 S	9 E	WM	11	SE SE		10.40
40 S	9 E	WM	12	NW NW		19.90
40 S	9 E	WM	12	SW NW		39.10
40 S	9 E	WM	12	SE NW		8.20
40 S	9 E	WM	12	NE SW		28.20
40 S	9 E	WM	12	NW SW		35.60
40 S	9 E	WM	12	SW SW		17.20
40 S	9 E	WM	12	SE SW		23.80
40 S	9 E	WM	13	NW NE		3.00
40 S	9 E	WM	13	NE NW		6.30
40 S	9 E	WM	13	NW NW		36.60
40 S	9 E	WM	13	SW NW		22.10
40 S	9 E	WM	13	NW SW		22.80
40 S	9 E	WM	13	SW SW		36.00
40 S	9 E	WM	13	SE SW		16.60
40 S	9 E	WM	13	SW SE		23.00
40 S	9 E	WM	13	SE SE		19.00
40 S	9 E	WM	14	NE NE		13.40
40 S	9 E	WM	14	NW NE		1.00
40 S	9 E	WM	14	SE NE		22.50
40 S	9 E	WM	14	NW NW		0.50
40 S	9 E	WM	14	SW NW		0.60
40 S	9 E	WM	14	SW SW		0.40
40 S	9 E	WM	14	NE SE		23.30
40 S	9 E	WM	14	SW SE		22.30

SUPPLEMENTAL IRRIGATION

Twp	Ring	Mer	Sec	Q-Q	Glott	Acres
40 S	9 E	WM	14	SE SE		38.40
40 S	9 E	WM	15	SE SE		1.80
40 S	9 E	WM	16	NE NE		4.00
40 S	9 E	WM	23	NE NE		40.00
40 S	9 E	WM	23	SW NE		5.20
40 S	9 E	WM	23	SE NE		23.00
40 S	9 E	WM	23	NE NW		7.80
40 S	9 E	WM	23	NW NW		3.10
40 S	9 E	WM	23	SE NW		2.30
40 S	9 E	WM	24	NE NE		15.00
40 S	9 E	WM	24	NW NE		9.00
40 S	9 E	WM	24	NW NW		27.30
40 S	9 E	WM	24	SW NW		12.40
40 S	10 E	WM	4	NW SW		21.50
40 S	10 E	WM	5	NE NW		3.60
40 S	10 E	WM	5	NW NW		14.40
40 S	10 E	WM	5	SW NW		4.50
40 S	10 E	WM	5	SE NW		10.60
40 S	10 E	WM	5	NW SE		3.10
40 S	10 E	WM	5	SW SE		19.60
40 S	10 E	WM	6	NE SE		0.30
40 S	10 E	WM	6	SE SE		3.50
40 S	10 E	WM	8	NW NE		19.90
40 S	10 E	WM	8	SW NE		3.00
40 S	10 E	WM	8	SW SE		11.70
40 S	10 E	WM	16	SW SW		37.10
40 S	10 E	WM	17	NW NE		14.50
40 S	10 E	WM	17	SW NE	9	4.50
40 S	10 E	WM	17	SE NE		35.10
40 S	10 E	WM	17	NE SE		29.30
40 S	10 E	WM	17	SE SE		14.00
40 S	10 E	WM	18	SW SW		2.60
40 S	10 E	WM	18	SE SW		10.80
40 S	10 E	WM	19	SW NE		1.00
40 S	10 E	WM	19	SE NE		4.00
40 S	10 E	WM	19	NE NW		2.70
40 S	10 E	WM	19	SE NW		1.00
40 S	10 E	WM	19	NE SE		33.50
40 S	10 E	WM	19	NW SE		2.20
40 S	10 E	WM	19	SE SE		28.70
40 S	10 E	WM	20	NW SW		7.50
40 S	10 E	WM	20	SW SW		33.50
40 S	10 E	WM	20	SE SW		4.40
40 S	10 E	WM	21	NW NW		14.60
40 S	10 E	WM	21	SE NW		7.90
40 S	10 E	WM	21	NE SE		17.90




SUPPLEMENTAL IRRIGATION						
Twp	Range	Mer	Sec	Q-Q	Glott	Acres
40 S	10 E	WM	21	SE SE		1.60
40 S	10 E	WM	22	NW SW		2.10
40 S	10 E	WM	22	SW SW		6.60
40 S	10 E	WM	22	SE SW		0.70
40 S	10 E	WM	25	SW SW		6.00
40 S	10 E	WM	25	SE SW		2.20
40 S	10 E	WM	25	SW SE		6.00
40 S	10 E	WM	25	SE SE		10.90
40 S	10 E	WM	26	SW NW		12.40
40 S	10 E	WM	26	SE NW		1.60
40 S	10 E	WM	26	NE SW		5.40
40 S	10 E	WM	26	NW SW		9.90
40 S	10 E	WM	26	NW SE		0.10
40 S	10 E	WM	27	NW NE		6.20
40 S	10 E	WM	27	SW NE		3.40
40 S	10 E	WM	27	SE NE		18.70
40 S	10 E	WM	27	NE NW		2.90
40 S	10 E	WM	28	SW SW		1.90
40 S	10 E	WM	28	SE SW		2.10
40 S	10 E	WM	29	NE NE		4.40
40 S	10 E	WM	29	SE NE		0.20
40 S	10 E	WM	29	NE NW		32.40
40 S	10 E	WM	29	NW NW		38.10
40 S	10 E	WM	29	SW NW		40.00
40 S	10 E	WM	29	SE NW		30.00
40 S	10 E	WM	29	NW SW		7.80
40 S	10 E	WM	29	SW SW		28.40
40 S	10 E	WM	29	SE SW		23.20
40 S	10 E	WM	29	NW SE		0.60
40 S	10 E	WM	29	SW SE		14.30
40 S	10 E	WM	29	SE SE		3.40
40 S	10 E	WM	30	NE NE		13.80
40 S	10 E	WM	30	SW NE		9.40
40 S	10 E	WM	30	SE NE		6.70
40 S	10 E	WM	30	NW SE		10.00
40 S	10 E	WM	30	SW SE		11.40
40 S	10 E	WM	30	SE SE		1.20
40 S	10 E	WM	31	NE NE		24.40
40 S	10 E	WM	31	NW NE		8.60
40 S	10 E	WM	31	SW NE		0.60
40 S	10 E	WM	31	SE NE		3.70
40 S	10 E	WM	32	NE NE		38.90
40 S	10 E	WM	32	NW NE		0.70
40 S	10 E	WM	32	SW NE		39.10
40 S	10 E	WM	32	SE NE		38.20
40 S	10 E	WM	32	NE NW		40.00



SUPPLEMENTAL IRRIGATION						
Twp	Range	Mer	Sec	Q-Q	Glott	Acres
40 S	10 E	WM	32	NW/NW		35.00
40 S	10 E	WM	32	SW/NW		6.00
40 S	10 E	WM	32	SE/NW		26.10
40 S	10 E	WM	33	NE/NW		0.60
40 S	10 E	WM	33	NW/NW		13.30
40 S	10 E	WM	33	SW/NW		24.10
40 S	10 E	WM	33	NE/SW		32.40
40 S	10 E	WM	33	NW/SW		13.20
40 S	10 E	WM	33	SW/SW		36.60
40 S	10 E	WM	33	SE/SW		40.00
40 S	10 E	WM	33	NE/SE		3.20
40 S	10 E	WM	33	NW/SE		23.30
40 S	10 E	WM	33	SW/SE		39.10
40 S	10 E	WM	33	SE/SE		34.60
40 S	10 E	WM	34	SW/SW		24.30
40 S	11 E	WM	1		5	39.60
40 S	11 E	WM	1		6	19.60
40 S	11 E	WM	1		11	39.70
40 S	11 E	WM	1		12	40.00
40 S	11 E	WM	1		14	32.80
40 S	11 E	WM	1		15	0.50
40 S	11 E	WM	1		13	39.40
40 S	11 E	WM	2		1	1.70
40 S	11 E	WM	2		2	3.30
40 S	11 E	WM	2		7	7.70
40 S	11 E	WM	2		8	18.90
40 S	11 E	WM	2		9	30.80
40 S	11 E	WM	2		13	3.20
40 S	11 E	WM	2		15	16.30
40 S	11 E	WM	2		16	36.60
40 S	11 E	WM	2		17	39.40
40 S	11 E	WM	2		18	39.10
40 S	11 E	WM	2		19	27.60
40 S	11 E	WM	2		20	23.00
40 S	11 E	WM	2	NE/SW		39.70
40 S	11 E	WM	2	NW/SW		38.30
40 S	11 E	WM	2	SW/SW		18.80
40 S	11 E	WM	2	SE/SW		40.00
40 S	11 E	WM	2	NE/SE		37.40
40 S	11 E	WM	2	NW/SE		40.00
40 S	11 E	WM	2	SW/SE		40.00
40 S	11 E	WM	2	SE/SE	3	17.20
40 S	11 E	WM	3		4	0.70
40 S	11 E	WM	3		5	7.20
40 S	11 E	WM	3		5	1.50
40 S	11 E	WM	3		6	13.20



SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Glots	Acres
40 S	11 E	WM	3		7	1.30
40 S	11 E	WM	3		9	6.00
40 S	11 E	WM	3		10	0.30
40 S	11 E	WM	3		11	24.40
40 S	11 E	WM	3		12	33.40
40 S	11 E	WM	3		13	39.10
40 S	11 E	WM	3		14	38.20
40 S	11 E	WM	3		15	12.20
40 S	11 E	WM	3		16	6.30
40 S	11 E	WM	3		17	11.60
40 S	11 E	WM	3		18	38.50
40 S	11 E	WM	3		19	29.50
40 S	11 E	WM	3		20	34.10
40 S	11 E	WM	3	NE SW		13.20
40 S	11 E	WM	3	SE SW		27.80
40 S	11 E	WM	3	NE SE		36.00
40 S	11 E	WM	3	NW SE		40.00
40 S	11 E	WM	3	SW SE		40.00
40 S	11 E	WM	3	SE SE		40.00
40 S	11 E	WM	4		2	3.40
40 S	11 E	WM	4		3	1.00
40 S	11 E	WM	4		4	6.30
40 S	11 E	WM	4		5	19.80
40 S	11 E	WM	4		6	8.50
40 S	11 E	WM	4		7	25.40
40 S	11 E	WM	4		9	2.50
40 S	11 E	WM	4		10	36.50
40 S	11 E	WM	4		11	37.50
40 S	11 E	WM	4		12	14.20
40 S	11 E	WM	4		13	0.10
40 S	11 E	WM	4		14	33.10
40 S	11 E	WM	4		15	36.50
40 S	11 E	WM	4		16	32.90
40 S	11 E	WM	4		18	40.00
40 S	11 E	WM	4		19	30.00
40 S	11 E	WM	5		1	16.50
40 S	11 E	WM	5		8	3.30
40 S	11 E	WM	28	SW NW		20.00
40 S	11 E	WM	28	SE NW		20.00
40 S	11 E	WM	28	NE SW		37.60
40 S	11 E	WM	28	NW SW		35.80
40 S	11 E	WM	28	SW SW		38.60
40 S	11 E	WM	28	SE SW		39.50
40 S	11 E	WM	28	NW SE		19.60
40 S	11 E	WM	28	SW SE		38.20
40 S	11 E	WM	29	SE NE		19.60




SUPPLEMENTAL IRRIGATION							Acres
Twp	Rng	Mer	Sec	Q-Q	Glott		
40S	11 E	WM	29	NE SW		23.00	
40S	11 E	WM	29	SE SW		27.90	
40S	11 E	WM	29	NE SE		38.30	
40S	11 E	WM	29	NW SE		32.00	
40S	11 E	WM	29	SW SE		27.70	
40S	11 E	WM	29	SE SE		38.60	
40S	11 E	WM	30	NE SW		11.00	
40S	11 E	WM	30	NW SW		16.20	
40S	11 E	WM	30	SW SW		0.90	
40S	11 E	WM	30	NE SE		14.90	
40S	11 E	WM	30	NW SE		31.70	
40S	11 E	WM	30	SW SE		3.30	
40S	11 E	WM	30	SE SE		30.40	
40S	11 E	WM	31	NE NE		30.50	
40S	11 E	WM	31	SE NE		17.90	
40S	11 E	WM	31	NE NW		4.00	
40S	11 E	WM	31	NE SE		0.70	
40S	11 E	WM	32	NE NE		39.10	
40S	11 E	WM	32	SE NE		36.50	
40S	11 E	WM	32	NW NW		0.40	
40S	11 E	WM	32	SW NW		14.50	
40S	11 E	WM	32	NW SW		7.20	
40S	11 E	WM	32	NE SE		31.30	
40S	11 E	WM	32	NW SE		11.90	
40S	11 E	WM	32	SW SE		0.10	
40S	11 E	WM	32	SE SE		6.20	
40S	11 E	WM	33	SW NE		33.10	
40S	11 E	WM	33	NE NW		39.50	
40S	11 E	WM	33	NW NW		25.00	
40S	11 E	WM	33	SW NW		26.80	
40S	11 E	WM	33	SE NW		39.70	
40S	11 E	WM	33	NW SW		12.90	
40S	11 E	WM	33	SW SW		6.30	
40S	11 E	WM	33	NE SE		19.80	
40S	11 E	WM	34	NW SW		5.00	
40S	11 E	WM	34	SW SW		10.90	
41S	10 E	WM	11	SW SW		18.00	
41S	11 E	WM	1	SW NW		2.00	
41S	11 E	WM	1	NW SW		9.80	
41S	11 E	WM	2	NW NE		29.20	
41S	11 E	WM	2	SW NE		32.60	
41S	11 E	WM	2	SE NE		3.00	
41S	11 E	WM	2	SE NW		5.00	
41S	11 E	WM	2	NE SW		6.30	
41S	11 E	WM	2	NE SE		34.20	



SUPPLEMENTAL IRRIGATION

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
41S	11E	WM	2	NW SE		9.70
41S	11E	WM	2	SW SE		2.10
41S	11E	WM	2	SE SE		7.10
41S	11E	WM	3	SW NE		4.80
41S	11E	WM	3	SE NE		18.80
41S	11E	WM	3	NW NW		2.10
41S	11E	WM	3	NE SE		11.90
41S	11E	WM	3	NW SE		18.10
41S	11E	WM	3	SW SE		2.80
41S	11E	WM	3	SE SE		11.90
41S	11E	WM	4	SE NE		14.00
41S	11E	WM	4	NE NW		8.00
41S	11E	WM	4	NW NW		11.60
41S	11E	WM	4	SE NW		12.00
41S	11E	WM	4	NE SW		25.30
41S	11E	WM	4	NW SE		16.40
41S	11E	WM	4	SE SE		7.90
41S	11E	WM	5	NE NE		1.50
41S	11E	WM	5	NW NE		4.00
41S	11E	WM	5	SW NW		15.00
41S	11E	WM	5	NW SW		1.00
41S	11E	WM	10	NW NE		3.70
41S	12E	WM	3	NW NE		3.50
41S	12E	WM	4	SW NE		10.40
41S	12E	WM	4	NW NW		5.00
41S	12E	WM	4	SE NW		10.00
41S	12E	WM	6	NE NW		7.70
41S	12E	WM	6	NW NW	1	2.90
41S	12E	WM	9	SW SE		3.00
41S	12E	WM	9	SE SE		12.00
41S	12E	WM	10	NW SW		6.90
41S	12E	WM	10	SW SW		5.90
41S	12E	WM	11	SW NE		10.00
41S	12E	WM	11	SE NE		14.40
41S	12E	WM	11	NE NW		12.20
41S	12E	WM	11	SE NW		3.80
41S	12E	WM	13	NE NE		6.20
41S	12E	WM	13	SE NE		0.60
					Total	8959.82



**Permit Amendment T-13758 Conditions**

1. The combined quantity of water diverted at the proposed additional points of appropriation (Wells 2, 3, 5, 6, 7, 8, and 9), together with that diverted at the original point of appropriation (Well 1), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 1).
2. Initial and seven consecutive annual water level measurements shall be made from each authorized POA.
3. Water use measurement conditions:
  - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
  - b. The water user shall maintain the meters or measuring devices in good working order.
  - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
4. Water shall be acquired from the same aquifer as the original point of appropriation.

**Extension of Time Conditions**

**Checkpoint Condition**

The permit holder must submit a completed Progress Report Form to the Department by **October 1, 2024**.

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
- (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.



**Original Permit Conditions**

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The totalizing flow meter(s) must be installed and maintained in good working order. The permittee shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
  
- B. The permittee shall allow the watermaster access to the meter(s); provided however, where any meter is located within a private structure, the watermaster shall request access upon reasonable notice.

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

**Before Use of Water Takes Place**  
**Initial and Annual Measurements**

The Department requires the permittee to submit an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

**After Use of Water has Begun**  
**Seven Consecutive Annual Measurements**

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require that the user obtain and report additional annual static water level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional



geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction

Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- A. Identify each well with its associated measurement; and
- B. Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method used to obtain each well measurement; and
- D. Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water level measurements reveal an average water level decline of three or more feet per year for five consecutive years; or
- B. Annual water level measurements reveal a water level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water level measurements reveal a water level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non or restricted use shall continue until the water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

If it is determined there are no underlying rights for these same lands after the adjudication of claims in the Klamath Basin, a certificate resulting from use of water under this permit may allow primary, rather than supplemental, irrigation of the lands described above. However, the right evidenced by such a certificate will be limited to the actual use made under this permit.



### STANDARD CONDITIONS

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may not be valid, unless the Department authorizes the change in writing.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.


The use of water shall be limited when it interferes with any prior surface or ground water rights.

Completion of construction and complete application of the water to the use was to be made on or before October 1, 2011. By extension of Time Final Order dated August 7, 2020, the deadline for complete application of water to the use was extended to October 1, 2025. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Dated in Salem, Oregon on

**AUG 03 2022**



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for  
THOMAS M BYLER, DIRECTOR  
Oregon Water Resources Department