

STATE OF OREGON

COUNTY OF UMATILLA

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

MADISON RANCHES INC.  
29299 MADISON RD  
ECHO, OR 97826

NORTHWEST FARM CREDIT SERVICES, FLCA  
12 SW NYE AVE  
PENDLETON, OR 97801-4103

AXA EQUITABLE LIFE INSURANCE CO.  
C/O AXA EQUITABLE AGRIFINANCE, LLC  
4333 EDGEWOOD ROAD NE  
CEDAR RAPIDS, IA 52499-5223

**This superseding permit is issued to correct a scrivener's error in the paragraph that describes the rate and duty and describe an amendment for additional points of appropriation proposed under Permit Amendment Application T-13893 and approved by Special Order Vol. 128, Page 923, entered AUG 08 2023, and to describe an extension of time for complete application of water approved June 19, 2020, partial assignments approved April 12, 2016, and March 6, 2017, and a permit amendment approved July 18, 2021. This permit supersedes Permit G-18689.**

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17738

SOURCE OF WATER: WELLS 1 THROUGH WELL 7 AND WELLS A THROUGH L IN COLUMBIA RIVER BASIN

PURPOSE OR USE: PRIMARY IRRIGATION OF 1128.9 ACRES AND SUPPLEMENTAL IRRIGATION OF 8013.5 ACRES

MAXIMUM RATE: 22.3 CUBIC FEET PER SECOND

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: NOVEMBER 19, 2013

## WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	GLot	Tax Lot	Measured Distances
4 N	25 E	WM	1	NW NE		100	WELL K – 45 FEET SOUTH AND 1610 FEET WEST FROM THE NE CORNER OF SECTION 1
4 N	25 E	WM	1	SW NE			WELL 4 – 2878 FEET NORTH AND 3120 FEET EAST FROM THE SW CORNER OF SECTION 1
4 N	25 E	WM	1	SE SW			WELL 1 – 1230 FEET NORTH AND 1330 FEET EAST FROM THE SW CORNER OF SECTION 1
4 N	25 E	WM	1	SE SW		100	WELL L – 4360 FEET SOUTH AND 3940 FEET WEST FROM THE NE CORNER OF SECTION 1
4 N	25 E	WM	1	SE SW			WELL 2 - 120 FEET NORTH AND 2500 FEET EAST FROM THE SW CORNER OF SECTION 1
4 N	25 E	WM	1	NE SE			WELL 7 - 2500 FEET NORTH AND 100 FEET WEST FROM THE SE CORNER OF SECTION 1
4 N	25 E	WM	1	NW SE			WELL 3 – 1500 FEET NORTH AND 2660 FEET EAST FROM THE SW CORNER OF SECTION 1
4 N	25 E	WM	12	NW NE			WELL 5 – 740 FEET SOUTH AND 1860 FEET WEST FROM THE NE CORNER OF SECTION 12
4 N	25 E	WM	12	NW NE			WELL 6 – 150 FEET SOUTH AND 1780 FEET WEST FROM THE NE CORNER OF SECTION 12
4 N	26 E	WM	6	NW NE	2	101	WELL B - 35 FEET SOUTH AND 3140 FEET EAST FROM THE NW CORNER OF SECTION 6
4 N	26 E	WM	6	NW NE	2	101	WELL C – 5 FEET SOUTH AND 3500 FEET EAST FROM THE NW CORNER OF SECTION 6
4 N	26 E	WM	6	NW NE	2	101	WELL D – 475 FEET SOUTH AND 3540 FEET EAST FROM THE NW CORNER OF SECTION 6
4 N	26 E	WM	6	NW NE	2	101	WELL E – 830 FEET SOUTH AND 3535 FEET EAST FROM THE NW CORNER OF SECTION 6
4 N	26 E	WM	6	SW NE		101	WELL F – 1295 FEET SOUTH AND 3420 FEET EAST FROM THE NW CORNER OF SECTION 6
4 N	26 E	WM	6	SW NE		101	WELL G – 1880 FEET SOUTH AND 3410 FEET EAST FROM THE NW CORNER OF SECTION 6
4 N	26 E	WM	6	SW NE		101	WELL H – 2525 FEET SOUTH AND 3400 FEET EAST FROM THE NW CORNER OF SECTION 6
4 N	26 E	WM	6	NE NW	3	101	WELL A - 340 FEET SOUTH AND 2500 FEET EAST FROM THE NW CORNER OF SECTION 6
4 N	26 E	WM	6	NW SE		101	WELL I – 2730 FEET SOUTH AND 2850 FEET EAST FROM THE NW CORNER OF SECTION 6
4 N	26 E	WM	6	NW SE		101	WELL J – 3680 FEET SOUTH AND 2820 FEET EAST FROM THE NW CORNER OF SECTION 6

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-FORTIETH of one cubic foot per second and 4.5 acre feet for each acre irrigated during the irrigation season of each year.



THE PLACE OF USE IS LOCATED AS FOLLOWS:

PRIMARY IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
3 N	26 E	WM	25	NE SE	18.2
3 N	26 E	WM	25	SE SE	16.8
3 N	27 E	WM	19	SE SW	30.8
3 N	27 E	WM	20	NW NE	28.3
3 N	27 E	WM	20	SW NE	9.5
3 N	27 E	WM	20	NE NW	22.5
3 N	27 E	WM	20	SE NW	1.4
3 N	27 E	WM	20	NE SW	3.2
3 N	27 E	WM	20	SE SW	26.2
3 N	27 E	WM	20	NE SE	0.4
3 N	27 E	WM	20	NW SE	12.6
3 N	27 E	WM	20	SW SE	34.8
3 N	27 E	WM	20	SE SE	0.7
3 N	27 E	WM	23	NE SE	33.9
3 N	27 E	WM	23	NW SE	9.0
3 N	27 E	WM	23	SW SE	11.9
3 N	27 E	WM	23	SE SE	24.6
3 N	27 E	WM	26	NE NE	31.3
3 N	27 E	WM	26	NW NE	21.7
3 N	27 E	WM	29	NE NE	10.4
3 N	27 E	WM	29	NW NE	39.3
3 N	27 E	WM	29	SW NE	36.8
3 N	27 E	WM	29	SE NE	9.1
3 N	27 E	WM	29	NE NW	18.5
3 N	27 E	WM	29	NW NW	25.1
3 N	27 E	WM	29	SW NW	36.7
3 N	27 E	WM	29	SE NW	23.9
3 N	27 E	WM	29	NE SW	23.2
3 N	27 E	WM	29	NW SW	37.8
3 N	27 E	WM	29	SW SW	37.4
3 N	27 E	WM	29	SE SW	23.4
3 N	27 E	WM	29	NE SE	14.9
3 N	27 E	WM	29	NW SE	38.3
3 N	27 E	WM	29	SW SE	38.6
3 N	27 E	WM	29	SE SE	15.5
3 N	27 E	WM	30	NE NE	26.1
3 N	27 E	WM	30	NW NE	34.7
3 N	27 E	WM	30	SW NE	32.2
3 N	27 E	WM	30	SE NE	30.9
3 N	27 E	WM	30	NE NW	1.4
3 N	27 E	WM	30	SE NW	1.1
3 N	27 E	WM	30	NE SW	12.9
3 N	27 E	WM	30	NW SW	45.8
3 N	27 E	WM	30	SW SW	43.4
3 N	27 E	WM	30	SE SW	11.5
3 N	27 E	WM	30	NE SE	24.0
3 N	27 E	WM	30	NW SE	38.9



PRIMARY IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
3 N	27 E	WM	30	SW SE	37.0
3 N	27 E	WM	30	SE SE	22.3
Total					1128.9

SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Glott	Acres
2 N	27 E	WM	1	NE NE	1	30.2
2 N	27 E	WM	1	NW NE	2	39.6
2 N	27 E	WM	1	NE NW	3	39.6
2 N	27 E	WM	1	NW NW	4	32.8
3 N	26 E	WM	23	NE NE		0.3
3 N	26 E	WM	23	SE NE		0.3
3 N	26 E	WM	24	NE NE		31.8
3 N	26 E	WM	24	NW NE		31.2
3 N	26 E	WM	24	SW NE		32.1
3 N	26 E	WM	24	SE NE		33.0
3 N	26 E	WM	24	NE NW		31.4
3 N	26 E	WM	24	NW NW		32.9
3 N	26 E	WM	24	SW NW		32.9
3 N	26 E	WM	24	SE NW		30.5
3 N	26 E	WM	24	NE SW		7.2
3 N	26 E	WM	24	NW SW		6.9
3 N	26 E	WM	24	SW SW		37.4
3 N	26 E	WM	24	SE SW		37.7
3 N	26 E	WM	24	NE SE		39.4
3 N	26 E	WM	24	NW SE		13.3
3 N	26 E	WM	24	SW SE		11.5
3 N	26 E	WM	24	SE SE		36.5
3 N	26 E	WM	25	NE NE		11.2
3 N	26 E	WM	25	SE NE		11.6
3 N	26 E	WM	25	NE NW		17.5
3 N	26 E	WM	25	NW NW		32.3
3 N	26 E	WM	25	SW NW		38.8
3 N	26 E	WM	25	SE NW		0.2
3 N	26 E	WM	25	NE SW		38.2
3 N	26 E	WM	25	NW SW		29.7
3 N	26 E	WM	25	SW SW		14.5
3 N	26 E	WM	25	SE SW		38.1
3 N	26 E	WM	25	NW SE		10.4
3 N	26 E	WM	25	SW SE		10.3
3 N	26 E	WM	26	NE NE		1.3
3 N	26 E	WM	26	SE NE		2.1
3 N	27 E	WM	1	NE NE		1.3
3 N	27 E	WM	1	SW NE		13.7
3 N	27 E	WM	1	SE NE		14.9
3 N	27 E	WM	1	NE SW		30.3
3 N	27 E	WM	1	NW SW		28.2



SUPPLEMENTAL IRRIGATION


Twp	Rng	Mer	Sec	Q-Q	Glott	Acres
3 N	27 E	WM	1	SW SW		34.6
3 N	27 E	WM	1	SE SW		34.8
3 N	27 E	WM	1	NE SE		34.4
3 N	27 E	WM	1	NW SE		40.3
3 N	27 E	WM	1	SW SE		28.6
3 N	27 E	WM	1	SE SE		34.0
3 N	27 E	WM	2	SE SW		25.4
3 N	27 E	WM	2	SW SE		24.1
3 N	27 E	WM	2	SE SE		0.1
3 N	27 E	WM	11	NE NE		36.7
3 N	27 E	WM	11	NW NE		37.2
3 N	27 E	WM	11	SW NE		12.9
3 N	27 E	WM	11	SE NE		39.3
3 N	27 E	WM	11	NE NW		36.9
3 N	27 E	WM	11	NW NW		2.1
3 N	27 E	WM	11	SW NW		36.2
3 N	27 E	WM	11	SE NW		35.3
3 N	27 E	WM	11	NE SW		32.8
3 N	27 E	WM	11	NW SW		27.2
3 N	27 E	WM	11	SW SW		30.8
3 N	27 E	WM	11	SE SW		39.6
3 N	27 E	WM	11	NE SE		33.2
3 N	27 E	WM	11	NW SE		39.9
3 N	27 E	WM	11	SW SE		33.8
3 N	27 E	WM	11	SE SE		19.3
3 N	27 E	WM	12	NE NE		23.7
3 N	27 E	WM	12	NW NE		31.8
3 N	27 E	WM	12	SW NE		33.0
3 N	27 E	WM	12	SE NE		38.4
3 N	27 E	WM	12	NE NW		36.7
3 N	27 E	WM	12	NW NW		28.1
3 N	27 E	WM	12	SW NW		33.8
3 N	27 E	WM	12	SE NW		39.0
3 N	27 E	WM	12	NE SW		26.8
3 N	27 E	WM	12	NW SW		39.9
3 N	27 E	WM	12	SW SW		30.1
3 N	27 E	WM	12	SE SW		19.4
3 N	27 E	WM	12	NE SE		37.6
3 N	27 E	WM	12	NW SE		12.0
3 N	27 E	WM	13	NE NE		33.3
3 N	27 E	WM	13	NW NE		31.3
3 N	27 E	WM	13	SW NE		29.2
3 N	27 E	WM	13	SE NE		35.8
3 N	27 E	WM	13	NE NW		38.9
3 N	27 E	WM	13	NW NW		34.0
3 N	27 E	WM	13	SW NW		32.9
3 N	27 E	WM	13	SE NW		19.5
3 N	27 E	WM	13	NE SW		0.3
3 N	27 E	WM	13	NW SW		36.9



SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Glott	Acres
3 N	27 E	WM1	13	SW SW		5.9
3 N	27 E	WM1	13	SE SW		0.1
3 N	27 E	WM1	13	NE SE		35.7
3 N	27 E	WM1	13	NW SE		34.0
3 N	27 E	WM1	13	SW SE		30.2
3 N	27 E	WM1	13	SE SE		28.3
3 N	27 E	WM1	14	NE NE		34.4
3 N	27 E	WM1	14	NW NE		40.2
3 N	27 E	WM1	14	SW NE		31.3
3 N	27 E	WM1	14	SE NE		33.6
3 N	27 E	WM1	14	NE NW		30.6
3 N	27 E	WM1	14	NW NW		21.5
3 N	27 E	WM1	14	SW NW		12.5
3 N	27 E	WM1	14	SE NW		37.6
3 N	27 E	WM1	14	NE SW		39.4
3 N	27 E	WM1	14	NW SW		13.2
3 N	27 E	WM1	14	SE SW		0.1
3 N	27 E	WM1	14	NE SE		37.0
3 N	27 E	WM1	14	NW SE		10.7
3 N	27 E	WM1	14	SE SE		6.0
3 N	27 E	WM1	15	NW NW		16.4
3 N	27 E	WM1	15	SW NW		36.9
3 N	27 E	WM1	15	NW SW		7.9
3 N	27 E	WM1	16	NE NE		17.2
3 N	27 E	WM1	16	NW NE		16.6
3 N	27 E	WM1	16	SW NE		15.3
3 N	27 E	WM1	16	SE NE		38.6
3 N	27 E	WM1	16	NE NW		38.6
3 N	27 E	WM1	16	NW NW		13.3
3 N	27 E	WM1	16	SW NW		14.6
3 N	27 E	WM1	16	SE NW		38.6
3 N	27 E	WM1	16	NE SW		34.2
3 N	27 E	WM1	16	NW SW		36.1
3 N	27 E	WM1	16	SW SW		28.0
3 N	27 E	WM1	16	SE SW		26.0
3 N	27 E	WM1	16	NE SE		8.6
3 N	27 E	WM1	17	NE NE		36.4
3 N	27 E	WM1	17	NW NE		22.3
3 N	27 E	WM1	17	SW NE		24.5
3 N	27 E	WM1	17	SE NE		35.9
3 N	27 E	WM1	17	NE NW		34.2
3 N	27 E	WM1	17	NW NW		26.9
3 N	27 E	WM1	17	SW NW		34.5
3 N	27 E	WM1	17	SE NW		39.7
3 N	27 E	WM1	17	NE SW		5.5
3 N	27 E	WM1	17	NW SW		3.0
3 N	27 E	WM1	17	NE SE		0.2
3 N	27 E	WM1	17	SE SE		0.1
3 N	27 E	WM1	19	NE NW		22.3



SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Glott	Acres
3 N	27 E	WM	19	NW NW		39.0
3 N	27 E	WM	19	SW NW		40.0
3 N	27 E	WM	19	SE NW		22.8
3 N	27 E	WM	19	NW SW		13.5
3 N	27 E	WM	19	SW SW		11.7
3 N	27 E	WM	19	NE SE		34.0
3 N	27 E	WM	19	NW SE		29.0
3 N	27 E	WM	19	SW SE		29.2
3 N	27 E	WM	19	SE SE		38.3
3 N	27 E	WM	20	NE NE		1.2
3 N	27 E	WM	20	NW NE		2.6
3 N	27 E	WM	20	SW NE		27.1
3 N	27 E	WM	20	SE NE		2.1
3 N	27 E	WM	20	NE NW		0.7
3 N	27 E	WM	20	SE NW		27.4
3 N	27 E	WM	20	NE SW		20.5
3 N	27 E	WM	20	NW SW		0.8
3 N	27 E	WM	20	SW SW		23.1
3 N	27 E	WM	20	SE SW		1.6
3 N	27 E	WM	20	NW SE		19.0
3 N	27 E	WM	23	NE NE		2.6
3 N	27 E	WM	23	NW NE		27.6
3 N	27 E	WM	23	SW NE		40.1
3 N	27 E	WM	23	SE NE		7.8
3 N	27 E	WM	23	NE NW		14.2
3 N	27 E	WM	23	SE NW		26.5
3 N	27 E	WM	23	NE SW		2.1
3 N	27 E	WM	23	NW SE		7.3
3 N	27 E	WM	24	NE NE		39.1
3 N	27 E	WM	24	NW NE		6.2
3 N	27 E	WM	24	SW NE		15.0
3 N	27 E	WM	24	SE NE		33.8
3 N	27 E	WM	24	NE SW		4.9
3 N	27 E	WM	24	SE SW		0.5
3 N	27 E	WM	24	NE SE		32.4
3 N	27 E	WM	24	NW SE		40.2
3 N	27 E	WM	24	SW SE		21.4
3 N	27 E	WM	24	SE SE		26.4
3 N	27 E	WM	25	NE NE		33.3
3 N	27 E	WM	25	NW NE		28.5
3 N	27 E	WM	25	SW NE		15.8
3 N	27 E	WM	25	SE NE		1.9
3 N	27 E	WM	25	NE NW		39.5
3 N	27 E	WM	25	NW NW		9.6
3 N	27 E	WM	25	SW NW		34.5
3 N	27 E	WM	25	SE NW		36.8
3 N	27 E	WM	25	NE SW		20.7
3 N	27 E	WM	25	NW SW		36.2
3 N	27 E	WM	25	SW SW		40.4



SUPPLEMENTAL IRRIGATION						
Twtp	Rng	Mer	Sec	Q-Q	Glot	Acres
3 N	27 E	WM	25	SE SW		30.8
3 N	27 E	WM	25	NE SE		24.9
3 N	27 E	WM	25	NW SE		5.5
3 N	27 E	WM	25	SW SE		22.8
3 N	27 E	WM	25	SE SE		36.9
3 N	27 E	WM	26	NE NE		1.0
3 N	27 E	WM	26	SE NE		23.3
3 N	27 E	WM	26	NE NW		10.2
3 N	27 E	WM	26	NW NW		24.2
3 N	27 E	WM	26	SW NW		29.3
3 N	27 E	WM	26	SE NW		14.2
3 N	27 E	WM	26	NE SW		34.7
3 N	27 E	WM	26	NW SW		38.3
3 N	27 E	WM	26	SW SW		25.3
3 N	27 E	WM	26	SE SW		24.2
3 N	27 E	WM	26	NE SE		7.2
3 N	27 E	WM	26	SE SE		8.6
3 N	27 E	WM	27	NW NW		21.0
3 N	27 E	WM	27	SW NW		21.4
3 N	27 E	WM	27	NE SW		8.2
3 N	27 E	WM	27	NW SW		20.4
3 N	27 E	WM	27	SW SW		21.1
3 N	27 E	WM	27	SE SW		8.3
3 N	27 E	WM	27	NE SE		13.6
3 N	27 E	WM	27	NW SE		36.4
3 N	27 E	WM	27	SW SE		37.0
3 N	27 E	WM	27	SE SE		14.0
3 N	27 E	WM	28	NE NE		35.3
3 N	27 E	WM	28	NW NE		3.5
3 N	27 E	WM	28	SW NE		3.4
3 N	27 E	WM	28	SE NE		35.5
3 N	27 E	WM	28	NE SE		36.6
3 N	27 E	WM	28	NW SE		5.2
3 N	27 E	WM	28	SW SE		5.3
3 N	27 E	WM	28	SE SE		37.4
3 N	27 E	WM	29	NE NW		3.2
3 N	27 E	WM	29	NW NW		11.4
3 N	27 E	WM	29	SE NW		9.3
3 N	27 E	WM	30	NE NE		7.0
3 N	27 E	WM	30	NE NW		5.9
3 N	27 E	WM	30	NW NW		47.7
3 N	27 E	WM	30	SW NW		48.5
3 N	27 E	WM	30	SE NW		6.2
3 N	27 E	WM	34	NE NE		34.4
3 N	27 E	WM	34	NW NE		14.9
3 N	27 E	WM	34	SW NE		9.2
3 N	27 E	WM	34	SE NE		34.1
3 N	27 E	WM	34	SW NW		6.7
3 N	27 E	WM	34	SE NW		12.6



SUPPLEMENTAL IRRIGATION

Twp	Rng	Mer	Sec	Q-Q	Glott	Acres
3 N	27 E	WM	34	NE SW		40.2
3 N	27 E	WM	34	NW SW		36.2
3 N	27 E	WM	34	SW SW		25.0
3 N	27 E	WM	34	SE SW		34.6
3 N	27 E	WM	34	NE SE		40.2
3 N	27 E	WM	34	NW SE		33.6
3 N	27 E	WM	34	SW SE		18.7
3 N	27 E	WM	34	SE SE		37.3
3 N	27 E	WM	35	NW NE		1.2
3 N	27 E	WM	35	NE NW		39.6
3 N	27 E	WM	35	NW NW		36.7
3 N	27 E	WM	35	SW NW		18.7
3 N	27 E	WM	35	SE NW		18.6
3 N	27 E	WM	35	NW SW		26.9
3 N	27 E	WM	35	SW SW		17.6
3 N	27 E	WM	36	NE NE		29.0
3 N	27 E	WM	36	NW NE		39.9
3 N	27 E	WM	36	SW NE		38.8
3 N	27 E	WM	36	SE NE		27.8
3 N	27 E	WM	36	NE NW		26.4
3 N	27 E	WM	36	NW NW		7.4
3 N	27 E	WM	36	SW NW		4.5
3 N	27 E	WM	36	SE NW		34.6
3 N	27 E	WM	36	NE SW		35.8
3 N	27 E	WM	36	NW SW		20.1
3 N	27 E	WM	36	SW SW		21.8
3 N	27 E	WM	36	SE SW		37.2
3 N	27 E	WM	36	NE SE		33.2
3 N	27 E	WM	36	NW SE		39.7
3 N	27 E	WM	36	SW SE		35.0
3 N	27 E	WM	36	SE SE		39.6
3 N	28 E	WM	6	NE NW		19.8
3 N	28 E	WM	6	NW NW		19.4
3 N	28 E	WM	6	SW NW		32.6
3 N	28 E	WM	6	SE NW		35.3
3 N	28 E	WM	6	NE SW		25.8
3 N	28 E	WM	6	NW SW		25.8
3 N	28 E	WM	6	SW SW		32.0
3 N	28 E	WM	6	SE SW		35.2
3 N	28 E	WM	7	NE NW		32.3
3 N	28 E	WM	7	NW NW		33.5
3 N	28 E	WM	7	SW NW		28.3
3 N	28 E	WM	7	SE NW		24.2
3 N	28 E	WM	7	NE SW		34.0
3 N	28 E	WM	7	NW SW		21.6
3 N	28 E	WM	7	SW SW		23.9
3 N	28 E	WM	7	SE SW		33.5
3 N	28 E	WM	7	SW SE		1.3
3 N	28 E	WM	17	NE SW		4.4



SUPPLEMENTAL IRRIGATION							Acres
Twp	Rng	Mer	Sec	Q-Q	Glott		
3 N	28 E	WM	17	NW SW		38.5	
3 N	28 E	WM	17	SW SW		39.7	
3 N	28 E	WM	17	SE SW		5.0	
3 N	28 E	WM	18	NW NE		1.7	
3 N	28 E	WM	18	NE NW		36.1	
3 N	28 E	WM	18	NW NW		28.4	
3 N	28 E	WM	18	SW NW		30.3	
3 N	28 E	WM	18	SE NW		23.8	
3 N	28 E	WM	18	NE SW		24.7	
3 N	28 E	WM	18	NW SW		32.2	
3 N	28 E	WM	18	SE SW		22.3	
3 N	28 E	WM	18	NE SE		2.4	
3 N	28 E	WM	18	SW SE		29.0	
3 N	28 E	WM	18	SE SE		35.7	
3 N	28 E	WM	19	NE NE		40.3	
3 N	28 E	WM	19	NW NE		29.5	
3 N	28 E	WM	19	SW NE		23.9	
3 N	28 E	WM	19	SE NE		35.1	
3 N	28 E	WM	19	NE NW		24.4	
3 N	28 E	WM	19	NW NW		15.4	
3 N	28 E	WM	19	SW NW		8.1	
3 N	28 E	WM	19	SE NW		0.2	
3 N	28 E	WM	19	NE SW		11.0	
3 N	28 E	WM	19	NW SW		15.4	
3 N	28 E	WM	19	SW SW		28.2	
3 N	28 E	WM	19	SE SW		0.3	
3 N	28 E	WM	19	NE SE		4.2	
3 N	28 E	WM	19	NW SE		33.2	
3 N	28 E	WM	20	NW NW		12.9	
3 N	28 E	WM	20	SW NW		6.5	
3 N	28 E	WM	30	NE NW		0.5	
3 N	28 E	WM	30	NW NW		13.8	
3 N	28 E	WM	30	SW NW		32.8	
3 N	28 E	WM	30	SE NW		36.9	
3 N	28 E	WM	30	NE SW		39.1	
3 N	28 E	WM	30	NW SW		36.3	
3 N	28 E	WM	30	SW SW		36.7	
3 N	28 E	WM	30	SE SW		39.2	
3 N	28 E	WM	30	NE SE		17.3	
3 N	28 E	WM	30	NW SE		15.0	
3 N	28 E	WM	30	SW SE		21.6	
3 N	28 E	WM	30	SE SE		33.7	
3 N	28 E	WM	31	NE NW		20.0	
3 N	28 E	WM	31	NW NW		36.7	
3 N	28 E	WM	31	SW NW		36.0	
3 N	28 E	WM	31	SE NW		4.3	
3 N	28 E	WM	31	NW SW		22.0	
3 N	28 E	WM	31	SW SW		8.4	
Total						8013.5	



**Permit Amendment T-13893 Conditions:**

The combined quantity of water diverted at the new additional points of appropriation (Wells A, B, C, D, E, F, G, H, I, J, K, and L), together with that diverted at the original points of appropriation (Wells 1, 2, 3, 4, 5, 6, and 7), shall not exceed the quantity of water lawfully available at the original points of appropriation (Wells 1, 2, 3, 4, 5, 6, and 7).

Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation.
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original points of appropriation (Wells 1, 2, 3, 4, 5, 6, and 7).

**Permit Amendment T-13683 Conditions:**

The former place of use shall no longer be irrigated as part of this permit.

**Extension of Time Conditions:****Checkpoint Condition**

The permit holder must submit a completed Progress Report Form to the Department by **October 1, 2024**.

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
- (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.



**Original Permit Conditions:****Measurement devices, and recording/reporting of annual water use conditions:**

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the device in good working order.
- B. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The permittee shall keep a complete record of the volume of water diverted each month, and shall submit a report which includes water-use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Dedicated Measuring Tube: Wells with pumps shall be equipped with a minimum 3/4-inch diameter, unobstructed, dedicated measuring tube pursuant to figure 200-5 in OAR 690-200. If a pump has been installed prior to the issuance of this permit, and if static water levels and pumping levels can be measured using an electrical tape, the installation of the measuring tube can be delayed until such time that water levels cannot be measured or the pump is repaired or replaced.

The wells shall allow ground water production only from the alluvial ground water reservoir above the Columbia River Basalts.

The permittee shall construct two minimum six-inch diameter observation wells to penetrate the same aquifer as the production wells. The wells shall meet the Department's minimum well-construction standards, and shall be cased and sealed to the same depth as the production wells. The wells shall be constructed at a location approved by the Department for the purpose of instrumentation with continuous water-level monitoring equipment. The landowner or permittee shall provide access to Department staff to install and maintain the monitoring equipment. The wells shall not be used for any other purpose while the Department is monitoring water levels. The wells shall be completed and the monitoring equipment installed prior to water use.

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.



## STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with surface water or a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port adequate to determine water-level elevation in the well at all times.

If the riparian area is disturbed in the process of developing a point of appropriation, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test results every ten years thereafter.


This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

Complete application of the water to the use was to be made on or before February 9, 2020. By Extension of Time Final Order dated June 19, 2020, complete application of the water to the use is to be made on or before October 1, 2025. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Signed                     **AUG 08 2023**                    

  
\_\_\_\_\_  
Lisa J. Jaramillo, Transfer and Conservation Section Manager, for  
DOUGLAS E. WOODCOCK, ACTING DIRECTOR  
Oregon Water Resources Department