

Permit No. G-1897

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, John L. Geyer of 214 Sunny Drive, College Place, Wash., county of Walla Walla state of Washington do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation No

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Pine Creek, 3, miles. tributary of Walla Walla River

2. The amount of water which the applicant intends to apply to beneficial use is 1200 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located From the NE corner of NW 1/4 Sec 24 T6N, R 27 E, W. 6 distance of 121 ft. on a bearing of N 22° 00' W.

being within the SE 1/4 of the SW 1/4 of Sec. 17, Twp. 6 N, R. 27 E, W. 6, Umatilla.

5. The Pipe line to be 2000 ft. in length, terminating in the SE 1/4 of NW 1/4 of Sec. 17, Twp. 6 N, R. 27 E, W. 6, the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Geyer Ranch, Well # 5 A.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not artesian.

8. The development will consist of one well having a diameter of 10 inches and an estimated depth of 145 feet. It is estimated that 10 feet of the well will require 10" of which 71 ft. casing. Depth to water table is estimated 55 feet.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$15,000.....
- 15. Construction work will begin on or before Jan. 1, 1962.....
- 16. Construction work will be completed on or before Jan. 1, 1963.....
- 17. The water will be completely applied to the proposed use on or before May 1963.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Nat. Supplemental.....

Remarks:

J. L. Geeyer
(Signature of applicant)
 214 Sunny Drive
 College Place
 Wash.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.59 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Geyer well No. 5A

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 20, 1961

Actual construction work shall begin on or before September 11, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 11 day of September, 1961

LEWIS A. STAMLEY STATE ENGINEER

By Max A. Roper Deputy

Application No. G- 2051
Permit No. G- 1897

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of June, 1961, at 6:00 o'clock A. M.

Returned to applicant:

Approved: _____
Recorded in book No. 7
Ground Water Permits on page 1897

LEWIS A. STAMLEY STATE ENGINEER

Drainage Basin No. 7 page 51