

Permit No. G-1899

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, KENNETH NIELSON

(Name of applicant)

of 5220 JAIL DR. NORTH, SALEM, county of MARION

(Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated 1790' EAST OF CLAGGETT CREEK

(Name of stream)

tributary of WILLAMETTE RIVER VIA COWLACK

2. The amount of water which the applicant intends to apply to beneficial use is 0.000 cubic feet per second or 700 gallons per minute.

3. The use to which the water is to be applied is (DOMESTIC & FIRE PROTECTION) MUNICIPAL

FOR WILKINSON PARK SUBDIVISION

4. The well or other source is located 838 7/8 ft. S and 1566 7/8 ft. 10' from the NE corner of SECTION 35

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the 1/4 of NE 1/4 of Sec. 35, Twp. 6S, R. 3W

W. M., in the county of MARION

5. The to be miles

(Canal or pipe line)

in length, terminating in the of Sec. Twp.

(Smallest legal subdivision)

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is WILKINSON PARK COWLACK DISTRICT

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

None

8. The development will consist of ONE WELL having a

(Give number of wells, tunnels, etc.)

diameter of 8" inches and an estimated depth of 140' feet. It is estimated that 140'

feet of the well will require 5700' casing. Depth to water table is estimated 19'

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; in size at \_\_\_\_\_ ft. from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity, \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type *200 GPM DEEP WELL TURBINE*

Give horsepower and type of motor or engine to be used *3 HP, 3 PHASE, 220 VOLT ELECTRIC*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use *DOMESTIC WATER SUPPLY IN SECTION 35 T. 6S. R. 3W.*

Township N or S.	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6S	3W	35	NE 1/4 of NW 1/4	0.45
6S	3W	35	SW 1/4 of NE 1/4	17.01
6S	3W	35	NE 1/4 of NE 1/4	17.11
				<b>32.17 ACRES DOMESTIC WATER SUPPLY</b>

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of WILKINSON PARK SUBDIVISION  
in Marion county, having a present population of 0  
and an estimated population of 390 in 1965

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 17,700<sup>00</sup>
- 15. Construction work will begin on or before JUNE 1, 1961
- 16. Construction work will be completed on or before JUNE 1, 1963
- 17. The water will be completely applied to the proposed use on or before JUNE 1, 1963

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Kenneth E. Nelson  
(Signature of applicant)

Remarks: IT IS THE INTENT OF THE DEVELOPER TO SUPPLEMENT THIS WELL WITH ANOTHER WELL AT THE TIME WHEN THE DEVELOPMENT REQUIRES AN ADDITIONAL SOURCE OF SUPPLY.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 31, 1961.

WITNESS my hand this 31st day of August, 1961.

LEWIS A. STANLEY  
STATE ENGINEER

By Walter N. Perry  
Walter N. Perry  
ASSISTANT

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.89 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well

The use to which this water is to be applied is municipal uses in a subdivision

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is

Actual construction work shall begin on or before and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19

Complete application of the water to the proposed use shall be made on or before October 1, 19

WITNESS my hand this 11 day of September, 1961

STATE ENGINEER

STATE ENGINEER

Application No. G-2057

Permit No. G-1899

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 29th day of June 1961 at 1:35 o'clock P.M.

Returned to applicant:

Approved:

September 11, 1961

Recorded in book No. 7

1899

Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 264