

Permit No. G-1912

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Glenn L. Hutchinson  
(Name of applicant)  
of Ontario, Ore (Box-769), county of Malheur,  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Malheur River  
(Name of stream)  
tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 500 gallons per minute.

3. The use to which the water is to be applied is Supplemental Water for Farm Crops (Row Crops)

4. The well or other source is located 990 ft. N and 825 ft. E from the corner of \_\_\_\_\_  
(N. or S.) (E. or W.)  
(Section or subdivision):  
SW Corner of Sec 19-18546E  
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary.)  
being within the SW 1/4 SW 1/4 of Sec. 19 Twp. 18S. R. 46E  
W. M., in the county of Malheur

5. The As shown on drawing to be \_\_\_\_\_ miles  
(Canal or pipe line)  
in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_  
(Smallest legal subdivision)

R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Hutchinson Patch Well No 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not Applicable

8. The development will consist of One Well having a  
(Give number of wells, tunnels, etc.)  
diameter of 16 inches and an estimated depth of 430 feet. It is estimated that 31 feet  
feet of the well will require Steel casing. Depth to water table is estimated 15  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE— *Not applicable*

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; in size at \_\_\_\_\_ ft. from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity, \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type *20 H.P. - 3 stage - Deep Well. (Peerless Pump)*

Give horsepower and type of motor or engine to be used *Electric Motor - 20 H.P.*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use *S.W. 1/4 Sec. 19-18-46*

Township N. or S.	Range E or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<del>18</del>	<del>46E</del>	<del>19</del>	<del>All 4 quarters</del>	<del>160 Acres</del>
18 S	46E	19	SW SW	35
			SE SW	35
			NE SW	38
			NW SW	38
			SW NW	12
			SE NW	32
				<u>190</u>

(If more space required, attach separate sheet)

Character of soil *Silt Loam*

Kind of crops raised *ROW CROPS (Sugar Beet & Potatoes)*

MUNICIPAL SUPPLY—

Not Applicable

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 6000.<sup>00</sup>
- 15. Construction work will begin on or before June 9, 1961
- 16. Construction work will be completed on or before July 25, 1961
- 17. The water will be completely applied to the proposed use on or before Sept. 30, 1961

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Supplemental WATER to a WATER-RIGHT under the WARMSPRINGS IRRIGATION DISTRICT.

Glen S. Hutchinson  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19 .....

STATE ENGINEER

By ..... ASSISTANT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.11 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Hutchinson well No. 1

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; the right allowed hereunder for the appropriation of water for lands having a valid prior right shall be limited to the amount necessary to make up any deficiency in water available to said lands under said prior right and the amount allowed herein, together with the amount secured under any other right existing for said lands, shall be limited by the duty of water as fixed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 28, 1961

Actual construction work shall begin on or before September 11, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 11 day of September, 1961

STATE ENGINEER

Application No. G- 2007

Permit No. G- 1912

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 11 day of September, 1961 at 11 o'clock M.

Returned to applicant:

Approved:

September 11, 1961

Recorded in book No. 7 of

Ground Water Permits on page 1912

STATE ENGINEER

Drainage Basin No. 30 page 30