

RECEIVED
AUG 28 1936
STATE ENGINEER
SALEM, OREGON

Permit No. G-1936

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Mark McCoy (Name of applicant)
of Hilton-Freewater, R. #1. 119 Box 70, county of Umatilla
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Little Stream - (Diverted from Tualum or Walla Walla river)
(Name of stream)
tributary of Walla Walla river.

2. The amount of water which the applicant intends to apply to beneficial use is 0.23 cubic feet per second or _____ gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 632 ft. N. and 400 ft. East from the SE corner of SE 1/4 of Sec. 34 Tp. 6 N. R. 35 E. W. M. ?
(N or S.) (E or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW 1/4 of SW 1/4 of Sec. 19, Twp. 6 N., R. 35 E. W. M.
W. M., in the county of Umatilla

5. The used in connection with Sprinkling System. to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____
(Smallest legal subdivision)

R. _____ W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of well having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 64 feet. It is estimated that 38
feet of the well will require steel casing casing. Depth to water table is estimated _____
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

Sprinkling system

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet, width on bottom _____ feet; depth of water _____ feet; grade _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type

Centrifugal - 71-Speed

Give capacity _____

15 H.P.

11. If the location of the well, tunnel, or other development, is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channel, and the difference in elevation between the stream bed and the ground surface at the source of development

Approx 25' - Little stream - is west of well now extension of East side ditch degraded to run continuously for stock & domestic my place - being best one with right on stream

b. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Part-acre Tract	Number Acres To Be Irrigated
3 N.	30 W.	21	SW 1/4 of SW 1/4	31.25
3 N.	30 W.	22	SW 1/4 of SW 1/4	31.25
3 N.	30 W.	23	SW 1/4 of SW 1/4	31.25
3 N.	30 W.	24	SW 1/4 of SW 1/4	31.25
Total amount of land				125.00

Legal Description:

Commencing at a point 18 chains 70 links south of the North West corner of the Southwest quarter of Section 19, T. 3 N., R. 30 W., thence running due South on the aforesaid boundary line 37.5 chs., thence East 18 chains and 18 links more or less to the East line of the Southwest quarter of the Southwest quarter of said section 19, thence North on said line 37.5 chs., thence East on said line 18 chains, 18 links, to a point 18 chains 70 links south of the NW corner of the SW quarter of said section 19, thence due North 37.5 chs., thence East 18 chains and 18 links more or less to the place of the beginning of the canal.

(If more space required, attach separate sheet)

Character of soil _____
 Kind of crops raised _____

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

14. Estimated cost of proposed works, \$ 2500.00

15. Construction work will begin on or before Began about June 15-61

16. Construction work will be completed on or before already completed

17. The water will be completely applied to the proposed use on or before June 1-62

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

Mark R. McCoy
(Signature of applicant)

Remarks: _____
Driller was to send in papers and informed us that he had, and was waiting for reply.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.83 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 5 acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 28, 1961

Actual construction work shall begin on or before October 20, 1962 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 20th day of

October 19 1961 Lewis A. Stanley STATE ENGINEER

Application No. G- 2106 Permit No. G- 1936

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of August 1961, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

October 20, 1961

Recorded in book No. 8 of 1936 Ground Water Permits on page 1936

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 7 page 51