

Permit No. G-1941

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, ORE-IDA FOODS, INC. of 789 N.E. FIRST STREET, P.O. BOX 117, ONTARIO MALHEUR OREGON do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation FEBRUARY 17, 1961 OREGON

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated SNAKE RIVER tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 5.97 cubic feet per second or gallons per minute. (SEE SCHEDULE "A")

3. The use to which the water is to be applied is INDUSTRIAL IN A FOOD PROCESSING PLANT

4. The well or other source is located (SEE SCHEDULE "A") ft. and ft. from the corner of (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary) being within the LOT 3 of Sec. 3, Twp. 18S, R. 47 W. M., in the county of MALHEUR

5. The PIPE LINE to be miles in length, terminating in the LOT 2 of Sec. 3, Twp. 18S, R. 47 E. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is ORE-IDA #'s 12, 13, 14, 15, and 16

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of FIVE (5) WELLS having a diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require PERFORATED casing. Depth to water table is estimated (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(SEE SCHEDULE "A")  
 (c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, NONE ..... ft. Is grade uniform? YES ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type (SEE SCHEDULE "A")

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

(SEE SCHEDULE "A")

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
185	47E	3	Lot 2 (SE 1/4 NW 1/4)	Industrial
	NONE			

(If more space required, attach separate sheet)

Character of soil .....  
 Kind of crops raised .....

**SCHEDULE "A"**

**QUESTION 2**

<u>Well No.</u>	<u>CFS</u>	<u>GPM</u>
12	1.17	525
13	1.11	500
14	0.72	325
15	0.72	325
16	2.25	1000

**1911**

**QUESTION 4**

<u>Well No. 12</u>	<u>Well No. 13</u>	<u>Well No. 14</u>
N. 83° 52' E 593.5' From CR. Sec. 3 T. 18S. R. 47 EWM	N. 49° 41' E 791' From N 1/16 cor. Sec. 3 (T. 18S. R. 47 EWM <i>NW Cor. of SW 1/4 NE 1/4</i> )	S. 46° 31' W 3' From N 1/16 cor. Sec. 3 T. 18S. R. 47 EWM
<u>Well No. 15</u>	<u>Well No. 16</u>	
S. 58° 29' W 424' From N 1/4 cor. Sec. 3 T. 18S. R. 47 EWM	N. 47° 11' W 655' From N 1/16 cor. Sec. 3 (T. 18S. R. 47 EWM <i>NW Cor. of SW 1/4 NE 1/4</i> )	

**QUESTION 5**

	<u>Well #12</u>	<u>Well #13</u>	<u>Well #14</u>	<u>Well #15</u>	<u>Well #16</u>
Diameter	12"	12"	2"	2"	12"
Depth	170'	140'	40'	40'	170'
* Design	10-15 perf. / Solid	10-15 perf. / Solid	10-15 perf. / Solid	10-15 perf. / Solid	10-15 perf. / Solid
Enter Table	12'	2'	12'	12'	12'

\* Designated in feet. S. equals Solid, perf. equals perforated

**QUESTION 6**

	<u>Well #12</u>	<u>Well #13</u>	<u>Well #14</u>	<u>Well #15</u>	<u>Well #16</u>
Diameter	12"	12"	2"	2"	12"
Depth	1500'	100'	1550'	200'	170'

**QUESTION 7**

	<u>Well #12</u>	<u>Well #13</u>	<u>Well #14</u>	<u>Well #15</u>	<u>Well #16</u>
Motor	Jacuzzi Turbine	Peerless Turbine	Jacuzzi Turbine	Peerless Turbine	Peerless Turbine
Motor	Falshaw's 50HP	GF 20HP	GF 15HP	Peerless Turbine	Peerless Turbine
				Nesting case	
				2.5"	

SCHEDULE "A" Cont.

QUESTION 11

<u>Well No.</u>	<u>Location from River</u>	<u>Elevation</u>
12	2000'	10' above river
13	220'	5' " "
14	300'	5' " "
15	500'	6' " "
16	Adjacent	15' below river

QUESTION 14

	<u>Well #12</u>	<u>Well #13</u>	<u>Well #14</u>	<u>Well #15</u>	<u>Well #16</u>
Estimated Cost	\$5,640	\$5,280	4,200	\$4,200	4,200

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed work, \$ 30,000 (SEE SCHEDULE "A")
- 15. Construction work will begin on or before COMPLETED
- 16. Construction work will be completed on or before .....
- 17. The water will be completely applied to the proposed use on or before PRESENTLY USED
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

by *Gregory G. Gung*  
PRE-IDA FOODS, INC.  
(Signature of applicant)

Remarks: THESE WELLS ARE USED TO SUPPLY WATER FOR A COMMERCIAL  
PLANT PROCESSING POTATOES, CORN, AND OTHER FRESH VEGETABLES,  
INCLUDING FREEZING AND PACKING OPERATION. THERE ARE OTHER  
WELLS FOR THE SAME PURPOSE NOW ON FILE AND FOR WHICH PERMITS  
HAVE BEEN ISSUED.

WATER IS SCREENED AND RETURNED DIRECTLY TO SNAKE RIVER  
WITH LITTLE, IF ANY, LOSS OF VOLUME

WELL #16 IS NOT A CONVENTIONAL WELL, BUT RATHER, IT IS  
A SUMP DUG IN THE LOCATION SHOWN, WITH A HORIZONTAL 24 INCH  
PIPE BURIED 15 FEET IN THE GROUND. THE PIPE EXTENDS TO  
PUMP HOUSE SHOWN ON MAP.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for completion .....

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before October 26, 1961.

WITNESS my hand this 26th day of September, 1961.

RECEIVED  
OCT 1 1961  
By *James W. Carver, Jr.*  
STATE ENGINEER

LEWIS A. STANLEY  
STATE ENGINEER  
By *James W. Carver, Jr.*  
ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 9.97 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 5 Wells; being 1.17 c.f.s. from Well #12, 1.11 c.f.s. from Well #13, 0.72 c.f.s. from Well #14, 0.72 c.f.s. from Well #15 and 2.25 c.f.s. from Well #16.

The use to which this water is to be applied is industrial.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 10, 1961

Actual construction work shall begin on or before December 4, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963

Complete application of the water to the proposed use shall be made on or before October 1, 1964

WITNESS my hand this 4th day of December 1961

Lewis A. Stanley STATE ENGINEER

Application No. G-2071

Permit No. G-1941

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of July 1961, at 9:00 o'clock A. M.

Returned to applicant:

Approved:

December 4, 1961

Recorded in book No. 8 of

Ground Water Permits on page 1911

STATE ENGINEER

Drainage Basin No. 10 page 38