

RECEIVED

AUG 29 1961

STATE ENGINEER
SALEM, OREGON

Permit No. G-.....1946

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Dallas G. Givan, Jr. & Ida Lea Givan
(Name of applicant)
of Rt. 1 Box 618 Klamath Falls, county of Klamath,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Syeon River, Tributary of the Sprauge River
(Name of stream)
tributary of Sprauge River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 1800 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 1,340 ft. N and 680 ft. W from the S E corner of Sec. 27
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of the SE 1/4 of Sec. 27, Twp. 35 S, R. 12 E, W. M., in the county of Klamath

5. The _____ to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Screw type shut off valve to be closed when not in use.

8. The development will consist of One Well having a diameter of 12 inches and an estimated depth of 450 feet. It is estimated that 150 feet of the well will require Steel casing. Depth to water table is estimated 40
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 5 feet; width on bottom 3 feet; depth of water 3 feet; grade .2 feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type _____

Give horsepower and type of motor or engine to be used _____

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
3/4 miles to the west is the Sycan river app. 20 ft lower in elevation.

12. Location of area to be irrigated, or place of use _____

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
35 S	12 E.	27	SW $\frac{1}{4}$ of SW $\frac{1}{4}$	40
35 S	12 E.	27	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	40
35 S	12 E.	27	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	40
35 S.	12 E.	27	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	40
35 S.	12 E.	27	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	40
35 S.	12 E.	27	SW $\frac{1}{8}$ of SW $\frac{1}{4}$	20
35 S.	12 E.	27	E $\frac{1}{2}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$	20

(If more space required, attach separate sheet)

Sandy

Character of soil _____

Kind of crops raised Alfafla & Pasture.

MUNICIPAL SUPPLY--

13. To supply the city of

in county, having a present population of

and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

2,250.00

14. Estimated cost of proposed works, \$.....

15. Construction work will begin on or before Aug. 26, 1961, or as soon as possible.....

Sept. 30, 1961

16. Construction work will be completed on or before

17. The water will be completely applied to the proposed use on or before July 30, 1962.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

Dallas G. ... (Signature of applicant)

Remarks:

STATE OF OREGON, } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 20....., 19 61.

WITNESS my hand this 18th day of September, 1961

STATE ENGINEER
SEP 20 1961

LEWIS A. STANLEY
STATE ENGINEER

By Walter ... ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.75 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from one well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 29, 1961

Actual construction work shall begin on or before December 4, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963

Complete application of the water to the proposed use shall be made on or before October 1, 1964

WITNESS my hand this 4th day of December, 1961

Leuris A. Stanley
STATE ENGINEER

Application No. G- 2108
Permit No. G- 1946

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of August, 1961, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

December 4, 1961 of
Recorded in book No. 8 of
Ground Water Permits on page 1916

STATE ENGINEER

Drainage Basin No. 14 page 34

State Printing