

Permit No. G-1963

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Henry Becker (Name of applicant) of Route 1, Box 283, Woodburn, county of Marion, state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated East Fork of Case Creek (Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 1100 ft. S and 1940 ft. E from the NW corner of V. McCormick DLC #90 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 of Sec. 35, Twp. 4 S, R. 2 W, W. M., in the county of Marion

5. The portable pipe (Canal or pipe line) to be miles in length, terminating in the SE 1/4 NW 1/4 of Sec. 35, Twp. 4 S, R. 2 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one (Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 200 feet. It is estimated that 200 feet of the well will require steel (Kind) casing. Depth to water table is estimated 20 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Francis; 1 1/2 x 2" centrifugal I may have to change to Turbine type pump Give horsepower and type of motor or engine to be used Francis; 3 h.p.; 3 phase

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated

(If more space required, attach separate sheet)

Character of soil Willamette loam Kind of crops raised Forage

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ Twenty \$ 27,110

15. Construction work will begin on or before started Aug. 1962

16. Construction work will be completed on or before October 1, 1962

17. The water will be completely applied to the proposed use on or before October 1, 1963

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. See Certificate No. 11882

(Signature of applicant)

Remarks:

This is a new well constructed approximately 1/2 ft. south and west from the well constructed under Permit No. G-101, which has been abandoned.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 18, 19 61.

WITNESS my hand this 18th day of October, 19 61.

Returned 24th day of October, 1961 (not stamped in) see Affidavit

LEWIS A. STANLEY
STATE ENGINEER

By Walter N. Perry
Walter N. Perry ASSISTANT

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 2.5th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 61 acre feet per acre for each acre irrigated during the irrigation season of each year; and the right allowed hereunder for the appropriation of water for lands having a valid prior right shall be limited to the amount necessary to make up any deficiency in water available to said lands under said prior right and the amount allotted herein, together with the amount secured under any other right existing for said lands, shall be limited by the duty of water as fixed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 25, 1961

Actual construction work shall begin on or before January 9, 1963 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 22 day of January, 1962

William L. Stanley STATE ENGINEER

2121

PERMIT

TO ALL THE GROUND WATER

This permit is measured in the office of the State Engineer, Oregon, on the 19th day of January, 1962.

Returned

Approved

Record of Ground Water

STATE ENGINEER

page 2 of 4