

Permit No. G-1964

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Weyerhaeuser Company - Klamath Falls Branch (Name of applicant) of P. O. Box 651, Klamath Falls (Postoffice Address), county of Klamath, state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

January 18, 1900 - Washington - Locensed to do business in State of Oregon.

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated So. Fork of Sprague River (Name of stream)

tributary of Sprague River

2. The amount of water which the applicant intends to apply to beneficial use is 0.10 cubic feet per second or 4000 gallons per minute. The total amount used per 24 hours will be 60,000 gals.

3. The use to which the water is to be applied is Road Sprinkling

4. The well or other source is located 3 ft. N and 43 ft. W from the SE corner of Sec. 35, T. 36 S., R. 14 E., W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the Boundary SE 1/4 SE 1/4 of Sec. 35, Twp. 36S, R. 14 E., W.M. W. M. in the county of Klamath

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. , Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well (Give number of wells, tunnels, etc) having a diameter of 18 inches and an estimated depth of 400 feet. It is estimated that 60 feet of the well will require Steel (Kind) casing. Depth to water table is estimated 13 (Feet)

9. (a) Gate development and point of use

headgate. At headgate width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type _____ 12" Column _____ 16" Bowls _____ 75 H.P. _____ Deepwell Turbine

Give horsepower and type of motor or engine to be used _____ 75 H.P. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channel, and the difference in elevation between the stream bed and the ground surface at the source of development

1 Mile - Elevation 4 feet per mile

12. Location of area to be irrigated, or place of use _____ Attached

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S	14 E	10, 11, 14, 15, 16	23, 24, 25, 26, 34, 35 & 36	Road Sprinkling
36 S	15 E	18, 19, 20, 21, 22, 23	18, 28, 29, 30 , 31, 32 & 33	"
37 S	14 E	1, 2, 3, 4, 5, 6, 7, 8 , 9, 10, 11, 12, 13, 14, 15, 16, 17	22, 23, 24, 25 , 26 & 35, 36	"
37 S	15 E	6, 18, 19, 20, 28, 29, & 33		"
38 S	15 E	4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26		"

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

14. Estimated cost of proposed works, \$ 11,397.93.....

15. Construction work will begin on or before Feb. 1960.....
was


16. Construction work will be completed on or before Aug. 10, 1960.....

17. The water will be completely applied to the proposed use on or before July 1, 1962

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

Devils Lake Permit No. 22884 adjudicated rights, dates in your file.

Weyerhaeuser Company Klamath Falls Branch

By  (Signature of applicant) Manager

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 26, 1961

WITNESS my hand this 23rd day of October, 1961

LEWIS A. STANLEY
STATE ENGINEER

By 
Walter N. Perry, Assistant

STATE OF OREGON,

PERMIT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is road sprinkling

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 20, 1932

Actual construction work shall begin on or before January 1, 1933 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1935

Complete application of the water to the proposed use shall be made on or before October 1, 1935

WITNESS my hand this 11th day of December, 1932

Handwritten signature of Howard A. Gilman, STATE ENGINEER

Application No. G. 2122
Permit No. G. 1767

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 11th day of December, 1932 at 11 o'clock A.M.

Received by applicant

Recorded in book No. 1031 of Ground Water Permits on page 34

STATE ENGINEER

Page Book No. 14 page 34