APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1. Invigou Cemetery Maintenance District
of Lungon county of Morrow,
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is Invegating Cometary
4. The well or other source is located 990 ft. N and 180 ft. E from the SW
corner of Spectical 20 Two Spectron Spectron So, Twp:511, (Section or subdivision)
Parige 27, EWM, IVULGOU: 3W/4 of SW/4
(If there is more than one we'', each must be described. Use separate sheet if necessary)
being within the SW14 SW14 of Sec. 20, Twp. 5N, R. 27 E
W. M., in the county of Movvow
5. The to be miles
in length, terminating in the
R W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
en de la composition
etter til som en som en skolen som en skalen som en skolen skolen etter etter etter etter etter etter etter et
en de la companya de La companya de la co
8. The development will consist of Well tunnels, etc.)
diameter of Sinches and an estimated depth of 52 feet. It is estimated that
feet of the well will require 52 feet casing. Depth to water table is estimated 50.

C 3	N. A.Y	SYSTEM	a vD	121111	1 15112
۱i		51515	: 1K	1/11/1	1.1

dgate . At headg					feet; width o	
fe.	et: depth of wat	ter	fect; grade	•	feet fa	ll per o
usand feet.						
(b) At	774	les from Foads	ate valther type	if mate consti		
feet width on bo		iottom test, dept		the forester		•.
de .	feet fall j	per one thousas	nd feet.			
(c) Length o	f pipe,	ft.: s	size at intake.	in ; in	i size at	
m intake	in.;	size at place of	use	in.; differer	ice in <mark>elevati</mark> o	n betwe
ake and place of	use,	ft. I	's grade uniform?		Estimated	d capaci
****	sec. ft.					
10. If pumps	are to be used,	give size and t	upe 🔑	Tie bis	to have	

Give horsepo	ower and type o	f motor or eng	ine to be used	PaHI	Lite al.	
		'	•			
11. If the loc tural stream or	cation of the we stream channe levation betwee	ll, tunnel, or of l, give the dis n the stream b	ther development watance to the neares	t point on easurface at the	ch of such ch e source of de	annels c rrelopm
11. If the locatural stream or e difference in e	cation of the we stream channe levation betwee	ll, tunnel, or of l, give the dis n the stream b	ther development water to the neares sed and the ground	t point on easurface at the	ch of such ch e source of de	annels (rrelopm
11. If the locatural stream or e difference in e	cation of the we stream channe levation betwee	ll, tunnel, or of l, give the dis n the stream b	ther development water to the neares sed and the ground	t point on easurface at the	ch of such ch e source of de	annels o
11. If the location of tural stream or e difference in e	cation of the we stream channe levation between of area to be i	ll, tunnel, or of l, give the dis n the stream b	ther development water to the neares sed and the ground	t point on easurface at the	ch of such chee source of de	annels o
11. If the location of tural stream or e difference in e	cation of the we stream channe levation between of area to be i	ll, tunnel, or of l, give the dis n the stream b	ther development water to the neares sed and the ground	t point on easurface at the	ch of such chee source of de	annels
11. If the location of tural stream or e difference in e	cation of the we stream channe levation between of area to be i	ll, tunnel, or of l, give the dis n the stream b	ther development water to the neares sed and the ground	t point on easurface at the	ch of such chee source of de	annels
11. If the location of tural stream or e difference in e	cation of the we stream channe levation between of area to be i	ll, tunnel, or of l, give the dis n the stream b	ther development water to the neares sed and the ground	t point on easurface at the	ch of such chee source of de	annels
11. If the location of tural stream or e difference in e	cation of the we stream channe levation between of area to be i	ll, tunnel, or of l, give the dis n the stream b	ther development water to the neares sed and the ground	t point on easurface at the	ch of such chee source of de	annels
11. If the location of tural stream or e difference in e	cation of the we stream channe levation between of area to be i	ll, tunnel, or of l, give the dis n the stream b	ther development water to the neares sed and the ground	t point on easurface at the	ch of such chee source of de	annels o
11. If the location of tural stream or e difference in e	cation of the we stream channe levation between of area to be i	ll, tunnel, or of l, give the dis n the stream b	ther development water to the neares sed and the ground	t point on easurface at the	ch of such chee source of de	annels o
11. If the location of tural stream or e difference in e	cation of the we stream channe levation between of area to be i	ll, tunnel, or of l, give the dis n the stream b	ther development water to the neares sed and the ground	t point on easurface at the	ch of such chee source of de	annels o
11. If the location of tural stream or e difference in e	cation of the we stream channe levation between of area to be i	ll, tunnel, or of l, give the dis n the stream b	ther development water to the neares sed and the ground	t point on easurface at the	ch of such chee source of de	annels o
11. If the location of tural stream or e difference in e	cation of the we stream channe levation between of area to be i	ll, tunnel, or of l, give the dis n the stream b	ther development water to the neares sed and the ground	t point on easurface at the	ch of such chee source of de	annels o
11. If the location of tural stream or e difference in e	cation of the we stream channe levation between of area to be i	ll, tunnel, or of l, give the dis n the stream b	ther development water to the neares sed and the ground	t point on easurface at the	ch of such chee source of de	annels

MUNICIPAL SUPPLY— 13. To supply the city of		
n county, having a present		
nd an estimated population of in 1		
ANSWEE QUESTIONS 14, 15, 16, 19		
14. Estimated cost of proposed works, \$		
15. Construction work will begin on or before		2
16. Construction work will be completed on or before	_	
17. The water will be completely applied to the pr	concred use on or before	Sune 61963
18. If the ground water supply is supplemental		
ation for permit, permit, certificate or adjudicated r	ight to appropriate water, n	nade or held by the
applicant. Nouse		
·	Lloyd M Berg	er. Chuman 7. Marist. Dies
Remarks:	Tingon Cia	(Mesint, Deep
,		
STATE OF OREGON, county of Marion, ss.		
This is to certify that I have examined the fore		with the accompanying
maps and data, and return the same for comple	etion	
In order to retain its priority, this application	nust be returned to the State	Engineer, with correc-
tions on or before January 22 , 19	62	
WITNESS my hand this 21st day of	November	, 19 61
	LEWIS A. STANLEY	
	LEWIS A. STANLEY	STATE ENGINEER

By Walter N. Ferry Assistant

County of Marion,

SS.

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and cubic feet per second measured at the point of diversion from the well or shall not exceed source of appropriation, or its equivalent in case of rotation with other water users, from the 12 to 12

The use to which this water is to be applied is imrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further athat the amount of water allowed herein, together with the amount secured under the other right existing for the same lands, shall not exceed the limitation of the terein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is

Actual construction work shall begin on or before

and shall

thereafter be proceeded with reasonable adigence and be completed on or before October 1. The

Complete application of the water to the propositive shall be made on or hetere October 1 pe

Permit No. G.

Application No.

TO APPROPRIATE WATERS OF SGON OF ORI The second secon

This instrument was

effice of the State Engin ्राधिक क्षेत्र क्षेत्र को जिल्ला कि

Keta med to applicant

1961 at 160 atom

Recorded in book No

Ground War with a research

Draining hours he

Saste Principle