

33211
4
OCT 17 1961
STATE ENGINEER
SALEM, OREGON

Permit No. G-1985

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, B-D Rock Crushing Co., Inc.
(Name of applicant)
of 2030 E. Main
(Postoffice Address), county of Washington

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

8-13-1958 Corporation Department, Salem, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated NONE 2 1/2 miles to the Tualatin River
(Name of stream)
tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 200 gallons per minute.

3. The use to which the water is to be applied is washing rock

4. The well or other source is located 310 ft. North and 334 ft. East from the Southwest
(N or S) (E or W)
corner of the northeast quarter of Section 26
(Section or subdivision)

being N 47° 08' E 455.6 feet, also N 84° 23' W 1668.0 feet to the northeast corner
(If preferable, give distance and bearing to section corner)

of the H. Johnson D.L.C. No. 55
(If there is more than one well each must be described. Use separate sheet if necessary)

being within the Southwest 1/4 of northeast 1/4 of Sec. 26, Twp. 1 S, R. 2 W

W. M. in the county of Washington

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____
(Smallest legal subdivision)

R. _____ W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is B-D Rock Crushing Co. well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a
(Give number of wells, tunnels, etc.)
diameter of 8" inches and an estimated depth of 472 feet. It is estimated that 322
feet of the well will require 8" steel casing. Depth to water table is estimated 125
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet; fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet; fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type _____

Give horsepower and type of motor or engine to be used _____

20 hp turbine motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development _____

12. Location of area to be irrigated, or place of use _____

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T13	R2W	26	SW 1/4 of the NE 1/4	Washing Rock - Industrial

(If more space required, attach separate sheet)

Character of soil _____

Kind of crops raised _____

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 5,000.00.....
- 15. Construction work will begin on or before October, 1960.....
- 16. Construction work will be completed on or before December, 1961.....
- 17. The water will be completely applied to the proposed use on or before March 21, 1962.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. NONE.....

P. B. Becker Engineering Co.
By *J. J. Baker* - President
(Signature of applicant)

Remarks: LEGAL DESCRIPTION: The southwest quarter of the northeast quarter of Section 26, T1S, R2W, W.M.

Water to be pumped from well to crusher where it will be used for washing crushed rock products. The water will then be diverted to a settling pond from which it can be re-used for washing purposes--it will not be discharged to any stream.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same. **SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:**

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.45 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from B-D Rock Crushing Co. Well.

The use to which this water is to be applied is washing rock

If for irrigation, this water shall be applied to _____ acres of land, or its equivalent for each acre irrigated, and shall be applied to _____ acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 9, 1961

Actual construction work shall begin on or before January 9, 1963 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963.

Complete application of the water to the proposed use shall be made on or before October 1, 1963.

WITNESS my hand this _____ day of November, 1961

Carl A. Johnson
STATE ENGINEER

Application No. G-21117
Permit No. G-1782

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

The amount of water first received in the
County of Marion, Oregon, at Salem, Oregon,

on November 9, 1961 at 11:00 AM

by Carl A. Johnson

Received by Carl A. Johnson on November 9, 1961
at 11:00 AM
by Carl A. Johnson
STATE ENGINEER