Permit No. G- 1986

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

of Rt. 2, Box 75, Silverton	reine I. Dochsler	
of St. 2, Box 75 Silverton	county of Marcon	
state of	by make application for a permit to appropriate the on, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place	re of incorporation	
·		
	ell, tunnel or other source of water development is	
situated Abiqua Riv	ome of stream)	
	tributary of Fudding Kine	
2. The amount of water which the applicant inte	σ	
3. The use to which the water is to be applied is	demesticand irrigation	n
	<u> </u>	
4. The well or other source is located 032.30 ft.	S and 375 ft. W from the Center	ラ
corner of diction 21 - Beginning at a	ent a weeten 21 South 308 50 to N.W. corner	1
2 & - M. D. De-below property, thene east 352,00	o't a point, there 5 8 44 E 22380 to the	v s
well there N 60° 11 W 444.87 to beginning N.	W. comer y L. F. v M. L. Bichaler proper	ty
being within the NW4 45F4	of Sec. 21, Twp. 6-5, R. 1.W	0
W. M. in the county of Marcon		
5. The Bochsler Well (Canal or pipe line)	miles	
in length, terminating in the . (Smallest legal subdi	of Sec. , Twp.	
R W. M., the proposed location being show	on throughout on the accompanying map.	
6. The name of the well or other works is	Bocksler Will	
DESCRIPTION	N OF WORKS	
7. If the flow to be utilized is artesian, the works supply when not in use must be described.	es to be used for the control and conservation of the	
· · · · · · · · · · · · · · · · · · ·		
8. The development will consist of	/will having a	
	oth of 109 feet. It is estimated that 107	
feet of the well will require steel ca.	asing. Depth to water table is estimated 36	

	S (40 l H)r. LINE w dimension, at each pe	ant of canal Secrements se	to est the experience of	t ng
headgate. At hea	dgate width on top (at	water line)	teet	width or lestion.
	feet; depth of water	feet; grade		feet fall per one
thousand feet.				
(b) At	miles fre	m headgate: width on top to	ut water line)	
•	feet; width on botton	n jeet, dep	th of water	foct
·grade	feet fall per on.	c thousand feet.		
(c) Length	of pipe.	tig vise at intake.	.n., in size at	.,
from intake	in ; size at	place of use	o. lifference in el	evation latices
intake and place	of use,	ft. Is grade uniform?	. Est	imated capacity

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channel, or it the difference in elevation between the stream bed and the ground surface at the source of development

Township Range I or Wolf Willamette Menidan Section Porty-acre Tract Number Acres To Be Irrigated

Willamette Menidan Section Porty-acre Tract Number Acres To Be Irrigated

(If more space required attach separate sheet

Character of soil

.... sec. ft.

10. If pumps are to be used, give size and type

Kind of crops raised

1.

By

County of Marion,

l_{ss.}

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

30	The rig		erein gran			•		•					ed to i	beneficio	il use and
sha	ll not exce		0.11												ie well oi
sou	rce of app	ropri	ation, or i												er wel.
				. ,											
			chich thi						rigatio						
	If for i	rriga	tion, this	approp	riatio	n sha	ll be li	mited to	ţA	3 05.					er secono
or	its equiva	lent f	or each a	icre irri	gate d	and	shall t	e furthe	r limited	to a d	ivers	ion c	f not i	to exceed	1 %
acr	e feet per	acre	for each	acre ir	rigate	d du	ring th	ie irrigat	ion seaso	on of	each	year	;		
			****												*********
															*** ***
							.,								
ane	d shall be	nuls,	et just ei	in real and	ahi.	r_0/c	://m "),.	rem as n	any tuo or	rderec	l by t	the p	roper	state of	ficer.
kee	p a comp	lete r	ter shall i record of i g date of i	the amo	runt .	g gre	in: a u read re	ater witi	r, or othe idrawn. webber				su ri nę	g device.	and shal
	Aetual	Leons	drietier :	work sl	eall 35	egm	or or i	refore	វិទស្សា	and je	, 14	ž.			and shall
the	reafter t	e pre		,. • ; . , .	asona	: ;;	bligene	ro and be	e comple	ted o	n or	tiejo	re Oc	toher I.	19
			ng benter		.nat.•	r:	the pro	ine ed sin	e shall be	· mad	e on (or be	jere C 13)croter	19
										•	٠.			· •	& Marketine
do grow No. G. L. L. E.	Power No G. 1726	PERMIT	APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	enabelita first received in 1900	State Engineer at Salem, Oregon	वेद्ध र्षः	e elsek M.	s applicant.			with the second of	t in book No E of	the Permits on page Lands ?	FINITE BULLINET!	Dramaye Basin No. 2. page 25.0

State F