

Permit No. G- 1992

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, MUTUAL PRODUCE CO (Name of applicant) of 224 S 1st St (Postoffice Address), county of Benton, state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Jan 1 1955 Corvallis Ore

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Dixon Creek (Name of stream) tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 75 gallons per minute.

3. The use to which the water is to be applied is Industrial

4. The well or other source is located S 247.33' W 1178.67' SE 1/4 NW 1/4 and NW 1/4 SE 1/4 from the corner of Sec 35 corner of S.W. Steuts Donation Land Claim no. 48 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 of Sec. 35, Twp. 11 South, R. 5 West, of Willamette Meridian Benton Co Ore W. M. in the county of

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp.

R. W. M. the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 (Give number of wells, tunnels, etc) having a diameter of 9 inches and an estimated depth of 38 feet. It is estimated that feet of the well will require Steel (Kind) casing. Depth to water table is estimated 22 (Feet)

CANAL SYSTEM OR PIPE LINE--

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate, width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ m.; size at intake, _____ in.; in size at _____ m.; from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type _____

Give horsepower and type of motor or engine to be used _____

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channel, and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated

all more space to filled attach to back sheet

Kind of crops raised _____

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1100.00
- 15. Construction work will begin on or before Sept 61
- 16. Construction work will be completed on or before Dec 1 1961
- 17. The water will be completely applied to the proposed use on or before Dec 1 1961

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

(Signature of applicant) *Eugene Holt*
President.

Remarks: Legal description:

Begin at a 5/8 inch iron rod which is south 26° 17' west
2125.15 feet from the southeast corner of the S. 1. State Section
T. 11 N. Claim no 48 in Township 11 south, Range 5 west of Willamette
Meridian, Marion County, Oregon; thence south 70° 13' east 200
feet to a 5/8 inch iron rod; thence south 199° 6' west 100 feet to
a 1/2 inch iron rod; thence north 70° 13' east 200 feet to a 5/8
inch iron rod; thence north 199° 6' east 100 feet to the point of
beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion & correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 1, 1962.

WITNESS my hand this 1st day of December, 1961

LEWIS A. STANLEY
STATE ENGINEER

By *Walter N. Perry*
Walter N. Perry ASSISTANT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ...

The use to which this water is to be applied is ...

If for irrigation, this appropriation shall be limited to ... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ... acre feet per acre for each acre irrigated during the irrigation season of each year: ...

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is ...

Actual construction work shall begin on or before ... and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...

Complete application of the water to the proposed use shall be made on or before October 1, 19...

WITNESS my hand this ... day of ...

19...

[Signature] STATE ENGINEER

Application No. G- 17692
Permit No. G- 1442

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the ... day of ... 19... at ... o'clock ... M

Returned to applicant.

Approved.

Recorded in book No. ... of ...
Ground Water Permits on page 1092

STATE ENGINEER

Drainage Basin No. 2 page 1092

State Printer