Permit No. G- 1995

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Orval L. Jessie d. Allicon (Name of applicant)
of t. if 1 30 X 3 Sorial Tield , county of Lair 3 (Postoffice Address)
state of Ore con do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
and the second of the second o
1. Give name of nearest stream to which the well, tunnel or other source of water development
situated incle For alliance tos (Name of stream)
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is cub feet per second or gallons per minute.
3. The use to which the water is to be applied is
4. The well or other source is located (t. (N or s.) and ft. ft. from the
Corner of with the control of the c
(If preferable, give distance and bearing to section corner)
being within the NW/4 of Sec. Twp. 2 R. 4
W. M., in the county of
5. The Canal or pipe line: to be mile
in length, terminating in the Of Sec. Trop.
R. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of a Give number of wells, tunnels, etc.) having
diameter of in inches and an estimated depth of feet. It is estimated that
feet of the well will require casing. Depth to water table is estimated

CANAL SYSTEM OR PIPE LINE -

9. (a) Give dimensions at each point of can	nal where materially cha	nged in size, stating miles from
headgate. At headgate, width on top (at water line	e)	feet; width on hottom
feet; depth of water	feet; grade	feet fall per one

thousand feet.

(b) At miles from headgate: width on top (at water line)

> feet; width on bottom feet; depth of water

feet;

grade

feet fall per one thousand feet.

(c) Length of pipe.

fix size at intake, in ; in size at

it.

from intake

in.; size at place of use

in.; difference in elevation between

intake and place of use.

ft. Is grade uniform?

Estimated capacity.

sec. ft.

10. If pumps are to be used, give size and type en en en la composition de la composition della composition della

G be horsepower and type of motor or angine to be used $(1, 100, 1100) \times 100 \times 100$

11. If the location of the well, trouble or other development work is less than one-fourth in \mathbb{R}_2 from a natural stream or tream examined, a rettle distance to the mearest point on each of such of each of each of the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township Note S	E or W of Williamette Mer dian	Section	Forts -	acre Tract	: .t	Number To Be Irr	Acres gated
	,	•			· s		•
	,		•	. •		1	• •
- f	•			e managarin da kananan da kananan Bananan da kananan da k		1	
,	•		,			1	
			,				
					٠		

throwe participates attentions operate onest

	PAL SUPPLY— To supply the city of	1000
	county, having a present population of	
and an es	stimated population of in 19 in 19	
	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES	
14.	Estimated cost of proposed works, \$ See below under remarks	
15.	Construction work will begin on or before See below under remarks	······································
16.	Construction work will be completed on or before See below under re-	ma r ks
17.	The water will be completely applied to the proposed use on or beforeJune 1	st. 1982
18.	If the ground water supply is supplemental to an existing water supply, iden or permit, permit, certificate or adjudicated right to appropriate water, made or	tify any appli-
applicant.	4	or neta by the
аррисан и.		
	(Sumpture of applicant)	Africa Color
	(Structure of applicant)	Mulley, in
Ret	marks: well driven and completed by our a lyss in 1940 to be ixty collars, and the used extensively whill 1956	at an approx.
• • • • • • • • • • • • • • • • • • • •	- 1901 well mand wash except interine live stock. In	o. Detreen 1.00 -1901-⊶eld tas
* 1.75 	a in irri- vion of corn.	
F C -	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
	· ··· ································	
	en e	
	en e	•
		•
	en de la composition	
	OF OREGON, Iss.	
Count	ty of Marion,	
Thi	is is to certify that I have examined the foregoing application, together with the	accompanying
maps and	d data, and return the same for completion correction	
In	order to retain its priority, this application must be returned to the State Engineer	er, with correc-
tions on c	or before Lanuary 30 1962 February 14 1962	
WI	ITNESS my hand this 30th day of November 14th December	. 1961 1961

LEWIS A. STANLEY

man -

lter N. Pelly

County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The use to relead this reater is to be most od or

If for critiquion, this appropriation shall be limited to the of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed the acre feet per acre for each acre irrigated during the irrigation season of each year; the interest of the acre is a season of each year; the interest of the acre is a season of each year; the interest of the acre is a season of each year; the interest of the acre is a season of each year; the interest of the acre is a season of each year; the interest of the acre is a season of each year; the interest of the acre is a season of each year; the interest of the acre is a season of each year; the interest of the acre is a season of each year; the interest of the acre is a season of each year; the interest of the acre is a season of each year; the interest of the acre is a season of each year.

and shall be absent to all region No retailer system as may be ordered by the proper state officer.

The m N Sh(P) be called as necessary in accordance with good practice and if the flow is written the works were not the j region capturing and control value to prevent the waste of ground water.

The north constructed shall include an cir line and pressure gauge or an access port for measur no line, aden are to determine water level elevation in the well at all times.

The permittee shall initall and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The price in date of this permit of

Actual construction work half begin in or before

and hall

thereigher has a second of the second of the second of the complete London Feters On to be a second

But the second of the second o

The a stone

Appleation No. G. 2163 Principle G. 1795 TO AFPROPRIATE THE GROUND WATERS OF THE STATE OF ORFGON

PERMI

The perfect mas first received in the effect of the State Engineer at Salom, Oregon

7

Reserved to egg locant

Recorded to book No. 8.

Grand Willy Perunt on page Franke

Decree Part No. 2 page

Strate