

1961
NR

Permit No. G-2011

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Edwin P. and Mary E. Savard (Name of applicant) of 2170 S. Marion Street, Albany, (Postoffice Address), county of Linn, state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Oak Creek (Name of stream) tributary of Cedarburg river

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 25 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 1/4 Sec 34, T. 11 S., R. 24 W. 1/4 Sec 34, T. 11 S., R. 24 W. (N. or S.) and (E. or W.) from the corner of (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary) being within the of Sec. 34, Twp. 11 S., R. 24 W. M., in the county of

5. The main line (Canal or pipe line) to be in length, terminating in the of Sec. 34, Twp. 11 S., R. 24 W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of having a diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require casing. Depth to water table is estimated (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type _____

Give horsepower and type of motor or engine to be used _____

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development _____

12. Location of area to be irrigated, or place of use _____

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated

(If more space required, attach separate sheet.)

Character of soil _____

Kind of crops raised _____

MUNICIPAL SUPPLY--

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$100.00
- 15. Construction work will begin on or before Well driven on March 22, 1958
- 16. Construction work will be completed on or before Construction completed on October 1, 1958
- 17. The water will be completely applied to the proposed use on or before October 1, 1963

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Edwin P. Savard & Mary E. Savard
(Signature of applicant)
By Mary E. Savard

Remarks:

Beginning at a point which is N. 88°42' E. 10.35 chains and N. 1° 27' W. 57.55 chains from the Southwest corner of the D.L.C. of Hiram W. Broad, Claim 53, T. 11 S., R. 3 W. of the W. Mer. in Linn County, Oregon, running thence N. 88°42' E. 681 feet, more or less to the West line of a County road, thence South along the West line of said County road 202.12 feet, thence westerly 681 feet, more or less, to a point which is S. 1° 27' E. of the place of beginning, thence N. 1° 27' W. 202.12 feet to the place of beginning, all in Linn County, Oregon.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from

The use to which this water is to be applied is

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is

Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19

Complete application of the water to the proposed use shall be made on or before October 1, 19

WITNESS my hand this day of, 19..

STATE ENGINEER

Application No G- 2181
Permit No. G- 2266

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 5th day of February, 1962, at 10 o'clock P.M.

Returned to applicant:

Approved:

February 13, 1962

Recorded in book No. 2181 of

Ground Water Permits on page 262

WILLIAM A. STANLEY STATE ENGINEER

Drainage Basin No. page 262