

Permit No. G- 202

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

Andrew William Sherwood and I, Anne Sherwood

of 328 S.E. Gilham Street, Portland , county of Multnomah	
state of Oregon , do hereby make application for a permit to appr following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS	opriate the
If the applicant is a corporation, give date and place of incorporation	
en e	
1. Give name of nearest stream to which the well, tunnel or other source of water deve	lopment is
situated Sandy River (Name of stream)	
tributary of	
2. The amount of water which the applicant intends to apply to beneficial use is feet per second or 50 gallons per minute.	cubic
3. The use to which the water is to be applied is irrigation of a 🛎 acre :	purery
and domestic use.	
4. The well or other source is located 2340 ft. South and ft. West from corner of Section 10, T 1 S, R 4, E of W M. (Section or subdivision)	the \mathbb{N} , \mathbb{E} ,
(If preferable, give distance and bearing to section corner) 336' N. & 1020' W. of the Et corner Section 16 If there is more than one we wish must be described. Use separate sheet if necessary of Sec. being within the east half the NE 1/4 of Sec	£
The trace of the country of	
in length, terminating in the SW 1/4 of NE 1/4 of NE 1/4 of Sec. 16 Twp.	t. Weller
(Smallest legal su division)	· · · · · · · · · · · · · · · · · · ·
R W. M., the proposed location being shown throughout on the accompanying map.	
6. The name of the well or other works is numbery implication well	
DESCRIPTION OF WORKS	
7 If the flow to be utilized is artesian, the works to be used for the control and conserve supply when not in use must be described.	tion of the
Not intestan.	
8. The development will consist of One Well (Give number of wells tunnels etc.)	having a
diameter of inches and an estimated depth of 350 feet. It is estimated to	at 356
teet of the well will require (Kind) casing. Depth to water table is estimated) Feet

CANAL SYSTEM OR PIPE LINE—°
9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from
headgate. At headgate: width on top (at water line) no headgate feet; width on bottom
feet; depth of water feet; grade feet fall per one
thousand feet.
(b) At miles from headgate: width on top (at water line)
feet; width on bottom feet; depth of water feet
grade feet fall per one thousand feet.
(c) Length of pipe, 1,000 ft.; size at intake. Four in.; in size at 1,000 ft
from intake two in.; size at place of use 2 to 4 in.; difference in elevation between
intake and place of use, level ft. Is grade uniform? no grade . Estimated capacity
100 gal. sec.ft.per minute
10. If pumps are to be used, give size and type one 100 gal. per min. well pump
Gire horsepower and type of motor or engine to be used 15 h.p. electric motor
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from natural stream or stream channel, give the distance to the nearest point on each of such channels an

the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Numbei Acres To Be Irrigated
1. 15h	4 East		ME 1/4 of NE 1/4)	5 acres
10 (10 (10 (10 (10 (10 (10 (10 (10 (10 (4 East	7.	SE 1,44 of NE 1,44)	9 2 seres
rii e e e	de to be in	imited is	un area of about 10	acres lying
		A of the	NE 1/4 and raptly in	nitte "E. ja
•	22 /- 01	nia Georgia	n 10.	
	· •			
	1			
	-			
in property for the property of the second s		(If more space re	quired, attach separate sheet)	

Character of soil

Kind of crops raised

EVen theorem

MUNICIPAL SUPPLY— 13. To supply the city of Not applicable.
in county, having a present population of
and an estimated population of in 19 in 19
14. Estimated cost of proposed works, \$8,000.00
15. Construction work will begin on or before May 1, 1956
16. Construction work will be completed on or before July 1, 1956
17. The water will be completely applied to the proposed use on or before July 15, 1956
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. None
Remarks:
Mrs. Sherwood and I are the owners of the E 1/2 of the NE 1/4
of Sec. 16, T 1 S, R 4 E of W M in Multnomah County, Oregon.
I have been in the nursery business 30 years and we desire to
develop the said to acre tract in said E 1/2 for nursery
propogation The reason we are going to use a 100 gal. per
min. well pump and have applied only for 50 gals. per min.
of water in that we only expect to pump about half the time.
e de la companya de l La companya de la companya de
en komune a servicio de la comunicación de la comun
en e
STATE OF OREGON. (ss. County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same forcompletion
In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before 332.45 ,, 19.56
WITNESS my hand this 20th day of mirroh
DECENTED LEWIS A, STAGEN STATE ENGINEER STATE OF Chris L. Wheeler, Assistant
STATE IN LINEER Chris L. Wheeler, Assistant SALEL CREGON

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and cubic feet per second measured at the point of diversion from the well or 0,11 shall not exceed source of appropriation, or its equivalent in case of rotation with other water users, from Nursery irrigation well

irrigation The use to which this water is to be applied is If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be still further limited to a diversion of not to exceed 0.11 c.f.s., and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

March 12, 1956 The priority date of this permit is

May 20, 1957 Actual construction work shall begin on or before thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 57

Complete application of the water to the proposed use shall be made on or before October 1, 1958

WITNESS my hand this 23rd day of

TATE ENGINEER

Permit No. 6- 302

By Phonen No G. 2.

TO APPROPRIATE THE WATERS OF THE S PERMIT

Salem, Oregon This instrument was first

office of the State Engineer at

day of o'clock on the ... 19 ... at

Returned to applicant:

Recorded in book No. 1 Ground Water Permits on pag May 23, 1956 Approved:

LEWIS A. STANLEY Drainage Basin No.

Lees Laid # 15.00 State Printing 90746