

Permit No. G-2056

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, WHITEHORSE RANCH, INC. (Name of applicant)
of ANDREWS, (Postoffice Address), county of HARNEY, state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Whitehorse Creek (Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is 20 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located ft. (N or S) and ft. (E or W) from the corner of See attached sheet (Section or subdivision)

(If preferable, give distance and bearing to section corner)

If there is more than one well, each must be described. Use separate sheet if necessary.

being within the of Sec. Twp. R. W. M., in the county of Harney

5. The canal to be 8 miles in length, terminating in the SE 1/4 NW 1/4 of Sec. 3 Twp. 37 S R. 36 E W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Wells #1, 2, 3, 4

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 4 wells having a diameter of 20 inches and an estimated depth of 700 feet. It is estimated that feet of the well will require Cased 24" with 20" pipe casing. Depth to water table is estimated

CANAL SYSTEM OR PIPE LINE

9 (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; in size at \_\_\_\_\_ from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type Electric powered turbine type pumps with 16" bowls.

Give horsepower and type of motor or engine to be used

electric motors 200 horsepower.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channel and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use See attached sheet

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated

if more space required, attach separate sheet.

Character of soil Clay silt loam  
Kind of crops raised Wheat and grain

4. The wells are located as follows:

- Well #1 - South 58 degrees 30' West 750 feet from the Northeast section CORNER of Section 14, and is in the NE $\frac{1}{4}$ NE $\frac{1}{4}$ , Section 14, T 37 S - R 36 E., W.M., Oregon
- Well #2 - South 31 degrees 00' West 2905 feet from the northeast section corner of Section 24 and is in the SW $\frac{1}{4}$ NE $\frac{1}{4}$ , Section 24, T 37 S - R 36 E., W.M., Oregon.
- Well #3 - South 37 degrees 30' west 4600 feet from the northeast section corner of Section 24 and is in the NE $\frac{1}{4}$ SW $\frac{1}{4}$ , Section 24, T 37 S - R 36 E., W.M., Oregon.
- Well #4 - South 45 degrees 30' east 1660' from the northwest section corner of Section 31 and is in Lot 5, Section 31, T 37 S - R 37 E., W.M. Oregon

9.(a) Dimensions at each point of canal where materially changed in size.

At headgate:

- #1 - 2' bottom, 18" deep, 3' top, grade 2' fall/thousand ft.
- #2 - 3' bottom, 2' deep, 4' top, grade 2' fall/thousand ft.
- #3 - 2' bottom, 18" deep, 3' top, grade 2' fall/thousand ft.
- #4 - 3' bottom, 2' deep, 4' top, grade 2' fall/thousand ft.

11. Place of Use:

Township and Range	Section.	Forty-acre tract	Acres to be irrigated.
T 37 S - R 36 E	34	SE $\frac{1}{4}$ NE $\frac{1}{4}$	5.9
"	34	NE $\frac{1}{4}$ SE $\frac{1}{4}$	24.00
"	34	SE $\frac{1}{4}$ SE $\frac{1}{4}$	40.00
"	34	SW $\frac{1}{4}$ SE $\frac{1}{4}$	24.00
"	34	SE $\frac{1}{4}$ SW $\frac{1}{4}$	11.20
"	35	NE $\frac{1}{4}$ NE $\frac{1}{4}$	20.00
"	35	SW $\frac{1}{4}$ NE $\frac{1}{4}$	10.00
"	35	SE $\frac{1}{4}$ NW $\frac{1}{4}$	10.00
"	35	SW $\frac{1}{4}$ NW $\frac{1}{4}$	10.50
"	35	NW $\frac{1}{4}$ SW $\frac{1}{4}$	12.00
"	35	NE $\frac{1}{4}$ SW $\frac{1}{4}$	30.00
"	35	SW $\frac{1}{4}$ SW $\frac{1}{4}$	10.00
"	35	SE $\frac{1}{4}$ SE $\frac{1}{4}$	10.00
"	35	SW $\frac{1}{4}$ SE $\frac{1}{4}$	11.00
"	35	SE $\frac{1}{4}$ SW $\frac{1}{4}$	10.00
"	36	SE $\frac{1}{4}$ NW $\frac{1}{4}$	10.00
"	36	SW $\frac{1}{4}$ NW $\frac{1}{4}$	10.00
"	36	NE $\frac{1}{4}$ SW $\frac{1}{4}$	11.00
"	36	NW $\frac{1}{4}$ SW $\frac{1}{4}$	10.00
"	36	SW $\frac{1}{4}$ SW $\frac{1}{4}$	10.00
"	36	SE $\frac{1}{4}$ SW $\frac{1}{4}$	10.00
T 37 S - R 36 E	1	Lot 4	10.00
"	1	SW $\frac{1}{4}$ NW $\frac{1}{4}$	10.00
"	2	Lot 1	10.00
"	2	Lot 2	10.00
"	2	Lot 3	10.00
"	2	Lot 4	10.00
"	2	SE $\frac{1}{4}$ NE $\frac{1}{4}$	10.00
"	2	SW $\frac{1}{4}$ NE $\frac{1}{4}$	10.00
"	2	SE $\frac{1}{4}$ NW $\frac{1}{4}$	10.00
"	2	SW $\frac{1}{4}$ NW $\frac{1}{4}$	10.00
"	2	NE $\frac{1}{4}$ SW $\frac{1}{4}$	10.00
"	2	NW $\frac{1}{4}$ SW $\frac{1}{4}$	10.00
"	2	SE $\frac{1}{4}$ SE $\frac{1}{4}$	10.00
"	2	SW $\frac{1}{4}$ SE $\frac{1}{4}$	10.00
"	2	SE $\frac{1}{4}$ SW $\frac{1}{4}$	10.00

Township and Range	Section	Forty-acre tract	Acres irrigated
T 37 S - R 36 E	3	Lot 1	40.00
"	3	Lot 2	40.00
"	3	Lot 3	40.00
"	3	SE 1/4 NE 1/4	40.00
"	3	SW 1/4 NE 1/4	40.00
"	3	SE 1/4 NW 1/4	40.00
"	11	NE 1/4 NE 1/4	40.00
"	11	NW 1/4 NE 1/4	40.00
"	11	SE 1/4 NE 1/4	40.00
"	11	SW 1/4 NE 1/4	40.00
"	11	NE 1/4 SE 1/4	40.00
"	11	NW 1/4 SE 1/4	40.00
"	11	SE 1/4 SE 1/4	40.00
"	11	SW 1/4 SE 1/4	40.00
"	11	SE 1/4 SW 1/4	40.00
"	11	SW 1/4 SW 1/4	40.00
"	12	NW 1/4 NW 1/4	40.00
"	12	SW 1/4 NW 1/4	40.00
"	12	NW 1/4 SW 1/4	40.00
"	13	NW 1/4 NW 1/4	40.00
"	13	SW 1/4 NW 1/4	40.00
"	13	NW 1/4 SW 1/4	40.00
"	13	NE 1/4 SW 1/4	40.00
"	13	SW 1/4 SW 1/4	40.00
"	13	SE 1/4 SW 1/4	40.00
"	13	NW 1/4 SE 1/4	40.00
"	13	SW 1/4 SE 1/4	40.00
"	14	NE 1/4 NE 1/4	40.00
"	14	NW 1/4 NE 1/4	40.00
"	14	SE 1/4 NE 1/4	40.00
"	14	SW 1/4 NE 1/4	40.00
"	14	NE 1/4 NW 1/4	40.00
"	14	NW 1/4 NW 1/4	40.00
"	14	SE 1/4 NW 1/4	40.00
"	14	SW 1/4 NW 1/4	40.00
"	14	NE 1/4 SE 1/4	40.00
"	14	NW 1/4 SE 1/4	40.00
"	14	SE 1/4 SE 1/4	40.00
"	14	SW 1/4 SE 1/4	40.00
"	21	NE 1/4 NE 1/4	40.00
"	21	NW 1/4 NE 1/4	40.00
"	21	SE 1/4 NE 1/4	40.00
"	21	SW 1/4 NE 1/4	40.00
"	21	NE 1/4 NW 1/4	40.00
"	21	NW 1/4 NW 1/4	40.00
"	21	SE 1/4 NW 1/4	40.00
"	21	SW 1/4 NW 1/4	40.00
"	21	NE 1/4 SE 1/4	40.00
"	21	NW 1/4 SE 1/4	40.00
"	21	SE 1/4 SE 1/4	40.00
"	21	SW 1/4 SE 1/4	40.00
"	21	NE 1/4 SW 1/4	40.00
"	21	NW 1/4 SW 1/4	40.00
"	21	SE 1/4 SW 1/4	40.00
"	21	SW 1/4 SW 1/4	40.00

Total 1,120.00

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$8,500 each or \$34,000 for drilling and casing. \$12,000 each for pump & motor or \$48,000.
- 15. Construction work will begin on or before March 1, 1962—Well #1; Sept. 1, 1962, Well #2; March 1, 1963, Well #3; Sept. 1, 1963, Well #4.
- 16. Construction work will be completed on or before 9/1/62, Well #1; 3/1/63, Well #2; 9/1/63, Well #3; 3/1/64, Well #4.
- 17. The water will be completely applied to the proposed use on or before 3/2/67.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. .... This water is supplemental to existing surface decreed rights.....

..... from Whitehorse Ck. ....

WHITEHORSE RANCH, INC.

X

(Signature of applicant)

Remarks: This water is supplemental to existing surface decreed rights from Whitehorse Creek

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By .....

ASSISTANT

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 20.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from wells Nos. 1, 2, 3 and 4.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 15, 1962

Actual construction work shall begin on or before May 10, 1963 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963

Complete application of the water to the proposed use shall be made on or before October 1, 1964

WITNESS my hand this 10th day of May, 1962

W. A. Kagan

STATE ENGINEER

Application No. G-2233

Permit No. G-2233

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of February, 1962, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. of

Ground Water Permits on page 20000

STATE ENGINEER

Drainage Basin No. 11 page 29

State Printer