

## Permit No. G- 2065

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Ralph & McAllister (Name of applicant)	
of PaQa Box 263 Silverlake co	unty ofLake,
state ofOragon, do hereby make appli following described ground waters of the state of Oregon, SUBJECT	
If the applicant is a corporation, give date and place of incorpora	ation
None	
1. Give name of nearest stream to which the well, tunnel or o	
situated NOD9 (Name of stream)	
tributary	
2. The amount of water which the applicant intends to apply feet per second or Sallons per minute.	to beneficial use is cubic
3. The use to which the water is to be applied is Farm. cro	p irrigation.
4. The well or other source is located 1320 of ft. S and	660 ft. We from the NE
corner of Sec, 28, T26S, R15E of W.M. (Section or subdivision)	
(If preferable, give distance and bearing to section o	corner)
being within the NET OF NET of Sec. 28	te sheet if necessary) . Twp. 26S . R. 15E .
W. M., in the county of Lake	
5. The Pipeline (Canal or pipe line)	to be 1320! miles
in length, terminating in the SE‡ of. NE‡ (Smallest legal subdivision)	of Sec. 28 . Twp.265 .
R15E . W. M., the proposed location being shown throughout	on the accompanying map.
6. The name of the well or other works is McAllister #	<b>#1</b>
DESCRIPTION OF WORKS	3
7. If the flow to be utilized is artesian, the works to be used for supply when not in use must be described.	or the control and conservation of the
8. The development will consist of One	having a
diameter of 1210 inches and an estimated depth of 300	feet. It is estimated that
30004 3	o water table is estimated 20

## CANAL SYSTEM OR PIPE LINE\_

9 (a) Give dimensions at each poi	nt of canal where ma	iterially change	ed in size, stating miles from
headgate. At headgate: width on top (at u			
feet; depth of water	feet;	grade	feet fall per one
thousand feet.			
(b) At: miles from	n headgate: width on	top (at water)	line)
feet; width on bottom	feet	; depth of wat	er feet;
grade feet fall per one	thousand feet.		
(c) Length of pipe, 1320	. ft.: size at intake,	6 ir	ar in size at 1320 ft.
from intake 6 in.; size at p	place of use 3	in.; diff	erence in elevation between
intake and place of use, level	ft. Is grade unifor	m? yes	. Estimated capacity.
430gpm sec. ft.			
10. If pumps are to be used, give siz	e and type 30 Hp	Vertical m	iount
10" 4 6 bowls			
Give horsepower and type of motor	or engine to be used	30 Horse	Power electric

1!. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

no stream near the well

12. Location of area to be irrigated, or place of use Sec. 28, T26S, R15E V.M.

		-		The state of the s	
Township N or S	Range E or W of Williamette Meridian	Section		Forty-acie Tract	Numbe, Acres To Be Irrigated
_13	19 <b>2</b>	23	. NE4	of NE;	37.4
23	171		SE4	of mal	39.1
				moment.	

Character of soil Sanly Loam

II. To supply the city of	
n county, he	ving a present population of
end an estimated population of	1
ANSWER QUESTION  14. Estimated cost of proposed work	DNS 14, 15, 16, 17 AND 18 IN ALL CASES to \$1.5,7.00,00
15. Construction work will begin on	or before Dac. 30, 1961
16. Construction work will be compl	leted on or beforeMay. 1, 1962
17. The water will be completely ap	oplied to the proposed use on or before Max 1, 1964
18. If the ground water supply is	supplemental to an existing water supply, identify any appli
cation for permit, permit, certificate or	adjudicated right to appropriate water, made or held by th
applicant.	
	Agrification (Signature of applicant)
Remarks:	·····
	······································
	·
	•
	• •
	······································
	······································
	······································
	<u></u>
· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	······································
STATE OF OPECON	
STATE OF OREGON, ss. County of Marion,	
	in od 4 h.a. damaga in a montionation, an order of the state of
	ined the foregoing application, together with the accompanying
maps and data, and return the same for	
	• • • • • • • • • • • • • • • • • • • •
	application must be returned to the State Engineer, with correc
tions on or before	, 19
WITNESS my hand this	day of

STATE ENGINEER

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

snall	not exceed	0.96	сп	ibic feet j	per second i	me <b>asured</b>	at the poin	t of diversion	from the well or
sourc	e of appropri	ation, or its	<b>e</b> quive	ilent in c	ase of rotati	ion with o	th <b>er</b> water	users, from	<b>McAllister</b>
	Well No.								
	The use to a					. :	irrigatio	on	
	If for irrigat	tion, this ap	propri	ation sha	ill be limite	d to	80 <u>#</u>	of one cub	ic foot per second
or its	equivalent f	or each acr	e irrig	ated and	shall be fu	rther limi	ited to a div	ersion of not t	o exceed 3
acre	feet per acre	for each a	cre irr	igated du	iring the ir	rigation s	eason of ea	ch year;	
		•							
								••••	••
	•								
and.	shall be subje	ect to such	reason	able rota	ition system	ı as may b	e ordered l	by the proper	state officer.
line.	corks shall in The works adequate to	clude prop constructed determine tee shall in	er cap i shall water stall a	ping and include level ele nd maint	control val an air line evation in t tain a weir,	lve to pre and press he well a meter, or	vent the ware gauge tall times.  other suita		d water.  port for measuring  g device, and shall
line.	works shall in The works adequate to The permit a complete i	clude prop constructed determine tee shall in ecord of th	er cap l shall water stall a e amo	ping and include level ele nd maint unt of gr	control val an air line evation in t tain a weir,	lve to pre and press he well a meter, or	vent the w sure gauge t all times. to ther suita wn.	aste of ground or an access p	d water. port for measuring g device, and shall
line.	works shall in  The works adequate to The permit a complete to  The priorit	clude prop constructed determine tee shall in ecord of th y date of th	er cap I shall water stall a e amo	ping and include level ele nd maint unt of gr	control value an air line evation in tain a weir, cound water	lve to pre and press he well a meter, or r withdra	vent the ware gauge to all times. to other suita wn.	aste of ground or an access p able measuring	d water. port for measuring g device, and shall
line. <b>keep</b>	rorks shall in  The works adequate to  The permit a complete i  The priorit  Actual con	clude prop constructed determine tee shall in ecord of th y date of th	er cap I shall water stall a e amo is peri	ping and include level cle nd maint unt of gr mit is all begin	control value an air line evation in teain a weir, cound water	lve to pre and press he well a meter, or r withdras	vent the ware gauge to all times. to other suitawn.  Februs May 1	aste of ground or an access public measuring ary 28, 196	d water.  bort for measuring g device, and shall  and shal
line. <b>keep</b>	rorks shall in  The works adequate to  The permit a complete i  The priorit  Actual con	clude prop constructed determine tee shall in record of th y date of th struction to	er cap I shall water stall a e amo ork sh ith rea	ping and include level cle nd maint unt of gr mit is all begin	control value an air line evation in teain a weir, cound water diligence	lve to pre and press he well a meter, or r withdras re	vent the ware gauge to all times. Tother suitawn.  Februs May 10	aste of ground or an access public measuring ary 28, 1960, 1963 or before Occ	d water.  bort for measuring g device, and shall  and shall toher 1, 19 63
line. <b>keep</b>	rorks shall in  The works adequate to The permit a complete to  The priorit  Actual con entity has pre-	clude prop constructed determine tee shall in ecord of th y date of th struction to constiduce	er cap, I shall water stall a e amo  ork sh  ith rea  , + ch,	ping and include level ele nd maint unt of gr mit is all begin wenable	control value an air line evation in tain a weir, cound water on or beford diligence	lve to pre and press he well a meter, or r withdras re	vent the ware gauge to all times. Tother suitawn.  Februs May 10	aste of ground or an access public measuring ary 28, 1960, 1963 or before Occupy hefore (	d water.  bort for measuring g device, and shall  and shal
line. <b>keep</b>	rorks shall in  The works adequate to The permit a complete to  The priorit  Actual con entity has pre-	clude prop constructed determine tee shall in record of th y date of th struction to	er cap, I shall water stall a e amo  ork sh  ith rea  , + ch,	ping and include level ele nd maint unt of gr mit is all begin wenable	control value an air line evation in teain a weir, cound water diligence	lve to pre and press he well a meter, or r withdras re	vent the water gauge to all times. Tebrus May 16 made	aste of ground or an access public measuring ary 28, 1960, 1963 or before Occupy hefore (	d water.  port for measuring g device, and shall  and shall ctoher 1, 19 63  October 1, 19 64
line. <b>keep</b>	rorks shall in  The works adequate to The permit a complete to  The priorit  Actual con entity has pre-	clude prop constructed determine tee shall in ecord of th y date of th struction to constiduce	er cap, I shall water stall a e amo  ork sh  ith rea  , + ch,	ping and include level ele nd maint unt of gr mit is all begin wenable	control value an air line evation in tain a weir, cound water on or beford diligence	lve to pre and press he well a meter, or r withdras re	vent the water gauge to all times. Tebrus May 16 made	aste of ground or an access public measuring ary 28, 1960, 1963 or before Occupy hefore (	d water.  port for measuring g device, and shall  and shall ctoher 1, 19 63  October 1, 19 64
line. <b>keep</b>	rorks shall in  The works adequate to The permit a complete to  The priorit  Actual con entity has pre-	clude prop constructed determine tee shall in ecord of th y date of th struction to constiduce	er cap, I shall water stall a e amo  ork sh  ith rea  , + ch,	ping and include level ele nd maint unt of gr mit is all begin wonable water to d	control value an air line evation in tain a weir, cound water on or beford diligence	lve to pre and press he well a meter, or r withdras re	vent the water gauge to all times. Tebrus May 16 made	aste of ground or an access public measuring ary 28, 1960, 1963 or before Occupy hefore (	d water.  port for measuring g device, and shall and shall stoher 1, 19 63 Detober 1, 19 64 62
line. <b>keep</b>	rorks shall in  The works adequate to The permit a complete to  The priorit  Actual con entity has pre-	clude prop constructed determine tee shall in ecord of th y date of th struction to constiduce	er cap, I shall water stall a e amo  ork sh  ith rea  , + ch,	ping and include level ele nd maint unt of gr mit is all begin wonable water to d	control value an air line evation in tain a weir, cound water on or beford diligence	lve to pre and press he well a meter, or r withdras re	vent the water gauge to all times. Tebrus May 16 made	aste of ground or an access public measuring ary 28, 1960, 1963 or before Occupy hefore (	d water.  port for measuring g device, and shall and shall stoher 1, 19 63 Detober 1, 19 64 62
ther	rorks shall in  The works adequate to The permit a complete to  The priorit  Actual con entity has pre-	clude prop constructed determine tee shall in ecord of th y date of th struction to constiduce	er cap, I shall water stall a e amo  ork sh  ith rea  , + ch,	ping and include level ele nd maint unt of gr mit is all begin wonable water to d	control value an air line evation in tain a weir, cound water on or beford diligence	lve to pre and press he well a meter, or r withdras re	vent the water gauge to all times. Tebrus May 16 made	aste of ground or an access public measuring ary 28, 1960, 1963 or before Occupy hefore (	d water.  port for measuring g device, and shall and shall stoher 1, 19 63 Detober 1, 19 64 62
line. <b>keep</b>	rorks shall in  The works adequate to The permit a complete to  The priorit  Actual con entity has pre-	clude prop constructed determine tee shall in ecord of th y date of th struction to constiduce	er cap, I shall water stall a e amo  ork sh  ith rea  , + ch,	ping and include level ele nd maint unt of gr mit is all begin wenable	control value an air line evation in tain a weir, cound water on or beford diligence	lve to pre and press he well a meter, or r withdras re	vent the water gauge to all times. Tebrus May 16 made	aste of ground or an access public measuring ary 28, 1960, 1963 or before Occupy hefore (	d water.  port for measuring g device, and shall and shall stoher 1, 19 63 Detober 1, 19 64 62
ther	rorks shall in  The works adequate to The permit a complete to  The priorit  Actual con entity has pre-	clude prop constructed determine tee shall in ecord of th y date of th struction to constiduce	er cap, I shall water stall a e amo  ork sh  ith rea  , + ch,	ping and include level ele nd maint unt of gr mit is all begin wonable water to d	control value an air line evation in tain a weir, cound water on or beford diligence	lve to pre and press he well a meter, or r withdras re	vent the water gauge to all times. Tebrus May 16 made	aste of ground or an access public measuring ary 28, 1960, 1963 or before Occupy hefore (	d water.  port for measuring g device, and shall and shall stoher 1, 19 63 Detober 1, 19 64 62
ther	rorks shall in  The works adequate to The permit a complete to  The priorit  Actual con entity has pre-	clude prop constructed determine tee shall in ecord of th y date of th struction to constiduce	er cap, I shall water stall a e amo  ork sh  ith rea	ping and include level ele nd maint unt of gr mit is all begin wonable water to d	control value an air line evation in teain a weir, cound water diligence the propositive of	lve to pre and press he well a meter, or r withdras re	vent the water gauge to all times. Tebrus May 16 made	aste of ground or an access public measuring ary 28, 196 or 1963 or before October Principle (19	d water.  port for measuring g device, and shall and shall stoher 1, 19 63 Detober 1, 19 64 62
ther	rorks shall in  The works adequate to The permit a complete to  The priorit  Actual con entity has pre-	clude prop constructed determine tee shall in ecord of th y date of th struction to constiduce	er cap, I shall water stall a e amo  ork sh  ith rea	ping and include level ele nd maint unt of gr mit is all begin wonable water to d	control value an air line evation in teain a weir, cound water diligence the propositive of	lve to pre and press he well a meter, or r withdras re	vent the water gauge to all times. Tebrus May 16 made	aste of ground or an access public measuring ary 28, 196 or 1963 or before October Principle (19	d water.  port for measuring g device, and shall and shall stoher 1, 19 63 Detober 1, 19 64 62
ther	rorks shall in  The works adequate to The permit a complete to  The priorit  Actual con entity has pre-	clude prop constructed determine tee shall in ecord of th y date of th struction to constiduce	er cap, I shall water stall a e amo  ork sh  ith rea	ping and include level ele nd maint unt of gr mit is all begin wonable water to d	control value an air line evation in teain a weir, cound water diligence the propositive of	lve to pre and press he well a meter, or r withdras re	vent the water gauge to all times. Tebrus May 10 mapleted on all he made	aste of ground or an access public measuring ary 28, 196 or 1963 or before October Principle (19	d water.  port for measuring g device, and shall and shall stoher 1, 19 63 Detober 1, 19 64 62