

Permit No. G-2074

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Roman Hoosing (Name of applicant) of Rt 1 Box 479 Woodburn, county of Marion, state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Well is located approx 1.5 miles east of Champney Creek (Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.375 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 1790 ft. N 7°15' W and ft from the SW corner of The L. Kendall OLC #69 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary)

being within the NE 1/4 of the SE 1/4 of Sec. 3, Twp 35, R. 2 W, W. M., in the county of Marion

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp.

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is B Hoosing Well # 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well (Give number of wells, tunnels, etc) having a diameter of 8 inches and an estimated depth of 97 feet. It is estimated that 97 feet of the well will require Std. steel (Kind) casing. Depth to water table is estimated 12 (Feet) Well was constructed in 1954

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type _____

Give horsepower and type of motor or engine to be used _____

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channel, and the difference in elevation between the stream bed and the ground surface at the source of development _____

12. Location of area to be irrigated, or place of use _____

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
33	24	3	SE 1/4 of SW 1/4	10
33	24	3	NW 1/4 of SW 1/4	10
33	24	3	SW 1/4 of SW 1/4	10

(if more space required, attach separate sheet)

Character of soil _____

Kind of crop raised _____

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before *Well completed.*
- 16. Construction work will be completed on or before *Completed.*
- 17. The water will be completely applied to the proposed use on or before *now in use to full extent of application.*
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. *None.*

Ronald Harving
(Signature of applicant)

Remarks:

*Legal description of property involved is as follows:
Beginning at the re-entrant corner in the South line of the Henry
A.M. Dechesne DLC in T5S, R2W of the W.M. in Marion County,
Oregon, thence N 7°36' E along the center line of the county road 8.79
chains to an iron bolt; thence N 10°99' East 15 links; thence South 80°15' E
9.577 chains to an iron pipe; thence N 49°16' E along the center of a ditch
2.76 chains; thence N 25°53' E 2.50 chains; thence S 80°15' E 1.97 chains to an
iron pipe; thence S 29°53' West 3.78 chains to an iron pipe; thence S 93°35' E
7.96 chains to an iron pipe; thence N 29°45' E 3.207 chains to an iron pipe;
thence S 80°15' E 8.98 chains; thence S 22°46' W 14.42 chains, thence N 69°51' W
24.60 chains to an iron bolt in the center of the county, A.M. Dechesne DLC
links to the point of beginning, being situated in the Henry A.M. Dechesne DLC
in T5S, R2W of the W.M. in Marion County Oregon*

STATE OF OREGON, }
County of Marion. } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

STATE ENGINEER

By

ASSISTANT

County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.38 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from R. Hoelsing well No. 1

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 16, 1962 Actual construction work shall begin on or before May 10, 1963 and thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963

Complete application of the water to the proposed use shall be made on or before October 1, 1964

WITNESS my hand this 10th day of May 19 62

[Signature]

STATE ENGINEER

Application No. G-2257

Permit No. G-

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 16 day of March

1962 at 11:55 o'clock A. M.

Returned to applicant

Approved

Recorded in book No. of

Ground Water Permits on page

STATE ENGINEER

Division of Reclamation

5-1-62