

RECEIVED  
MAR 20 1962

STATE ENGINEER  
SALEM, OREGON

Permit No. G-2088

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, D. L. and Eva A. Cook (Name of applicant)

of Route 2, Box 147, Albany (Postoffice Address), county of

state of Oregon, do hereby make application for a permit to appropriate the follow. described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Crook Creek (Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 208 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located S. 13° 45' E. 25.5 Chains ft. and ft. from the NW corner of John B. Miller, DEC 72 (N or S) (E or W) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described Use separate sheet if necessary)

being within the SE 1/4 of SW 1/4 of Sec. 6 Twp. 10S R. 3W

W. M., in the county of Linn

5. The Mainline Pipe (Canal or pipe line) to be 720 feet miles in length, terminating in the SE 1/4 of SW 1/4 of Sec. 6 Twp. 10S (Smallest legal subdivision)

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Cook No. 6

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One pump well (Give number of wells, tunnels, etc.) having a diameter of 10 inches and an estimated depth of 36 feet. It is estimated that 30 feet of the well will require Steel (Kind) casing. Depth to water table is estimated 10 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, 700 \_\_\_\_\_ ft.; size at intake, 5 \_\_\_\_\_ in.; in size at 720 \_\_\_\_\_ ft. from intake 4 \_\_\_\_\_ in.; size at place of use 3 \_\_\_\_\_ in.; difference in elevation between intake and place of use, 2 \_\_\_\_\_ ft. Is grade uniform? Yes \_\_\_\_\_ Estimated capacity, .75 \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type Fairbank Morse 2½" centrifugal

Give horsepower and type of motor or engine to be used 10 H. P. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Crooks Creek is approximately 660 feet from the well. The stream bed is approximately 12 feet lower than the ground surface at the well.

12. Location of area to be irrigated, or place of use SE¼ of SW¼ and NE¼ of SW¼, S.6T10S., R.3W

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
100	3W	6	SE¼ of SW¼	13.4
100	3W	6	NE¼ of SW¼	0.3
				13.7

(If more space required, attach separate sheet)

Character of soil Newberg and Chehalis

Kind of crops raised Peppermint, vegetables and vegetableseeds

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1800.00 .....
- 15. Construction work will begin on or before February 28, 1962 .....
- 16. Construction work will be completed on or before March 8, 1962 .....
- 17. The water will be completely applied to the proposed use on or before October 1, 1965 .....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. 2.3 acres of the 134 acres in the SE $\frac{1}{4}$  of SW $\frac{1}{4}$ , S.6 T.10S, R3E. are covered by previous application well No. 3

GR-1011  
GR-1021  
*[Handwritten Signature]*  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

STATE OF OREGON.

PERMIT

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.17 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Crook well

No. 6

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 30, 1962

Actual construction work shall begin on or before May 10, 1963 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1963

Complete application of the water to the proposed use shall be made on or before October 1, 1964

WITNESS my hand this 10th day of May, 1962

Handwritten signature of State Engineer

STATE ENGINEER

Application No. G-2219

Permit No. G-

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon.

on the day of 19 at o'clock M.

Returned to applicant

Approved:

Recorded in book No. of

Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. page

State Printer