

Permit No. G- 2098

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Plywood Products Corp. (Name of applicant)

of P. O. Box 587 Corvallis, county of Benton (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

November 30, 1953 Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River (Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 200 gallons per minute. being 100 g.p.m. from each well

3. The use to which the water is to be applied is General Plywood, Stud Mill and Mill Pond use.

4. The well or other source is located Well #2 558 S. 2768 E. 299 ft. N and 2944 ft. E. from the NW corner of "C. L. #63" (N or S) (E or W) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary.)

being within the of Sec. 21 Twp. 8S R. 4W

W. M., in the county of Polk

5. The (Canal or pipe line) to be miles in length, terminating in the of Sec. Twp.

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Inply Mill Wells

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not applicable

8. The development will consist of 2 Wells having a diameter of 6 inches and an estimated depth of 81 feet. It is estimated that all feet of the well will require steel casing. Depth to water table is estimated

CANAL SYSTEM OR PIPE LINE

9 (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) --- feet, width on bottom --- feet, depth of water --- feet; grade --- feet fall per one thousand feet.

(b) At --- miles from headgate width on top (at water line) --- feet; width on bottom --- feet; depth of water --- feet; grade --- feet fall per one thousand feet.

(c) Length of pipe, --- ft.; size at intake, --- in.; in size at --- from intake --- in.; size at place of use --- in.; difference in elevation between intake and place of use, --- ft. Is grade uniform? --- Estimated capacity --- sec. ft.

10. If pumps are to be used, give size and type Well #2 - Jet - free flow
Well #1 = Jet - free flow

Give horsepower and type of motor or engine to be used #2 5 H.P. - Elec.
5 H.P. - Elec.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channel, and the difference in elevation between the stream bed and the ground surface at the source of development

Not applicable

12. Location of area to be irrigated, or place of use Log Pond and plant located in Section 20 & 21 T 8S, R4W, W. M.

Township N. 12 S.	Range E. or W. of Wabasha Mer. Tan	Section	Forty-acre Tract	Number Acres To Be Irrigated
		21	All of the W. 1/4	maintain log pond mill operation

(If more space required, attach separate sheet.)

Character of soil ---

Kind of crops raised ---

MUNICIPAL SUPPLY— Not applicable

13. To supply the city of -----

in ----- county, having a present population of -----

and an estimated population of ----- in 19 --.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 1,160.00

15. Construction work will begin on or before -----

16. Construction work will be completed on or before completed, August, 1961

17. The water will be completely applied to the proposed use on or before August, 1961.

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. -----

PLYWOOD PRODUCTS CORP.

BY *[Signature]* Secretary
(Signature of applicant)

Remarks: All of the water from well No. 2 i.e., 100 gallons per minute, is utilized for maintaining the level of the pond. All of the water from Well No. 1 is utilized in the plant. Well No. 1 also has a capacity of 100 gallons per minute.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ----- completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 19, 1962.

WITNESS my hand this 19th day of February, 1962.

[Faint stamp]
SIA

LEWIS A. STANLEY

STATE ENGINEER

By

[Signature]
Walter N. Perry

ASSISTANT

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.37 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells, being 0.22 c.f.s. from well No. 1 for manufacturing and 0.15 c.f.s. from well No. 2 for maintenance of log pond to be constructed under App. No. R-57396, permit R- The use to which this water is to be applied is manufacturing and maintenance of log pond

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

This permit is valid until the date of this permit is - - - - -
The work contemplated by this permit shall be begun on or before - - - - -
The work contemplated by this permit shall be completed on or before October 1, 19 - - - - -
The application for use of the water to the proposed use shall be made on or before October 1, 19 - - - - -

WITNESS my hand this - - - - - day of - - - - - 19 - - - - -

STATE ENGINEER

Application No. G-2222
Permit No. G-2222

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 8th day of February 1962 at 2:50 o'clock P.M.

Returned to applicant

Approved:

June 15, 1962

Recorded in book No. 8 of

Ground Water Permits on page 20004

State Engineer

Drainage District No. 4 page 104

State Printer