

Permit No. G- 2121

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Bureau of Parks City of Portland (Name of applicant) of City Hall Portland, Oregon, county of Multnomah state of Oregon do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated. Columbia River (Name of stream) tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 500 gallons per minute.

3. The use to which the water is to be applied is 550 G. P. M. for irrigation use and 50 G. P. M. for domestic use.

4. The well or other source is located 2400 ft. S. and 200 ft. E. from the N. W. corner of Section 3 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

If there is more than one well each must be described. Use separate sheet if necessary.

being within the Northwest Corner SW 1/4 NW 1/4 of Sec. 3 Twp. I. N. R. I. E. W. M. in the county of Multnomah

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp. R. W. M. the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One well having a diameter of 12 inches and an estimated depth of 175 feet. It is estimated that 175 feet of the well will require Steel casing. Depth to water table is estimated 12 feet.

CANAL SYSTEM OR PIPE LINE --

9 (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet, width on bottom feet, depth of water feet, grade feet, fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet, width on bottom _____ feet, depth of water _____ feet, grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity _____ sec. ft.

10. If pumps are to be used, give size and type 7 stage turbine for irrigation and a submersible for domestic service.

Give horsepower and type of motor or engine to be used 50 H. P. Electric and 7 1/2 H. P. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use 10350 N. Denver, Portland, Oregon

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N.	1 E.	3	NW 1/2 of NW 1/2	1.96± <i>Park</i>
1 N.	1 E.	3	SW 1/2 of NW 1/2	28.96±
1 N.	1 E.	3	SE 1/2 of NW 1/2	3.41±
1 N.	1 E.	3	NW 1/2 of SW 1/2	27.57±
1 N.	1 E.	3	SW 1/2 of SW 1/2	2.38±
1 N.	1 E.	3	NE 1/2 of SW 1/2	5.98±
1 N.	1 E.	4	NE 1/2 of NE 1/2	0.63±
1 N.	1 E.	4	SE 1/2 of NE 1/2	7.63±
1 N.	1 E.	4	NE 1/2 of SE 1/2	14.87±
1 N.	1 E.	4	SE 1/2 of SE 1/2	6.03±
B. Domestic use same as above				99.42

(If more space required, attach separate sheet)

Character of soil Clay

Kind of crops raised Alfalfa

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 6000,00
- 15. Construction work will begin on or before March 1, 1962
- 16. Construction work will be completed on or before July 1, 1962
- 17. The water will be completely applied to the proposed use on or before August 1, 1962
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

.....
(Signature of applicant)

Remarks: Existing well located east of North Denver Avenue will be destroyed by the State Highway Department's improvement of the Extension of the Minnesota Freeways. This is a replacement installation to serve the area.

Number of people to be served for domestic use will vary with park use from 4 persons to 5,000 persons or more.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.33 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and public park purposes, being 1.23 c.f.s. for irrigation and 0.10 c.f.s. for public park purposes.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.5 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 23, 1962 Actual construction work shall begin on or before June 15, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 27 day of June 1962 STATE ENGINEER

Vertical text on the left side of the page, possibly a file number or date.

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon.

on the day of at o'clock M.

Received to applicant:

Approved June 15, 1962 Recorded in book No. 8 of 2121

STATE ENGINEER Printed & Bound No. 5 page 2