

Permit No. G- 2127

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, LOWER CHENOWITH WATER DISTRICT

(Name of applicant)

of Route 4 Box 96A, The Dalles, county of Wasco

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Incorporated as a Municipal Water District under Chapter 116 O.C.L.A. on November 24, 1953

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Chenowith Creek

(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 250 gallons per minute from Well Number 1 (Murray Well) and 250 gallons per minute from Well Number 2 (Webber Well)

3. The use to which the water is to be applied is Municipal and Group Domestic

Well No. 1 (Murray Well)

\* 4. The well or other source is located 51 ft. N. and 837 ft. E. from the

(N or S)

(E or W)

center of section 30

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

If there is more than one well, each must be described. Use separate sheet if necessary.

being within the SW 1/4 NE 1/4 of Sec. 30 Twp. 2 N. R. 13 E.

W. M. in the county of Wasco

3000 feet

5. The pipelines to be approximately

(Canal or pipe line)

in length, terminating in the SE 1/4 NW 1/4 of Sec. 30 Twp. 2 North

(Smallest legal subdivision)

R. 13 E. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well No. 1 (Murray Well); Well No. 2 (Webber Well)

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of two wells having a diameter of 4 inches and an estimated depth of 150 feet deep. Well No. 2 is 3 inches diameter and an estimated depth of 224 feet deep. It is estimated that rock Depth to water table is estimated feet.

\* (4) Well No. 2 (Webber Well) is located 771 ft. S. and 102 feet W. from the center of section 30 being within the NE 1/4 SW 1/4 of sec. 30, Twp. 2N, R. 13 E. W. M., in the County of Wasco.

CANAL SYSTEM OR PIPE LINE

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, 3000 ft.; size at intake, 6 in.; in size at \_\_\_\_\_ ft from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, 250 ft. Is grade uniform? Yes Estimated capacity, \_\_\_\_\_ one sec. ft.

10. If pumps are to be used, give size and type \_\_\_\_\_ turbin type, one 15 hp (Well # 1) one 10 hp (Well # 2)

Give horsepower and type of motor or engine to be used as above

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well # 1 is approximately 10 feet from Chenowith Creek  
 well # 2 is approximately 10 feet from Chenowith Creek

12. Location of area to be irrigated, or place of use Sec. 30, T 2 N, R 13 E, W.M.

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2.	13 E	30	SE 1/4	Municipal & group domestic
			SW 1/4	
			NW 1/4	
			NE 1/4	
			SE 1/4	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of Murrays First and Second Addition and Hoge's Addition to The Dalles, Oregon

in WASCO county, having a present population of 175

and an estimated population of 700 in 1970.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 5000.00

15. Construction work will begin on or before June 1, 1962

16. Construction work will be completed on or before June 1, 1963

17. The water will be completely applied to the proposed use on or before June 1, 1963

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. See File Numbered G-34, right previously filed

LOWER CHENOWITH WATER DISTRICT

By George J. Allen  
Chairman (Signature of applicant)

Remarks:

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 5, 1962

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 1962

MAX F. ROGERS

Acting STATE ENGINEER

By

Walter J. Barry

ASSISTANT

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.12 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells, being 0.56 c.f.s. from well No. 1 and 0.56 c.f.s. from well No. 2

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 30, 1962

Actual construction work shall begin on or before June 15, 1962 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 15 day of June 1962

STATE ENGINEER

Application No G- 2217  
Permit No G-

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 15 day of June 1962, at 11 o'clock A. M.

Returned to applicant:

Approved:

June 15, 1962

Recorded in book No. 8 of

Ground Water Permits on page 2127.

STATE ENGINEER

Drainage Basin No. 4 page 39