## Permit No. G- 2138

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Walter Schallberger Jr.	(Name of applicant)		*****	
of Rt. 4 Box 191, Hillsboro		county of Washin	ngtom	,
state of Oregon following described ground waters of the s	., do hereby make ap tate of Oregon, SUBJE	oplication for a pern CCT TO EXISTING	nit to appropriate RIGHTS:	the
If the applicant is a corporation, give	date and place of incorp	poration		
1. Give name of nearest stream to u	chich the well, tunnel	or other source of u	vater developmen	it is
situated Tue latin River	(Name of stream)		•	
	tribut	ary of Willamet	to kiver	
2. The amount of water which the feet per second or gallons per	applicant intends to appring minute.	ply to beneficial use	is 0 65 cm	ubic
, 3. The use to which the water is to	be applied is Irrig	aticm		
4. The well or other source is located	d. ft. (Nors)	ind ft.	from the	
corner of 1670 ft. N 77° 49' E of S		•		
(If preferable	give distance and bearing to sect	don corner)		
If there is more than one we being within the SE 1/4 of Sh 1/4	er each must be described. Use so	29 Twp. 15	. R. 2W	
W. M., in the county of Washington		, <b>-</b>		
5. The		to be	77	niles
	r pipe line	of Sec.	. Twp	
	Smallest legal su division)	·	•	
R . W. M., the proposed location			tying map.	
6. The name of the well or other we				
	SCRIPTION OF WOR			
7 If the flow to be utilized is artesi supply when not in use must be described.		d for the control an	id conservation of	the
Standard cap with shut off t	valve,			
8. The development will consist of	O <b>ne</b>	r of wells tunnels, etc.)	hari	ing a
diameter of 8" inches and an es	stimated depth of 5	50 feet. It is e.	stimated that	
feet of the well will require		h to water table is	estimated ARTE	1501

## CANAL SYSTEM OR PIPE LINE -

9 (a) Gir	e dimensio	ns at each point	of canal where mater	ially changed in	size, stating miles fr	OM
headgate. At hea	dgate. wid	th on top (at wa	ter line)		feet, width on bott	ota
feet; depth of water		feet, gra	de	feet fall per on		
thinisand feet.			f			
(b) At		miles from	headgate width on top	p (at water line)		
	feet; wu	ith on bottom	feet; d	iepth of scater	f	cet.
grade	je	et fall per one ti	hous <b>and</b> feet			
(c) Length	h of pipe.		ft; size at intabe	111 . 11	esize at	••
trom intake	e	in.; size at pl	ace of use	n lifferer	ice in elevation betw	e*e**1
ntake and place	of use.		ft. Is grade uniform?	,	. Estimated capac	oty
	sec. ft.	•				
10. If pun	aps are to b	e used, give size	and type 420 gp	m. centrifug	1 pump	
G ne hore	rpower and	type of motor c	er engine to be used	20 Ap. elec	tric metor	

12. Location of area to be irrigated, or place of use

Township Note: 25	Range £ 0 W of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
18	2.8	29	3% 1/4 of S% 1/4	13.8 Ac
V*	;	: : 63	SE 1/4 of SW 1/4	22.J Ad
	: 1	: •	SE 1/4 of 86 1/4	5.3 A3
* .	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;		36 1/4 of SE 1/4	5.0 Ac
		32	NE 1/4 of No 1/4	J. C. Ac
			Patar No. of Apres	£2.0 A3
			3,	
	;	:		
		1	· in the second second	
		;		
	٠		•	

of more space required, attach separate sheet?

Collaboration Links

Horacommunical matter, poracio anatare

<sup>11.</sup> If the location of the well, tunnel, or other development work is less than one-fourth mile from a maintal stream or stream channel, give the distance to the nearest point on each of such channel, even the difference in elevation between the stream hed and the ground surface at the source of development.

MUNICIPAL SUPPLY—			
13. To supply the city of			,
in county, having a pr	esent population of		
and an estimated population of	in 19		
14. Estimated cost of proposed works, \$		^	
15. Construction work will begin on or before	e Well was	drilled 19	12
16. Construction work will be completed on o	r before		نس ب
<ul><li>16. Construction work will be completed on o</li><li>17. The water will be completely applied to t</li></ul>	he proposed use on or be	fore 60-5gal, sp	suntless since
18. If the ground water supply is supplementation for permit, permit, certificate or adjudical applicant. Applied before was a	ental to an existing wat ted right to appropriate	er supply, identify	any appli-
,, , , , , , , , , , , , , , , , ,	Walter Scha	illetget J.	
Remarks:		2 ()	
· · · · · · · · · · · · · · · · · · ·			
• • • • • • • • • • • • • • • • • • •			
•			
•	•	<del>u.</del>	
· · · · · · · · · · · · · · · · · · ·			
÷			•
STATE OF OREGON.   Ss. County of Marion,			
This is to certify that I have examined the	foregoing application, to	gether with the acc	ompanyin <b>g</b>
maps and data, and return the same for compl	etion		•
In order to retain its priority, this applicati	on must be returned to t	he State Engineer, 1	with correc-

MAX F. ROGERS

July 10 ..., 19 62

day of

tions on or before

WITNESS my hand this 11

ROGERS

ACTING NTAFFERGINEER

ACTING

.1962 .

May

County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.65 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Schallberger well

The use to which this water is to be applied is

irrigation

If for irrigation, this appropriation shall be limited to 480% of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this pe	ermit is			May 1, 196	52	
Actual construction work shall begin on or before			fore .	July 17,	and shall	
thereafter be prosecuted with r	easo <b>na</b> b	le diligence	and be con	mpleted on or	before Octobe	r 1, 19 63
Complete amplication of th	ie water	to the prope	o vd use she	all be made on	or before Octob	per 🕽 19
WITHERS my hard this	<u>1</u> (10)	day of	Cak	July	19 62	(
					s'	FATE ENGINEER

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregoon the angle of the State of th

Refurred to applicant
Approved

2002 . . . 3.02

Recorded in book No.

Ground Water Permits on page . Let.

Diamage Basin No. 87 page

State Printing Section

